according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Benzylpenicillin / Streptomycin Sulphate Solid Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Kilsheelan

Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin sensitisation, Category 1

Reproductive toxicity, Category 1A

H317: May cause an allergic skin reaction.
H360D: May damage the unborn child.

Specific target organ toxicity - repeated H372: Causes damage to organs through pro-

exposure, Category 1 longed or repeated exposure.
Short-term (acute) aquatic hazard, Cate-H400: Very toxic to aquatic life.

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 8.1 30.09.2023 2456281-00024 Date of first issue: 13.02.2018

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor. P391 Collect spillage.

Hazardous components which must be listed on the label:

Benzvlpenicillin

Streptomycin sulphate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Benzylpenicillin	61-33-6 200-506-3	Resp. Sens. 1A; H334 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 M-Factor (Acute	>= 50 - < 70
Streptomycin sulphate	3810-74-0 223-286-0	aquatic toxicity): 1 Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Repr. 1A; H360D STOT RE 1; H372 (Kidney, inner ear) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ——— M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 30 - < 50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May damage the unborn child.

Causes damage to organs through prolonged or repeated

exposure.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

Contact with dust can cause mechanical irritation or drying of

the skin.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 8.1 30.09.2023 2456281-00024 Date of first issue: 13.02.2018

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides Metal oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

so.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Surround spill with absorbents and place a damp covering

over the area to minimise entry of the material into the air.

Add excess liquid to allow the material to enter into solution.

Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Clean up remaining materials from spill with suitable absor-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

6/22

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

dusts non-specific 4 mg/m3

Value type (Form of exposure): OELV - 8 hrs (TWA) (Respirable

dust)

Basis: IE OEL

10 mg/m3

Value type (Form of exposure): OELV - 8 hrs (TWA) (inhalable

dust)

Basis: IE OEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Benzylpenicillin	61-33-6	TWA	600 μg/m3 (OEB 2)	Internal
	Further information: RSEN, DSEN			
		Wipe limit	100 μg/100 cm2	Internal
Streptomycin sulphate	3810-74-0	TWA	OEB 2 (>= 100 < 1,000 µg/m3)	Internal
	Further information: DSEN			

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Benzylpenicillin	Water	0.014 mg/l

8.2 Exposure controls

Engineering measures

Use feasible engineering controls to minimize exposure to compound.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 143

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : powder

Colour : white

Odour : odourless

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Flash point : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 6.0 - 7.5

(aqueous suspension)

Viscosity

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : slightly soluble

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : Not applicable

Relative density : No data available

Density : $> 0.3 \text{ g/cm}^3$

Relative vapour density : Not applicable

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,030 mg/kg

Method: Calculation method

Components:

Benzylpenicillin:

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Mouse): 3,500 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 329 mg/kg Application Route: Intravenous

Streptomycin sulphate:

Acute oral toxicity : LD50 (Hamster): 400 mg/kg

LD50 (Rat): 430 mg/kg

LD50 (Mouse): 25,000 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Mouse): 85 - 111 mg/kg

Application Route: Intravenous

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

LD50 (Mouse): 575 - 610 mg/kg Application Route: Intraperitoneal

LD50 (Mouse): 500 - 600 mg/kg Application Route: Subcutaneous

TDLo (Dog): 220 - 440 mg/kg Application Route: Intravenous Symptoms: Lowered blood pressure

LDLo (Monkey): 110 mg/kg Application Route: Intravenous

TDLo (Monkey): 30 - 70 mg/kg Application Route: Subcutaneous Symptoms: respiratory depression

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Streptomycin sulphate:

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Benzylpenicillin:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Dermal Species : Mouse

Result : Weak sensitizer

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig Result : positive

Remarks : Based on data from similar materials

Result : Strong sensitizer

Remarks : Based on human experience.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

Streptomycin sulphate:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Dermal Species : Humans

Result : Weak sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:

Benzylpenicillin:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Streptomycin sulphate:

Genotoxicity in vitro : Test Type: Chromosomal aberration

Result: equivocal

Genotoxicity in vivo : Test Type: Chromosomal aberration

Cell type: Human lymphocytes

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Streptomycin sulphate:

Species : Rat Application Route : Oral

NOAEL : 5 mg/kg body weight

Result : negative

Carcinogenicity - Assess-

ment

: Weight of evidence does not support classification as a car-

cinogen

Reproductive toxicity

May damage the unborn child.

Components:

Benzylpenicillin:

Effects on fertility : Test Type: Fertility

Species: Mouse

Result: No effects on fertility

Test Type: Fertility

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

Species: Rat

Result: No effects on fertility

Test Type: Fertility Species: Rabbit

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Development

Species: Mouse

Result: No effects on foetal development

Test Type: Development

Species: Rat

Result: No effects on foetal development

Test Type: Development

Species: Rabbit

Result: No effects on foetal development

Streptomycin sulphate:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Intraperitoneal Fertility: LOAEL: 40 mg/kg body weight Symptoms: male reproductive effects

Effects on foetal develop-

ment

Test Type: Development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 250 mg/kg body weight

Symptoms: fetal deafness, Embryo-foetal toxicity

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: No teratogenic effects

Reproductive toxicity - As-

sessment

May damage the unborn child.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Streptomycin sulphate:

Target Organs : Kidney, inner ear

Assessment : Causes damage to organs through prolonged or repeated

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 8.1 30.09.2023 2456281-00024 Date of first issue: 13.02.2018

exposure.

Repeated dose toxicity

Components:

Streptomycin sulphate:

Species : Rat

NOAEL : 100 mg/kg
Application Route : Subcutaneous
Exposure time : 72 Days

Remarks : No significant adverse effects were reported

Species : Cat
LOAEL : 200 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : inner ear

Species : Dog
LOAEL : 44 mg/kg
Application Route : Intramuscular
Exposure time : 14 Days
Target Organs : inner ear

Species : Dog

LOAEL : 50 - 100 mg/kg Application Route : Intramuscular Exposure time : 20 Days

Target Organs : inner ear, Kidney

Symptoms : ataxia

Species : Monkey
NOAEL : 50 mg/kg
LOAEL : 100 mg/kg
Application Route : Intramuscular
Exposure time : 5 Days
Target Organs : Liver, Kidney

Species : Rat
NOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 2 yr

Remarks : No significant adverse effects were reported

Species : Monkey
LOAEL : 25 mg/kg
Application Route : Subcutaneous
Exposure time : 66 Days

Target Organs : Blood, Liver, Kidney

Symptoms : anemia

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

Components:

Benzylpenicillin:

Inhalation : Symptoms: Allergic reactions, Abdominal pain, bron-

chospasm, skin rash

Streptomycin sulphate:

Inhalation : Target Organs: inner ear

Symptoms: hearing loss Target Organs: Kidney Symptoms: hearing loss

Skin contact : Symptoms: skin rash

SECTION 12: Ecological information

12.1 Toxicity

Components:

Benzylpenicillin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 hrs

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.6 mg/l

Exposure time: 48 hrs

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 50

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

EC50 (blue-green algae): 0.74 mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

NOEC (blue-green algae): 0.14 mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

Toxicity to microorganisms : EC50 : > 500 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 5 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Streptomycin sulphate:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 487 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Microcystis aeruginosa (blue-green algae)): 0.007 mg/l

Exposure time: 72 h Method: ISO 8692

EC50 (Selenastrum capricornutum (green algae)): 0.133 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 32 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

100

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

12.2 Persistence and degradability

Components:

Benzylpenicillin:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 70.10 % Exposure time: 28 d

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Streptomycin sulphate:

Partition coefficient: n-

octanol/water

: log Pow: -3.2

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Streptomycin sulphate, Benzylpenicillin)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Streptomycin sulphate, Benzylpenicillin)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S

(Streptomycin sulphate, Benzylpenicillin)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Streptomycin sulphate, Benzylpenicillin)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Streptomycin sulphate, Benzylpenicillin)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

E1

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

Not applicable

: Not applicable

Not applicable

Not applicable

100 t

200 t

ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 2456281-00024
 Date of first issue: 13.02.2018

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H302 : Harmful if swallowed.

H317 : May cause an allergic skin reaction. H319 : Causes serious eye irritation.

H334 : May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

H360D : May damage the unborn child.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity
Resp. Sens. : Respiratory sensitisation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

IE OEL : List of Chemical Agents and Carcinogens with Occupational

Exposure Limit Values - Code of Practice, Schedule 1 and 2

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 8.1 30.09.2023 2456281-00024 Date of first issue: 13.02.2018

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

Acute Tox. 4	H302	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Repr. 1A	H360D	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN