

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Manufacturer or supplier's details

Company : MSD
Address : Briahnager - Off Pune Nagar Road
Wagholi - Pune - India 412 207
Telephone : +1-908-740-4000
Emergency telephone number : +1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Acute toxicity (Oral) : Category 5
Serious eye damage/eye irritation : Category 2B
Respiratory sensitisation : Category 1
Skin sensitisation : Category 1
Reproductive toxicity : Category 1A
Specific target organ toxicity - single exposure : Category 2 (Nervous system, Heart)
Specific target organ toxicity - repeated exposure : Category 1 (Kidney, inner ear)

Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation



Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

Specific target organ toxicity - repeated exposure : Category 2 (Gastrointestinal tract)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :  

Signal word : Danger

Hazard statements : H303 May be harmful if swallowed.
H317 May cause an allergic skin reaction.
H320 Causes eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H360D May damage the unborn child.
H371 May cause damage to organs (Nervous system, Heart).
H372 Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure.
H373 May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P203 Obtain, read and follow all safety instructions before use.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.
Response:
P301 + P333 + P317 IF SWALLOWED or if skin irritation or rash occurs: Get medical help.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

easy to do. Continue rinsing.
P308 + P316 IF exposed or concerned: Get emergency medical help immediately.
P337 + P317 If eye irritation persists: Get medical help.
P342 + P316 If experiencing respiratory symptoms: Get emergency medical help immediately.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 3 %

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzylpenicillin	61-33-6	>= 10 - < 20
Streptomycin sulphate	3810-74-0	>= 10 - < 20
Procaine hydrochloride	51-05-8	>= 1 - < 5
Piroxicam	36322-90-4	>= 1 - < 3

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

- In case of eye contact : Thoroughly clean shoes before reuse.
: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.
May cause an allergic skin reaction.
Causes eye irritation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May damage the unborn child.
May cause damage to organs.
Causes damage to organs through prolonged or repeated exposure.
Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulphur oxides
Oxides of phosphorus
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Benzylpenicillin	61-33-6	TWA	600 µg/m ³ (OEB 2)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm ²	Internal
Streptomycin sulphate	3810-74-0	TWA	OEB 2 (>= 100 < 1,000 µg/m ³)	Internal
Further information: DSEN				
Procaine hydrochloride	51-05-8	TWA	60 µg/m ³ (OEB 3)	Internal
		Wipe limit	600 µg/100 cm ²	Internal
Piroxicam	36322-90-4	TWA	100 µg/m ³ (OEB 2)	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.

Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-	:	Not applicable

Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

octanol/water
Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Can react with strong oxidizing agents.
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 2,447 mg/kg
Method: Calculation method

Components:

Benzylpenicillin:

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg
LD50 (Mouse): > 5,000 mg/kg

Acute toxicity (other routes of exposure) : LD50 (Mouse): 3,500 mg/kg

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

administration) Application Route: Intraperitoneal

LD50 (Mouse): 329 mg/kg
Application Route: Intravenous

Streptomycin sulphate:

Acute oral toxicity : LD50 (Hamster): 400 mg/kg

LD50 (Rat): 430 mg/kg

LD50 (Mouse): 25,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 85 - 111 mg/kg
Application Route: Intravenous

LD50 (Mouse): 575 - 610 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 500 - 600 mg/kg
Application Route: Subcutaneous

TDL_o (Dog): 220 - 440 mg/kg
Application Route: Intravenous
Symptoms: Lowered blood pressure

LDLo (Monkey): 110 mg/kg
Application Route: Intravenous

TDL_o (Monkey): 30 - 70 mg/kg
Application Route: Subcutaneous
Symptoms: respiratory depression

Procaine hydrochloride:

Acute oral toxicity : LD50 (Rat): 200 mg/kg

LD50 (Mouse): 350 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 43 mg/kg
Application Route: Intravenous

LD50 (Mouse): 33 mg/kg
Application Route: Intravenous

LD50 (Dog): 33 mg/kg
Application Route: Intravenous

Piroxicam:

Acute oral toxicity : LD50 (Rat): 216 mg/kg

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

LD50 (Dog): 108 mg/kg

LD50 (Hamster): 170 mg/kg

LD50 (Guinea pig): 388 mg/kg

LD50 (Monkey): 1,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes eye irritation.

Components:

Streptomycin sulphate:

Result : Mild eye irritation

Procaine hydrochloride:

Result : Moderate eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Benzylpenicillin:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Dermal
Species : Mouse
Result : Weak sensitizer

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : positive
Remarks : Based on data from similar materials

Result : Strong sensitizer
Remarks : Based on human experience.

Streptomycin sulphate:

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Dermal
Species : Humans
Result : Weak sensitizer

Procaine hydrochloride:

Exposure routes : Dermal
Result : Sensitiser
Remarks : Based on human experience.
Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Benzylpenicillin:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Streptomycin sulphate:

Genotoxicity in vitro : Test Type: Chromosomal aberration
Result: equivocal

Genotoxicity in vivo : Test Type: Chromosomal aberration
Cell type: Human lymphocytes
Result: negative

Procaine hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: equivocal

Piroxicam:

Genotoxicity in vivo : Test Type: sister chromatid exchange assay
Species: Humans
Cell type: Human lymphocytes
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Streptomycin sulphate:

Species : Rat
Application Route : Oral
NOAEL : 5 mg/kg body weight
Result : negative

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

May damage the unborn child.

Components:

Benzylpenicillin:

Effects on fertility : Test Type: Fertility
Species: Mouse
Result: No effects on fertility

Test Type: Fertility
Species: Rat
Result: No effects on fertility

Test Type: Fertility
Species: Rabbit
Result: No effects on fertility

Effects on foetal development : Test Type: Development
Species: Mouse
Result: No effects on foetal development

Test Type: Development
Species: Rat
Result: No effects on foetal development

Test Type: Development
Species: Rabbit
Result: No effects on foetal development

Streptomycin sulphate:

Effects on fertility : Test Type: Fertility
Species: Rat
Application Route: Intraperitoneal
Fertility: LOAEL: 40 mg/kg body weight
Symptoms: male reproductive effects

Effects on foetal development : Test Type: Development
Species: Mouse
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 250 mg/kg body weight
Symptoms: fetal deafness, Embryo-foetal toxicity

Test Type: Development
Species: Rabbit
Application Route: Oral

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: No teratogenic effects

Reproductive toxicity - Assessment : May damage the unborn child.

Procaine hydrochloride:

Reproductive toxicity - Assessment : May damage the unborn child.

Piroxicam:

Effects on foetal development : Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: Embryo-foetal toxicity, No teratogenic effects, Fetal growth retardation

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 30 mg/kg body weight
Symptoms: foetal mortality
Result: Embryo-foetal toxicity, No teratogenic effects, Fetal growth retardation
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 0.4 - 4 mg/kg body weight
Result: Effects on foetal development

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: No embryo-foetal toxicity

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

STOT - single exposure

May cause damage to organs (Nervous system, Heart).

Components:

Procaine hydrochloride:

Target Organs : Nervous system, Heart
Assessment : Causes damage to organs.

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

STOT - repeated exposure

Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure.
May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure.

Components:

Streptomycin sulphate:

Target Organs : Kidney, inner ear
Assessment : Causes damage to organs through prolonged or repeated exposure.

Piroxicam:

Target Organs : Gastrointestinal tract
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Streptomycin sulphate:

Species : Rat
NOAEL : 100 mg/kg
Application Route : Subcutaneous
Exposure time : 72 Days
Remarks : No significant adverse effects were reported

Species : Cat
LOAEL : 200 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : inner ear

Species : Dog
LOAEL : 44 mg/kg
Application Route : Intramuscular
Exposure time : 14 Days
Target Organs : inner ear

Species : Dog
LOAEL : 50 - 100 mg/kg
Application Route : Intramuscular
Exposure time : 20 Days
Target Organs : inner ear, Kidney
Symptoms : ataxia

Species : Monkey
NOAEL : 50 mg/kg
LOAEL : 100 mg/kg
Application Route : Intramuscular
Exposure time : 5 Days

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

Target Organs : Liver, Kidney

Species : Rat
NOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 2 yr
Remarks : No significant adverse effects were reported

Species : Monkey
LOAEL : 25 mg/kg
Application Route : Subcutaneous
Exposure time : 66 Days
Target Organs : Blood, Liver, Kidney
Symptoms : anemia

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Benzylpenicillin:

Inhalation : Symptoms: Allergic reactions, Abdominal pain, bronchospasm, skin rash

Streptomycin sulphate:

Inhalation : Target Organs: inner ear
Symptoms: hearing loss
Target Organs: Kidney
Symptoms: hearing loss

Skin contact : Symptoms: skin rash

Procaine hydrochloride:

Inhalation : Target Organs: Central nervous system
Symptoms: nervousness, Dizziness, Convulsions, Breathing difficulties, Rash, Swelling of tissue, irregular heart beat
Remarks: May cause harm to the unborn child.
Based on clinical use
Target Organs: Heart
Symptoms: nervousness, Dizziness, Convulsions, Breathing difficulties, Rash, Swelling of tissue, irregular heart beat
Remarks: May cause harm to the unborn child.
Based on clinical use

Piroxicam:

Ingestion : Target Organs: Gastrointestinal tract
Symptoms: Diarrhoea, constipation, flatulence, Headache, Dizziness, tinnitus, skin rash, Ulceration, chest pain, Abdominal pain

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Benzylpenicillin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 hrs
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.6 mg/l
Exposure time: 48 hrs
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 50 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201

EC50 (blue-green algae): 0.74 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201

NOEC (blue-green algae): 0.14 mg/l
Exposure time: 72 hrs
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 500 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 5 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Streptomycin sulphate:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 487 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version 5.6 Revision Date: 30.09.2023 SDS Number: 2456208-00022 Date of last issue: 04.04.2023
Date of first issue: 13.02.2018

Toxicity to algae/aquatic plants : EC50 (Microcystis aeruginosa (blue-green algae)): 0.007 mg/l
Exposure time: 72 h
Method: ISO 8692

EC50 (Selenastrum capricornutum (green algae)): 0.133 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 32 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 100

Procaine hydrochloride:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Piroxicam:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Persistence and degradability

Components:

Benzylpenicillin:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 70.10 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Streptomycin sulphate:

Partition coefficient: n- : log Pow: -3.2

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.6	30.09.2023	2456208-00022	Date of first issue: 13.02.2018

octanol/water

Procaine hydrochloride:

Partition coefficient: n-
octanol/water : log Pow: 2.14

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Benzylpenicillin, Streptomycin sulphate)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Benzylpenicillin, Streptomycin sulphate)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo
aircraft) : 964

Packing instruction (passen-
ger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.6	30.09.2023	2456208-00022	Date of first issue: 13.02.2018

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Benzylpenicillin, Streptomycin sulphate)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 30.09.2023

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

SAFETY DATA SHEET

according to the Globally Harmonized System



Benzylpenicillin / Streptomycin Sulphate / Procaine Hydrochloride / Piroxicam Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.6	30.09.2023	2456208-00022	Date of first issue: 13.02.2018

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN