

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 5344792-00010      Date of last issue: 2023/04/04  
Date of first issue: 2019/12/09

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Betamethasone / Gentamicin Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|                   |                     |
|-------------------|---------------------|
| <b>Appearance</b> | : liquid            |
| <b>Colour</b>     | : No data available |
| <b>Odour</b>      | : No data available |

Causes serious eye irritation. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

#### GHS Classification

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 1

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519




## Betamethasone / Gentamicin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 5344792-00010      Date of last issue: 2023/04/04  
Date of first issue: 2019/12/09

---

### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H319 Causes serious eye irritation.  
H360D May damage the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H401 Toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Causes serious eye irritation. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 5344792-00010      Date of last issue: 2023/04/04  
Date of first issue: 2019/12/09

### Environmental hazards

Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| Chemical name            | CAS-No.   | Concentration (% w/w) |
|--------------------------|-----------|-----------------------|
| Propan-2-ol              | 67-63-0   | $\geq 10$ -< 20       |
| Methyl p-Hydroxybenzoate | 99-76-3   | $\geq 1$ -< 2.5       |
| Gentamicin               | 1403-66-3 | $\geq 0.025$ -< 0.1   |
| betamethasone            | 378-44-9  | $\geq 0.025$ -< 0.1   |

## 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2023/04/04  |
| 2.8     | 2023/09/30     | 5344792-00010 | Date of first issue: 2019/12/09 |

|   |   |   |
|---|---|---|
|   |   | Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical   |
| Unsuitable extinguishing media                | : | None known.   |
| Specific hazards during fire-fighting         | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                 | : | Carbon oxides   |
| Specific extinguishing methods                | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |

### 6. ACCIDENTAL RELEASE MEASURES

|   |   |   |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).  |
| Environmental precautions   | : | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Prevent spreading over a wide area (e.g. by containment or oil barriers).<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained.  |
| Methods and materials for containment and cleaning up               | : | Soak up with inert absorbent material.<br>For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.<br>Clean up remaining materials from spill with suitable absorbent.<br>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.<br>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

### 7. HANDLING AND STORAGE

#### Handling

|                    |   |   |
|--------------------|---|---|
| Technical measures | : | See Engineering measures under EXPOSURE |
|--------------------|---|---|

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 5344792-00010      Date of last issue: 2023/04/04  
Date of first issue: 2019/12/09

- Local/Total ventilation : CONTROLS/PERSONAL PROTECTION section.  
: If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
: Do not breathe mist or vapours.  
: Do not swallow.  
: Do not get in eyes.  
: Wash skin thoroughly after handling.  
: Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
: Keep container tightly closed.  
: Do not eat, drink or smoke when using this product.  
: Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Storage**
- Conditions for safe storage : Keep in properly labelled containers.  
: Store locked up.  
: Keep tightly closed.  
: Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
: Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components                | CAS-No.   | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis    |
|---------------------------|-----------|-------------------------------|--|----------|
| Propan-2-ol               | 67-63-0   | PC-TWA                        | 350 mg/m <sup>3</sup>                          | CN OEL   |
|                           |           | PC-STEL                       | 700 mg/m <sup>3</sup>                          | CN OEL   |
|                           |           | TWA                           | 200 ppm  | ACGIH    |
|                           |           | STEL                          | 400 ppm  | ACGIH    |
| Gentamicin                | 1403-66-3 | TWA                           | 0.1 mg/m <sup>3</sup> (OEB 2)                  | Internal |
| Further information: OTO  |           |                               |  |          |
| betamethasone             | 378-44-9  | TWA                           | 1 µg/m <sup>3</sup> (OEB 4)                    | Internal |
| Further information: Skin |           |                               |  |          |
|                           |           | Wipe limit                    | 10 µg/100 cm <sup>2</sup>                      | Internal |

#### Biological occupational exposure limits

| Components  | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|-------------|---------|--------------------|---------------------|---------------|---------------------------|-------|
| Propan-2-ol | 67-63-0 | Acetone            | Urine               | End of        | 40 mg/l                   | ACGIH |

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

Version: 2.8      Revision Date: 2023/09/30      SDS Number: 5344792-00010      Date of last issue: 2023/04/04  
Date of first issue: 2019/12/09

|  |  |  |  |                           |  |     |
|--|--|--|--|---------------------------|--|-----|
|  |  |  |  | shift at end of work-week |  | BEI |
|--|--|--|--|---------------------------|--|-----|

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

**Eye/face protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

**Hand protection**

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : liquid

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2023/04/04  |
| 2.8     | 2023/09/30     | 5344792-00010 | Date of first issue: 2019/12/09 |

---

|  |   |  |
|--|---|--|
| Colour   | : | No data available  |
| Odour  | : | No data available  |
| Odour Threshold                                  | : | No data available  |
| pH   | : | No data available  |
| Melting point/freezing point                     | : | No data available  |
| Initial boiling point and boiling range          | : | No data available  |
| Flash point                                      | : | No data available  |
| Evaporation rate                                 | : | No data available  |
| Flammability (solid, gas)                        | : | Not applicable   |
| Flammability (liquids)                           | : | No data available  |
| Upper explosion limit / Upper flammability limit | : | No data available  |
| Lower explosion limit / Lower flammability limit | : | No data available  |
| Vapour pressure                                  | : | No data available  |
| Relative vapour density                          | : | No data available  |
| Relative density                                 | : | No data available  |
| Density  | : | No data available  |
| Solubility(ies)                                  |   |  |
| Water solubility                                 | : | No data available  |
| Partition coefficient: n-octanol/water           | : | Not applicable   |
| Auto-ignition temperature                        | : | No data available  |
| Decomposition temperature                        | : | No data available  |
| Viscosity  |   |  |
| Viscosity, kinematic                             | : | No data available  |
| Explosive properties                             | : | Not explosive  |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2023/04/04  |
| 2.8     | 2023/09/30     | 5344792-00010 | Date of first issue: 2019/12/09 |

---

Molecular weight : No data available  
Particle size : Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

##### Methyl p-Hydroxybenzoate:

Acute oral toxicity : LD50 (Rat, male): 2,100 mg/kg  
Method: OECD Test Guideline 401

##### Gentamicin:

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 5344792-00010      Date of last issue: 2023/04/04  
Date of first issue: 2019/12/09

---

LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg  
Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg  
Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg  
Application Route: Intravenous

### **betamethasone:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 4,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l  
Exposure time: 4 h

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Propan-2-ol:**

Species : Rabbit  
Result : No skin irritation

#### **Methyl p-Hydroxybenzoate:**

Species : Rabbit  
Result : No skin irritation

#### **Gentamicin:**

Species : Rabbit  
Result : Mild skin irritation

#### **betamethasone:**

Species : Rabbit  
Result : Mild skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2023/04/04  |
| 2.8     | 2023/09/30     | 5344792-00010 | Date of first issue: 2019/12/09 |

---

### Components:

#### **Propan-2-ol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

#### **Methyl p-Hydroxybenzoate:**

Species : Rabbit  
Result : No eye irritation

#### **Gentamicin:**

Species : Rabbit  
Result : Mild eye irritation

#### **betamethasone:**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Components:

#### **Propan-2-ol:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

#### **Methyl p-Hydroxybenzoate:**

Test Type : Maurer optimisation test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

#### **Gentamicin:**

Remarks : No data available

#### **betamethasone:**

Exposure routes : Dermal

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2023/04/04  |
| 2.8     | 2023/09/30     | 5344792-00010 | Date of first issue: 2019/12/09 |

---

Species : Guinea pig  
Result : Weak sensitizer

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

#### Methyl p-Hydroxybenzoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
  
Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 478  
Result: negative

#### Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
  
Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intravenous injection  
Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 5344792-00010      Date of last issue: 2023/04/04  
Date of first issue: 2019/12/09

---

### betamethasone:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Result: negative
- Test Type: Chromosome aberration test in vitro  
Result: positive
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: equivocal
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### Propan-2-ol:

- Species : Rat  
Application Route : inhalation (vapour)  
Exposure time : 104 weeks  
Method : OECD Test Guideline 451  
Result : negative

#### Gentamicin:

- Carcinogenicity - Assessment : No data available

### Reproductive toxicity

May damage the unborn child.

### Components:

#### Propan-2-ol:

- Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative
- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2023/04/04  |
| 2.8     | 2023/09/30     | 5344792-00010 | Date of first issue: 2019/12/09 |

---

### Methyl p-Hydroxybenzoate:

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Result: negative

### Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Fertility: NOAEL: 20 mg/kg body weight  
Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight  
Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 75 mg/kg body weight  
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 10 mg/kg body weight  
Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 50 mg/kg body weight  
Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

### betamethasone:

Effects on foetal development : Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 0.05 mg/kg body weight  
Result: Fetotoxicity, Malformations were observed.

Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 0.42 mg/kg body weight  
Result: Malformations were observed.

Species: Mouse

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 5344792-00010      Date of last issue: 2023/04/04  
Date of first issue: 2019/12/09

---

Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

#### Components:

##### Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Components:

##### Gentamicin:

Target Organs : Kidney, inner ear  
Assessment : Causes damage to organs through prolonged or repeated exposure.

##### betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### Propan-2-ol:

Species : Rat  
NOAEL : 12.5 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 104 Weeks

##### Methyl p-Hydroxybenzoate:

Species : Rat  
NOAEL : 250 mg/kg  
LOAEL : 1,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Method : OECD Test Guideline 407

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 5344792-00010      Date of last issue: 2023/04/04  
Date of first issue: 2019/12/09

---

### Gentamicin:

Species : Dog  
LOAEL : 3 mg/kg  
Application Route : Intramuscular  
Exposure time : 12 Months  
Target Organs : Kidney  
Symptoms : Vomiting, Salivation

Species : Monkey  
LOAEL : 50 mg/kg  
Application Route : Subcutaneous  
Exposure time : 3 Weeks  
Target Organs : Kidney, inner ear

Species : Monkey  
LOAEL : 6 mg/kg  
Application Route : Intramuscular  
Exposure time : 3 Weeks  
Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat  
NOAEL : 5 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Intramuscular  
Exposure time : 52 Weeks  
Target Organs : Kidney, Blood

Species : Rat  
NOAEL : 12.5 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Intramuscular  
Exposure time : 13 Weeks  
Target Organs : Kidney

### betamethasone:

Species : Rabbit  
LOAEL : 0.05 %  
Application Route : Skin contact  
Exposure time : 10 - 30 d  
Target Organs : Pituitary gland, Immune system, muscle

Species : Rat  
LOAEL : 0.05 %  
Application Route : Skin contact  
Exposure time : 8 Weeks  
Target Organs : thymus gland

Species : Mouse  
LOAEL : 0.1 %  
Application Route : Skin contact

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2023/04/04  |
| 2.8     | 2023/09/30     | 5344792-00010 | Date of first issue: 2019/12/09 |

---

|                   |   |                                    |
|-------------------|---|------------------------------------|
| Exposure time     | : | 8 Weeks                            |
| Target Organs     | : | thymus gland                       |
| Species           | : | Dog                                |
| LOAEL             | : | 0.05 mg/kg                         |
| Application Route | : | Oral                               |
| Exposure time     | : | 28 d                               |
| Target Organs     | : | Blood, thymus gland, Adrenal gland |

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **Gentamicin:**

|           |   |   |
|-----------|---|---|
| Ingestion | : | Target Organs: Kidney<br>Target Organs: inner ear<br>Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness |
|-----------|---|---|

##### **betamethasone:**

|              |   |   |
|--------------|---|---|
| Inhalation   | : | Target Organs: Adrenal gland            |
| Skin contact | : | Symptoms: Redness, pruritis, Irritation |

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Propan-2-ol:**

|                  |   |  |
|------------------|---|--|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l<br>Exposure time: 96 h |
|------------------|---|--|

|   |   |   |
|---|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 10,000 mg/l<br>Exposure time: 24 h |
|---|---|---|

|                            |   |  |
|----------------------------|---|--|
| Toxicity to microorganisms | : | EC50 (Pseudomonas putida): > 1,050 mg/l<br>Exposure time: 16 h |
|----------------------------|---|--|

##### **Methyl p-Hydroxybenzoate:**

|                  |   |   |
|------------------|---|---|
| Toxicity to fish | : | LC50 (Oryzias latipes (Japanese medaka)): 59.5 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203 |
|------------------|---|---|

|   |   |   |
|---|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 11.2 mg/l<br>Exposure time: 48 h<br>Method: ISO 6341 |
|---|---|---|



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

Version 2.8      Revision Date: 2023/09/30      SDS Number: 5344792-00010      Date of last issue: 2023/04/04  
Date of first issue: 2019/12/09

---

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 91 mg/l  
Exposure time: 72 h  
Method: ISO 8692  
  
EC10 (Pseudokirchneriella subcapitata (green algae)): 31 mg/l  
Exposure time: 72 h  
Method: ISO 8692

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.024 mg/l  
Exposure time: 70 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.2 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

### Gentamicin:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: 288.7 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2023/04/04  |
| 2.8     | 2023/09/30     | 5344792-00010 | Date of first issue: 2019/12/09 |

---

### betamethasone:

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility
- NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210
- NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l  
Exposure time: 219 d  
Method: OECD Test Guideline 229
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 1,000

### Persistence and degradability

#### Components:

##### **Propan-2-ol:**

- Biodegradability : Result: rapidly degradable
- BOD/COD : BOD: 1.19 (BOD5)COD: 2.23BOD/COD: 53 %

##### **Methyl p-Hydroxybenzoate:**

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: 89 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **Gentamicin:**

- Biodegradability : Result: rapidly degradable  
Biodegradation: 100 %  
Exposure time: 28 d

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2023/04/04  |
| 2.8     | 2023/09/30     | 5344792-00010 | Date of first issue: 2019/12/09 |

---

Method: OECD Test Guideline 314

### Bioaccumulative potential

#### Components:

##### **Propan-2-ol:**

Partition coefficient: n-octanol/water : log Pow: 0.05

##### **Methyl p-Hydroxybenzoate:**

Partition coefficient: n-octanol/water : log Pow: 1.98

##### **Gentamicin:**

Partition coefficient: n-octanol/water : log Pow: < -2

##### **betamethasone:**

Partition coefficient: n-octanol/water : log Pow: 2.11

#### **Mobility in soil**

No data available

#### **Other adverse effects**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(betamethasone)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

#### **IATA-DGR**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2023/04/04  |
| 2.8     | 2023/09/30     | 5344792-00010 | Date of first issue: 2019/12/09 |

---

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(betamethasone)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(betamethasone)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(betamethasone)  
Class : 9  
Packing group : III  
Labels : 9  
Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2023/04/04  |
| 2.8     | 2023/09/30     | 5344792-00010 | Date of first issue: 2019/12/09 |

### The components of this product are reported in the following inventories:

|       |   |                |
|-------|---|----------------|
| AICS  | : | not determined |
| DSL   | : | not determined |
| IECSC | : | not determined |

## 16. OTHER INFORMATION

Revision Date : 2023/09/30

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

|           |   |   |
|-----------|---|---|
| ACGIH     | : | USA. ACGIH Threshold Limit Values (TLV)   |
| ACGIH BEI | : | ACGIH - Biological Exposure Indices (BEI)   |
| CN OEL    | : | Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents. |

|                   |   |   |
|-------------------|---|---|
| ACGIH / TWA       | : | 8-hour, time-weighted average                         |
| ACGIH / STEL      | : | Short-term exposure limit                             |
| CN OEL / PC-TWA   | : | Permissible concentration - time weighted average     |
| CN OEL / PC-STEEL | : | Permissible concentration - short term exposure limit |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Betamethasone / Gentamicin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2023/04/04  |
| 2.8     | 2023/09/30     | 5344792-00010 | Date of first issue: 2019/12/09 |

---

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN