According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Betamethasone / Gentamicin Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Walton Manor, Walton

MK7 7AJ Milton Keynes - United Kingdom

Telephone : +1-908-740-4000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Eye irritation, Category 2 H319: Causes serious eye irritation. Reproductive toxicity, Category 1B H360D: May damage the unborn child.

Specific target organ toxicity - repeated H372: Causes damage to organs through pro-

exposure, Category 1 longed or repeated exposure.

Long-term (chronic) aquatic hazard, Cat-H410: Very toxic to aquatic life with long lasting

rv 1 Peffe

egory 1

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

Hazard pictograms :







Signal word : Danger

Hazard statements : H319 Causes serious eye irritation.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

betamethasone

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Propan-2-ol	67-63-0	Flam. Liq. 2; H225	>= 10 - < 20
	200-661-7	Eye Irrit. 2; H319	
	603-117-00-0	STOT SE 3; H336	
Methyl p-Hydroxybenzoate	99-76-3	Aquatic Chronic 2;	>= 1 - < 2.5
	202-785-7	H411	
Gentamicin	1403-66-3	Repr. 1A; H360D	>= 0.025 - <
	215-765-8	STOT RE 1; H372	0.1
		(Kidney, inner ear)	
		Aquatic Acute 1;	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

Substances with a workplace exposure line	mit :	Acute Tox. 2; H330 Repr. 1B; H360D STOT RE 1; H372 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1,000 specific concentration limit STOT RE 1; H372 >= 0.01 % Repr. 1B; H360D >= 0.01 % STOT RE 1; H372 >= 0.01 % Repr. 1B; H360D >= 0.01 %	>= 0.025 - < 0.1
	7-55-6 00-338-0		>= 20 - < 30

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 9374238-00010 Date of first issue: 27.08.2021 6.1

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of contact, immediately flush eyes with plenty of water In case of eye contact

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation. Risks

May damage the unborn child.

Causes damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

fighting

Specific hazards during fire- : Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- : Carbon oxides

ucts

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	TWA (Total va- pour and parti- cles)	150 ppm 474 mg/m3	GB EH40
		TWA (particles)	10 mg/m3	GB EH40
Propan-2-ol	67-63-0	STEL	500 ppm	GB EH40

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

			1,250 mg/m3		
		TWA	400 ppm	GB EH40	
			999 mg/m3		
Gentamicin	1403-66-3	TWA	0.1 mg/m3 (OEB 2)	Internal	
	Further inforr	Further information: OTO			
betamethasone	378-44-9	TWA	1 μg/m3 (OEB 4)	Internal	
	Further inforr	Further information: Skin			
		Wipe limit	10 μg/100 cm ²	Internal	

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
Propan-2-ol	Workers	Inhalation	Long-term systemic effects	500 mg/m3
	Workers	Skin contact	Long-term systemic effects	888 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	89 mg/m3
	Consumers	Skin contact	Long-term systemic effects	319 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	26 mg/kg bw/day
Methyl p- Hydroxybenzoate	Workers	Inhalation	Long-term systemic effects	58.76 mg/m3
	Workers	Skin contact	Long-term systemic effects	9.8 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	14.49 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4.2 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4.16 mg/kg bw/day

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57.2 mg/kg dry weight (d.w.)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

	Soil	50 mg/kg dry weight (d.w.)
Propan-2-ol	Fresh water	140.9 mg/l
	Marine water	140.9 mg/l
	Intermittent use/release	140.9 mg/l
	Sewage treatment plant	2251 mg/l
	Fresh water sediment	552 mg/kg dry weight (d.w.)
	Marine sediment	552 mg/kg dry weight (d.w.)
	Soil	28 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	160 mg/kg food
Methyl p-Hydroxybenzoate	Fresh water	2.4 μg/l
	Freshwater - intermittent	0.112 mg/l
	Marine water	0.24 μg/l
	Sewage treatment plant	2 mg/l
	Fresh water sediment	0.0632 mg/kg dry weight (d.w.)
	Marine sediment	0.00632 mg/kg dry weight (d.w.)
	Soil	0.0115 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : No data available
Odour : No data available
Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

Flash point

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

No data available

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available Partition coefficient: n- : Not applicable

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : No data available

Molecular weight : No data available

Particle size : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation exposure Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l

Exposure time: 6 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Methyl p-Hydroxybenzoate:

Acute oral toxicity : LD50 (Rat, male): 2,100 mg/kg

Method: OECD Test Guideline 401

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg

LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: No mortality observed at this dose.

Acute toxicity (other routes of :

administration)

LD50 (Rat): 67 - 96 mg/kg

Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg Application Route: Intravenous

betamethasone:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 4,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l

Exposure time: 4 h

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

Components:

Propan-2-ol:

Species : Rabbit

Result : No skin irritation

Methyl p-Hydroxybenzoate:

Species : Rabbit

Result : No skin irritation

Gentamicin:

Species : Rabbit

Result : Mild skin irritation

betamethasone:

Species : Rabbit

Result : Mild skin irritation

Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Propan-2-ol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Methyl p-Hydroxybenzoate:

Species : Rabbit

Result : No eye irritation

Gentamicin:

Species : Rabbit

Result : Mild eye irritation

betamethasone:

Species : Rabbit

Result : No eye irritation

Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 405

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Propan-2-ol:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Methyl p-Hydroxybenzoate:

Test Type : Maurer optimisation test

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Gentamicin:

Remarks : No data available

betamethasone:

Exposure routes : Dermal
Species : Guinea pig
Result : Weak sensitizer

Propylene glycol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Methyl p-Hydroxybenzoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 478

Result: negative

Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intravenous injection

Result: negative

betamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Application Route: Oral Result: equivocal

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propan-2-ol:

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 104 weeks

Method : OECD Test Guideline 451

Result : negative

Gentamicin:

Carcinogenicity - Assess-

ment

No data available

Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Methyl p-Hydroxybenzoate:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: negative

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Fertility: NOAEL: 20 mg/kg body weight

Result: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Developmental Toxicity: NOAEL: 3.6 mg/kg body weight

Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 75 mg/kg body weight

Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: foetal mortality, No malformations were observed.

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on development from

human epidemiological studies.

betamethasone:

Effects on foetal develop-

ment

: Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: LOAEL: 0.05 mg/kg body weight

Result: Fetotoxicity, Malformations were observed.

Species: Rat

Application Route: Subcutaneous

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

Developmental Toxicity: LOAEL: 0.42 mg/kg body weight

Result: Malformations were observed.

Species: Mouse

Application Route: Intramuscular

Developmental Toxicity: LOAEL: 1 mg/kg body weight

Result: Malformations were observed.

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Gentamicin:

Target Organs : Kidney, inner ear

Assessment : Causes damage to organs through prolonged or repeated

exposure.

betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood,

Adrenal gland

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Propan-2-ol:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

Species : Rat NOAEL : 12.5 mg/l

Application Route : inhalation (vapour)

Exposure time : 104 Weeks

Methyl p-Hydroxybenzoate:

Species : Rat
NOAEL : 250 mg/kg
LOAEL : 1,000 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Method : OECD Test Guideline 407

Gentamicin:

Species : Dog
LOAEL : 3 mg/kg
Application Route : Intramuscular
Exposure time : 12 Months
Target Organs : Kidney

Symptoms : Vomiting, Salivation

Species : Monkey
LOAEL : 50 mg/kg
Application Route : Subcutaneous
Exposure time : 3 Weeks

Target Organs : Kidney, inner ear

Species : Monkey
LOAEL : 6 mg/kg
Application Route : Intramuscular
Exposure time : 3 Weeks

Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat

NOAEL : 5 mg/kg

LOAEL : 10 mg/kg

Application Route : Intramuscular

Exposure time : 52 Weeks

Target Organs : Kidney, Blood

Species : Rat

NOAEL : 12.5 mg/kg

LOAEL : 50 mg/kg

Application Route : Intramuscular

Exposure time : 13 Weeks

Target Organs : Kidney

betamethasone:

Species : Rabbit
LOAEL : 0.05 %
Application Route : Skin contact

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

Exposure time : 10 - 30 d

Target Organs : Pituitary gland, Immune system, muscle

Species : Rat
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Mouse
LOAEL : 0.1 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Dog

LOAEL : 0.05 mg/kg

Application Route : Oral Exposure time : 28 d

Target Organs : Blood, thymus gland, Adrenal gland

Propylene glycol:

Species : Rat, male

NOAEL : >= 1,700 mg/kg

Application Route : Ingestion

Exposure time : 2 yr

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Gentamicin:

Ingestion : Target Organs: Kidney

Target Organs: inner ear

Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal

deafness

betamethasone:

Inhalation : Target Organs: Adrenal gland

Skin contact : Symptoms: Redness, pruritis, Irritation

SECTION 12: Ecological information

12.1 Toxicity

Components:

Propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

Methyl p-Hydroxybenzoate:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 59.5 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 11.2 mg/l

Exposure time: 48 h Method: ISO 6341

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 91

mg/i

Exposure time: 72 h Method: ISO 8692

EC10 (Pseudokirchneriella subcapitata (green algae)): 31 mg/l

Exposure time: 72 h Method: ISO 8692

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.024 mg/l Exposure time: 70 d

Species: Danio rerio (zebra fish)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.2 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Gentamicin:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 86 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 10 μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5

μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to microorganisms

EC50: 288.7 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

1

betamethasone:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Americamysis): > 50 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 34

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 34

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.052 mg/l Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

NOEC: 0.07 µg/l Exposure time: 219 d

Species: Oryzias latipes (Japanese medaka)

Method: OECD Test Guideline 229

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 8 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

1,000

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 13,020 mg/l Exposure time: 7 d

Species: Ceriodaphnia dubia (water flea)

12.2 Persistence and degradability

Components:

Propan-2-ol:

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1,19 (BOD5)

COD: 2,23 BOD/COD: 53 %

Methyl p-Hydroxybenzoate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 89 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Gentamicin:

Biodegradability : Result: rapidly degradable

Biodegradation: 100 % Exposure time: 28 d

Method: OECD Test Guideline 314

Propylene glycol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 98.3 % Exposure time: 28 d

Method: OECD Test Guideline 301F

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

12.3 Bioaccumulative potential

Components:

Propan-2-ol:

Partition coefficient: n-

octanol/water

log Pow: 0.05

Methyl p-Hydroxybenzoate:

Partition coefficient: n-

octanol/water

log Pow: 1.98

Gentamicin:

Partition coefficient: n-

octanol/water

log Pow: < -2

betamethasone:

Partition coefficient: n-

octanol/water

log Pow: 2.11

Propylene glycol:

Partition coefficient: n-

log Pow: -1.07

octanol/water

Method: Regulation (EC) No. 440/2008, Annex, A.8

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(betamethasone)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(betamethasone)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(betamethasone)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(betamethasone)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(betamethasone)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 6.1 28.09.2024 9374238-00010 Date of first issue: 27.08.2021

Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 9374238-00010 Date of first issue: 27.08.2021 6.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

not.

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Regulation (EC) on substances that deplete the ozone

layer

UK REACH List of substances subject to authorisation

(Annex XIV)

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH)

E1 **ENVIRONMENTAL**

HAZARDS

Quantity 1

Quantity 2

100 t 200 t

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS not determined

DSL not determined

IECSC not determined

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H225 : Highly flammable liquid and vapour. H319 : Causes serious eye irritation.

H330 : Fatal if inhaled.

H336 : May cause drowsiness or dizziness. H360D : May damage the unborn child.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H372 : Causes damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Repr. : Reproductive toxicity

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test popula-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Betamethasone / Gentamicin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 6.1
 28.09.2024
 9374238-00010
 Date of first issue: 27.08.2021

tion; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Classification procedure:

cy, http://echa.europa.eu/

Classification of the mixture:

Eye Irrit. 2H319Calculation methodRepr. 1BH360DCalculation methodSTOT RE 1H372Calculation methodAquatic Chronic 1H410Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN