Commission Regulation (EU) 2020/878



Bismuth Subnitrate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657128-00024	Date of first issue: 02.05.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Trade name	:	Bismuth Subnitrate Formulation
1.2	Relevant identified uses of t	he s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Veterinary product
	Recommended restrictions on use	:	Not applicable
1.3	Details of the supplier of the	safe	ety data sheet
	Company	:	MSD
			Kilsheelan
			Clonmel Tipperary, IE
	Telephone	:	353-51-601000
	E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 Specific target organ toxicity - repeated exposure, Category 1 Long-term (chronic) aquatic hazard, Category 2 H317: May cause an allergic skin reaction. H372: Causes damage to organs through prolonged or repeated exposure. H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : Signal word : Danger

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Bismuth Subnitrate Formulation

Version 8.0	Revision Date: 28.09.2024	SDS Number: 657128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
Haza	rd statements	: H317 H372 H411	May cause an allergic skin reaction. Causes damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.
Preca	autionary statements	: Prevention: P273 P280	Avoid release to the environment. Wear protective gloves.
			Get medical advice/ attention if you feel unwell. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Collect spillage.

Hazardous components which must be listed on the label:

Bismuth hydroxide nitrate oxide Benzyl alcohol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponents			
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Bismuth hydroxide nitrate oxide	1304-85-4 215-136-8	STOT RE 1; H372 (Central nervous system)	>= 50 - < 70
Zinc oxide	1314-13-2 215-222-5 030-013-00-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2.5 - < 10



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Bismuth Subnitrate Formulation

Version 8.0	Revision Date: 28.09.2024	SDS Number: 657128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016	
			M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
Benz	yl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Acute toxicity esti- mate Acute oral toxicity: 1,200 mg/kg	>= 1 - < 10
2,6-D	vi-tert-butyl-p-cresol	128-37-0 204-881-4	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0.1 - < 0.25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.



/ersion 3.0	Revision Date: 28.09.2024	SDS Number: 657128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016		
If swallowed		Get medical att	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.		
4.2 Most i	mportant symptoms	s and effects, both ac	ute and delayed		
4.2 Most i Risks	mportant symptoms	: May cause an	allergic skin reaction.		
Risks		: May cause an Causes damag exposure.			

-	ishing media e extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuita media	able extinguishing	:	None known.
5.2 Special	hazards arising from	the	e substance or mixture
Specific fighting		:	Exposure to combustion products may be a hazard to health.
Hazard ucts	ous combustion prod-	:	Nitrogen oxides (NOx) Metal oxides Carbon oxides
5.3 Advice	for firefighters		
Special for firef	l protective equipment ighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Specific ods	c extinguishing meth-	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Follow safe handling advice (see section 7) and personal pro-
		tective equipment recommendations (see section 8).



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657128-00024	Date of first issue: 02.05.2016

6.2 Environmental precautions

Environmental precautions	 Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages
	cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding posal of the section of the section. 	
	certain local or national requirements.	

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	
		Do not breathe dust, fume, gas, mist, vapours or spray.
		Do not swallow.
		Avoid contact with eyes.
		Wash skin thoroughly after handling.
		Handle in accordance with good industrial hygiene and safety
		practice, based on the results of the workplace exposure as- sessment
		Do not eat, drink or smoke when using this product.
		Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.
II		Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Keep in properly labelled containers. Store in accordance with
--------------------------	---	--



Version 8.0	Revision Date: 28.09.2024	SDS Number: 657128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
areas and containers		the particular nat	tional regulations.
Advice	e on common storage	Strong oxidizing	stances and mixtures
-	c end use(s) ic use(s)	: No data available	9

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Petrolatum	8009-03-8	OELV - 8 hrs (TWA) (inhalable fraction)	5 mg/m3	IE OEL
Zinc oxide	1314-13-2	OELV - 8 hrs (TWA) (fume, respirable)	2 mg/m3	IE OEL
		OELV - 15 min (STEL) (Fumes)	10 mg/m3	IE OEL
2,6-Di-tert-butyl-p- cresol	128-37-0	OELV - 8 hrs (TWA)	2 mg/m3	IE OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Bismuth hydroxide nitrate oxide	Workers	Inhalation	Long-term systemic effects	2.7 mg/m3
	Consumers	Inhalation	Long-term systemic effects	0.67 mg/m3
	Consumers	Ingestion	Long-term systemic effects	5 mg/kg bw/day
Zinc oxide	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0.5 mg/m3
	Workers	Skin contact	Long-term systemic effects	83 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2.5 mg/m3
	Consumers	Skin contact	Long-term systemic effects	83 mg/kg bw/day




according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Bismuth Subnitrate Formulation

/ersion 3.0	Revision Date: 28.09.2024			of last issue: 06.04.2024 of first issue: 02.05.2016	
		Consumers	Ingestion	Long-term systemic effects	0.83 mg/kg bw/day
Benzy	yl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
		Workers	Inhalation	Acute systemic ef- fects	110 mg/m3
		Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
		Workers	Skin contact	Acute systemic ef- fects	40 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	5.4 mg/m3
		Consumers	Inhalation	Acute systemic ef- fects	27 mg/m3
		Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
		Consumers	Skin contact	Acute systemic ef- fects	20 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
		Consumers	Ingestion	Acute systemic ef- fects	20 mg/kg bw/day
2,6-D creso	i-tert-butyl-p- I	Workers	Inhalation	Long-term systemic effects	3.5 mg/m3
		Workers	Dermal	Long-term systemic effects	0.5 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	0.86 mg/m3
		Consumers	Dermal	Long-term systemic effects	0.25 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	0.25 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Bismuth hydroxide nitrate oxide	Fresh water	0.137 mg/l
	Freshwater - intermittent	1.37 mg/l
	Marine water	0.014 mg/l
	Sewage treatment plant	17.5 mg/l
	Fresh water sediment	14176.5 mg/kg
		dry weight (d.w.)
	Marine sediment	1417.7 mg/kg dry
		weight (d.w.)
	Soil	120.3 mg/kg dry
		weight (d.w.)
	Oral (Secondary Poisoning)	33.3 mg/kg food
Zinc oxide	Fresh water	20.6 µg/l
	Marine water	6.1 µg/l
	Sewage treatment plant	100 µg/l
	Fresh water sediment	117.8 mg/kg dry
		weight (d.w.)
	Marine sediment	56.5 mg/kg dry





Bismuth Subnitrate Formulation

Version 8.0	Revision Date: 28.09.2024	SDS Number: 657128-00024		•
				weight (d.w.)
		Soil		35.6 mg/kg dry weight (d.w.)
Benz	yl alcohol	Fresh water		1 mg/l
		Marine water		0.1 mg/l
		Intermittent us	se/release	2.3 mg/l
		Sewage treat	nent plant	39 mg/l
		Fresh water s	Fresh water sediment	
		Marine sedim	Marine sediment	
		Soil	Soil	
Petro	olatum	Oral (Seconda	ary Poisoning)	9.33 mg/kg food
2,6-D	Di-tert-butyl-p-cresol	Fresh water	Fresh water	
		Intermittent us	Intermittent use/release	
		Marine water	Marine water	
		Sewage treat	nent plant	0.17 mg/l
		Fresh water s	ediment	0.0996 mg/kg dry
				weight (d.w.)
			Marine sediment	
				dry weight (d.w.)
				0.04769 mg/kg
				dry weight (d.w.)
		Oral (Seconda	ary Poisoning)	8.33 mg/kg food

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment							
Eye/face protection :	Wear the following personal protective equipment: Safety glasses Equipment should conform to I.S. EN 166						
Hand protection							
Material :	Chemical-resistant gloves						
Remarks :	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.						
Skin and body protection :	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective						
Respiratory protection :	clothing (gloves, aprons, boots, etc). If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.						

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Bismuth Subnitrate Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.04.2024
8.0		657128-00024	Date of first issue: 02.05.2016
Fi	lter type	• •	ould conform to I.S. EN 14387 ticulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1	Information on basic physical Physical state	l an :	d chemical properties paste
	Colour	:	white
	Odour	:	Petroleum
	Odour Threshold	:	No data available
	Melting point/freezing point	:	No data available
	Initial boiling point and boiling range	:	No data available
	Flammability (solid, gas)	:	Not classified as a flammability hazard
	Flammability (liquids)	:	No data available
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	Not applicable
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	No data available
	Viscosity Viscosity, kinematic	:	No data available
	Solubility(ies) Water solubility	:	No data available
	Partition coefficient: n- octanol/water	:	Not applicable
	Vapour pressure	:	No data available
	Relative density	:	No data available



Ver 8.0	sion	Revision Date: 28.09.2024		9S Number: 7128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016		
	Density	y	:	No data available	e		
	Relative vapour density		: No data available				
		e characteristics ticle size	: No data available		e		
9.2	Other in	nformation					
	Explos	ives	:	Not explosive			
	Oxidizi	ng properties	:	The substance of	r mixture is not classified as oxidizing.		
	Evapoi	ration rate	: No data available		e		

SECTION 10: Stability and reactivity

10.1 Reactivity	
Not classified as a reactivity ha	zard.
10.2 Chemical stability	
Stable under normal conditions	
10.3 Possibility of hazardous read	tions
Hazardous reactions	: Can react with strong oxidizing agents.
Tazardous reactions	
10.4 Conditions to avoid	
Conditions to avoid	: None known.
	. None known.
10.5 Incompatible materials	
Materials to avoid	: Oxidizing agents
10.6 Hazardous decomposition pr	roducts
10.6 Hazardous decomposition pr No hazardous decomposition p	
No hazardous decomposition p	roducts are known.
• •	roducts are known.
No hazardous decomposition p	roducts are known. ormation
No hazardous decomposition p SECTION 11: Toxicological info 11.1 Information on hazard classe	roducts are known. ormation es as defined in Regulation (EC) No 1272/2008
No hazardous decomposition p SECTION 11: Toxicological info 11.1 Information on hazard classe Information on likely routes of	roducts are known. ormation es as defined in Regulation (EC) No 1272/2008 : Skin contact
No hazardous decomposition p SECTION 11: Toxicological info 11.1 Information on hazard classe	roducts are known. ormation es as defined in Regulation (EC) No 1272/2008 : Skin contact Ingestion
No hazardous decomposition p SECTION 11: Toxicological info 11.1 Information on hazard classe Information on likely routes of exposure	roducts are known. ormation es as defined in Regulation (EC) No 1272/2008 : Skin contact
No hazardous decomposition p SECTION 11: Toxicological info 11.1 Information on hazard classe Information on likely routes of exposure Acute toxicity	ormation es as defined in Regulation (EC) No 1272/2008 : Skin contact Ingestion Eye contact
No hazardous decomposition p SECTION 11: Toxicological info 11.1 Information on hazard classe Information on likely routes of exposure	ormation es as defined in Regulation (EC) No 1272/2008 : Skin contact Ingestion Eye contact
No hazardous decomposition p SECTION 11: Toxicological info 11.1 Information on hazard classe Information on likely routes of exposure Acute toxicity	ormation es as defined in Regulation (EC) No 1272/2008 : Skin contact Ingestion Eye contact
No hazardous decomposition p SECTION 11: Toxicological info 11.1 Information on hazard classe Information on likely routes of exposure Acute toxicity Not classified based on availab	ormation es as defined in Regulation (EC) No 1272/2008 : Skin contact Ingestion Eye contact
No hazardous decomposition p SECTION 11: Toxicological info 11.1 Information on hazard classe Information on likely routes of exposure Acute toxicity Not classified based on availab <u>Product:</u>	ormation es as defined in Regulation (EC) No 1272/2008 : Skin contact Ingestion Eye contact le information.



Bismuth Subnitrate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657128-00024	Date of first issue: 02.05.2016

Components:

Bismuth hydroxide nitrate	oxid	le:
Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): > 5.07 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 Remarks: Based on data from similar materials
Zinc oxide:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
Benzyl alcohol:		
Acute oral toxicity	:	LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity
2,6-Di-tert-butyl-p-cresol:		
Acute oral toxicity	:	LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.



Version 8.0	Revision Date: 28.09.2024	SDS Numbe 657128-0002	
Com	ponents:		
Bism	uth hydroxide nitrat	e oxide:	
Spec Metho	ies	: reconstru	ucted human epidermis (RhE) est Guideline 439
Resu	lt	: No skin i	rritation
Zinc	oxide:		
Speci Metho Resu	od	: Rabbit : OECD To : No skin i	est Guideline 404 rritation
Benz	yl alcohol:		
Spec Metho Resu	od	: Rabbit : OECD To : No skin i	est Guideline 404 rritation
2,6-D	i-tert-butyl-p-cresol:		
Speci Metho Resu Rema	od It	: No skin i	est Guideline 404 rritation n data from similar materials
	ous eye damage/eye lassified based on ava		n.
<u>Com</u>	ponents:		
	uth hydroxide nitrat		
Spec Metho Resu	od	: Rabbit : OECD To : No eye ir	est Guideline 405 ritation
Zinc	oxide:		
Spec Metho Resu	od	: Rabbit : OECD To : No eye ir	est Guideline 405 ritation
Benz	yl alcohol:		
Spec Metho Resu	od		est Guideline 405 to eyes, reversing within 21 days
2,6-D	i-tert-butyl-p-cresol:		
Spec Metho Resu	od	: Rabbit : OECD To : No eye ir	est Guideline 405 ritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ersion .0	Revision Date: 28.09.2024	SDS Number: 657128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
Rema	arks	: Based on data	a from similar materials
Resp	iratory or skin sens	itisation	
	sensitisation cause an allergic skin	reaction.	
-	iratory sensitisatio r lassified based on av		
Com	ponents:		
Bism	uth hydroxide nitrat	e oxide:	
Test Expo Spec Metho Resu	sure routes ies od	: Local lymph r : Skin contact : Mouse : OECD Test G : negative	ode assay (LLNA) Guideline 429
Zinc	oxide:		
Test Expo Spec Metho Resu	sure routes ies od	: Maximisation : Skin contact : Guinea pig : OECD Test G : negative	
Benz	yl alcohol:		
Test	Type sure routes ies	: Human repea : Skin contact : Humans : positive	t insult patch test (HRIPT)
Asse	ssment	: Probability or rate in human	evidence of low to moderate skin sensitisation
26-0	i-tert-butyl-p-cresol		
Test	Type sure routes ies		t insult patch test (HRIPT)
	n cell mutagenicity		
	lassified based on av	ailable information.	
<u>Com</u>	ponents:		
	uth hydroxide nitrat		
	otoxicity in vitro		acterial reverse mutation assay (AMES)

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 8.0	Revision Date: 28.09.2024	-	OS Number: 7128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
			Method: OECD T Result: negative	nosome aberration test in vitro
Tinc (oxide:			
	toxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
				o mammalian cell gene mutation test est Guideline 476
			Test Type: Chron Result: equivocal	nosome aberration test in vitro
Geno	toxicity in vivo	:	cytogenetic assay Species: Rat	: inhalation (dust/mist/fume)
			cytogenetic test, of Species: Rat	enicity (in vivo mammalian bone-marrow chromosomal analysis) : inhalation (dust/mist/fume)
			cytogenetic assay Species: Mouse Application Route	nalian erythrocyte micronucleus test (in vivo /) :: Intraperitoneal injection est Guideline 474
Germ sessn	cell mutagenicity- As- nent	:	Weight of evidend cell mutagen.	e does not support classification as a germ
Benz	yl alcohol:			
	toxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
Geno	toxicity in vivo	:	cytogenetic assay Species: Mouse	nalian erythrocyte micronucleus test (in vivo /) : Intraperitoneal injection



Bismuth Subnitrate Formulation

Version 8.0	Revision Date: 28.09.2024	SDS Number: 657128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
2,6-D)i-tert-butyl-p-cresol:		
Geno	otoxicity in vitro	: Test Type: B Result: nega	acterial reverse mutation assay (AMES) tive
		Test Type: In Result: nega	vitro mammalian cell gene mutation test tive
		Test Type: C Result: nega	hromosome aberration test in vitro tive
Genc	otoxicity in vivo	cytogenetic to Species: Rat	coute: Ingestion

Carcinogenicity

Not classified based on available information.

Components:

Zinc oxide:

Species Application Route Exposure time Result Remarks	 Mouse Ingestion 1 Years negative Record on data from similar materials
Remarks	: Based on data from similar materials

Benzyl alcohol:

Species Application Route	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Exposure time Method Result	: negative

2,6-Di-tert-butyl-p-cresol:

Species Application Route	:	Rat
Application Route	:	Ingestion
Exposure time Result	:	22 Months
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:

Bismuth hydroxide nitrate oxide:

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
	Species: Rat Application Route: Ingestion



Bismuth Subnitrate Formulation

ersion D	Revision Date: 28.09.2024	SDS Number: 657128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
I		Result: neg	ative
Effect: ment	s on foetal develop-	Species: Ra Application	Route: Ingestion CD Test Guideline 414
Zinc	oxide:		
Effect	s on fertility	Species: Ra Application Result: neg	Route: Ingestion
Effect: ment	s on foetal develop-	Species: Ra Application Method: OE Result: neg	Route: inhalation (dust/mist/fume) CD Test Guideline 414
Benzy	yl alcohol:		
Effect	s on fertility	Species: Ra Application Result: neg	Route: Ingestion
Effect: ment	s on foetal develop-	Species: Mo	Route: Ingestion
	i-tert-butyl-p-cresol:		
Effect	s on fertility	Species: Ra	Route: Ingestion
Effect: ment	s on foetal develop-	Species: Ra	Route: Ingestion

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.



Version 8.0	Revision Date: 28.09.2024	SDS Number: 657128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
Comp	oonents:		
Bism	uth hydroxide nitrate	oxide:	
Target Organs Assessment		Central nervoCauses dama exposure.	us system age to organs through prolonged or repeated
Zinc o	oxide:		
Asses	Assessment		health effects observed in animals at concentra- g/l/6h/d or less.
2,6-Di	-tert-butyl-p-cresol:		
Asses	sment		health effects observed in animals at concentra- ng/kg bw or less.
Repea	ated dose toxicity		
Comp	oonents:		
Zinc	oxide:		
	EL cation Route sure time	: Rat, male : 0.0015 mg/l : inhalation (du : 3 Months : OECD Test G	
Benzy	/l alcohol:		
	EL cation Route sure time	: Rat : 1.072 mg/l : inhalation (du : 28 Days : OECD Test G	
2,6-Di	-tert-butyl-p-cresol:		
		: Rat : 25 mg/kg : Ingestion : 22 Months	
	ation toxicity		
	assified based on avail		
	nation on other hazar		
Endo	crine disrupting prop	erties	
<u>Produ</u> Asses	<u>uct:</u> ssment	ered to have	e/mixture does not contain components consid- endocrine disrupting properties according to e 57(f) or Commission Delegated regulation



Bismuth Subnitrate Formulation

Revision Date: 28.09.2024	SDS Number: 657128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016			
		(EU) 2017/2100 or Commission Regulation (EU) 2018/605 a levels of 0.1% or higher.			
ience with human e	xposure				
ict:					
ion	lead to the forr concentration, disorders, Bloc	Symptoms: The absorption of this product into the body may lead to the formation of methaemoglobine that, in sufficient concentration, causes cyanosis., May cause, Neurological disorders, Blood disorders, blood effects, central nervous sys- tem effects, Methaemoglobinemia			
onents:					
th hydroxide nitrat	e oxide:				
ion	Symptoms: Me Target Organs	: Blood ethaemoglobinemia : Central nervous system urological disorders			
	28.09.2024 ience with human e <u>ct:</u> ion <u>onents:</u> ith hydroxide nitrate	28.09.2024 657128-00024 (EU) 2017/210 levels of 0.1% ience with human exposure ct: ion : Symptoms: The lead to the form concentration, disorders, Block tem effects, Me onents: ith hydroxide nitrate oxide: ion : Target Organs Symptoms: Me Target Organs			

SECTION 12: Ecological information

12.1 Toxicity

Components:

Bismuth hydroxide nitrate oxide:

Τοχί	icity to fish	:	LL50 (Danio rerio (zebra fish)): > 137 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203		
	icity to daphnia and other atic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 137 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202		
Toxi plan	icity to algae/aquatic nts	:	EL50 (Pseudokirchneriella subcapitata (green algae)): > 137 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201		
			NOELR (Pseudokirchneriella subcapitata (green algae)): > 137 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201		
Zind	c oxide:				
Tox	icity to fish	:	LC50 : > 0.1 - 1 mg/l Exposure time: 96 h		



Versio 8.0	n Revision Date: 28.09.2024		9S Number: 7128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
			Remarks: Based of	on data from similar materials
	Toxicity to algae/aquatic plants		ErC50 (Pseudokir mg/l Exposure time: 72	chneriella subcapitata (green algae)): 0.136 2 h
			- 0.1 mg/l Exposure time: 72	rchneriella subcapitata (green algae)): > 0.01 2 h on data from similar materials
	-Factor (Acute aquatic tox- ty)	:	1	
	oxicity to fish (Chronic tox- ty)	:		
a	oxicity to daphnia and other quatic invertebrates (Chron- toxicity)	:	Exposure time: 7 Species: Ceriodar	
	-Factor (Chronic aquatic xicity)	:	1	
В	enzyl alcohol:			
Т	oxicity to fish	:	LC50 (Pimephales Exposure time: 96	s promelas (fathead minnow)): 460 mg/l S h
	oxicity to daphnia and other quatic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
	oxicity to algae/aquatic ants	:	EC50 (Pseudokiro mg/l Exposure time: 72 Method: OECD Te	
			NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
a	oxicity to daphnia and other quatic invertebrates (Chron- toxicity)	:	NOEC: 51 mg/l Exposure time: 21 Species: Daphnia Method: OECD Te	magna (Water flea)
וו י	6-Di-tert-butyl-p-cresol:			
	oxicity to fish	:	LC50 (Danio rerio Exposure time: 96	(zebra fish)): > 0.57 mg/l 3 h



Version 8.0	Revision Date: 28.09.2024	-	0S Number: 7128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
II			Method: Directive	e 67/548/EEC, Annex V, C.1.
	ity to daphnia and other tic invertebrates	:	Exposure time: 4	nagna (Water flea)): 0.48 mg/l 8 h est Guideline 202
	Toxicity to algae/aquatic plants		mg/l Exposure time: 7	rchneriella subcapitata (green algae)): > 0.24 2 h est Guideline 201
			mg/l Exposure time: 72	rchneriella subcapitata (green algae)): 0.24 2 h est Guideline 201
M-Fa icity)	ctor (Acute aquatic tox-	:	1	
Toxic	sity to microorganisms	:	EC50 : > 10,000 Exposure time: 3 Method: OECD T	
Toxic icity)	ity to fish (Chronic tox-	:	NOEC: 0.053 mg Exposure time: 3 Species: Oryzias Method: OECD T	
	tity to daphnia and other tic invertebrates (Chron- icity)		Exposure time: 2	
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
12.2 Pers	istence and degradabil	ity		
Com	ponents:			
	yl alcohol: egradability	:	Result: Readily b Biodegradation: Exposure time: 14	92 - 96 %
2,6-D)i-tert-butyl-p-cresol:			
Biode	egradability	:	Result: Not readil Biodegradation: Exposure time: 2 Method: OECD T	4.5 %

Commission Regulation (EU) 2020/878



Bismuth Subnitrate Formulation

Version Revision Date 8.0 28.09.2024	e: SDS Number: 657128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
12.3 Bioaccumulative po	tential	
Components:		
Zinc oxide:		
Bioaccumulation	•	hynchus mykiss (rainbow trout) on factor (BCF): 78 - 2,060
Benzyl alcohol:		
Partition coefficient: n octanol/water	- : log Pow: 1.05	
2,6-Di-tert-butyl-p-cr	resol:	
Bioaccumulation		nus carpio (Carp) on factor (BCF): 330 - 1,800
Partition coefficient: n octanol/water	- : log Pow: 5.1	
12.4 Mobility in soil		
No data available		
12.5 Results of PBT and	vPvB assessment	
Product:		
Assessment	to be either per	/mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 Endocrine disruptin	g properties	
Product:		
Assessment	ered to have er REACH Article	mixture does not contain components consid- adocrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at or higher.
12.7 Other adverse effect No data available	ts	
SECTION 13: Disposal	considerations	
13.1 Waste treatment me Product		ccordance with local regulations.

Product

: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.



Version 8.0	Revision Date: 28.09.2024		OS Number: 7128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
Conta	Contaminated packaging		dling site for recy	s should be taken to an approved waste han- cling or disposal. pecified: Dispose of as unused product.
SECTION	14: Transport infor	mat	tion	
14.1 UN ni	umber or ID number			
ADN		:	UN 3077	
ADR		:	UN 3077	
RID		:	UN 3077	
IMDG		:	UN 3077	
ΙΑΤΑ		:	UN 3077	
14.2 UN pi	oper shipping name			
ADN		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID, Di-tert-butyl-p-cresol)
ADR		:	ENVIRONMENT/ N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID,
RID		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID, Di-tert-butyl-p-cresol)
IMDG		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID, Di-tert-butyl-p-cresol)
ΙΑΤΑ		:		nazardous substance, solid, n.o.s. Di-tert-butyl-p-cresol)
14.3 Trans	port hazard class(es)			
			Class	Subsidiary risks
ADN			9	
ADR		:	9	
RID		:	9	
IMDG		:	9	
IATA		:	9	
14.4 Packi	ng group	-		
ADN Packir Classi	ng group fication Code d Identification Number	: :	III M7 90 9	
ADR				
			22 / 26	



Bismuth Subnitrate Formulation

Version 8.0	Revision Date: 28.09.2024		OS Number: 7128-00024	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
Class Haza Labe	ing group sification Code Ird Identification Number Is el restriction code	:	III M7 90 9 (-)	
Class	ing group sification Code ırd Identification Number Is	:	III M7 90 9	
Labe	ing group	:	III 9 F-A, S-F	
Pack aircra Pack	ing instruction (LQ) ing group	:	956 Y956 III Miscellaneous	
Pack ger a Pack	(Passenger) ing instruction (passen- ircraft) ing instruction (LQ) ing group Is	:	956 Y956 III Miscellaneous	
14.5 Envi	ronmental hazards			
ADN Envir	onmentally hazardous	:	yes	
ADR Envir	onmentally hazardous	:	yes	
RID Envir	onmentally hazardous	:	yes	
IMDO Marir	G ne pollutant	:	yes	
	(Passenger)	:	yes	
	(Cargo) conmentally hazardous	:	yes	
14.6 Spec	cial precautions for use	r		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657128-00024	Date of first issue: 02.05.2016

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislat ture	ion	specific for the substance or mix-
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		
		Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parlian	nen	t and of the Council on the control of

major-accident hazards involving dangerous substances.

	5 5	Quantity 1	Quantity 2
E2	ENVIRONMENTAL	200 t	500 t
	HAZARDS		

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this pro	duct are reported in the	following inventories:
----------------------------	--------------------------	------------------------

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Commission Regulation (EU) 2020/878



Bismuth Subnitrate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657128-00024	Date of first issue: 02.05.2016

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

 Other information
 : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

 Full text of H-Statements
 : Harmful if swallowed.

 H302
 : Harmful if swallowed.

 H317
 : May cause an allergic skin reaction.

H410	:	Very toxic to aquatic life with long lasting effects.
H400		Very toxic to aquatic life.
		exposure.
H372	:	Causes damage to organs through prolonged or repeated
H319	:	Causes serious eye irritation.
H317	:	May cause an allergic skin reaction.

Full text of other abbreviations

Acute Tox. Aquatic Acute Aquatic Chronic Eye Irrit. Skin Sens. STOT RE IE OEL		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Eye irritation Skin sensitisation Specific target organ toxicity - repeated exposure Ireland. List of Chemical Agents and Carcinogens with Occu- pational Exposure Limit Values - Code of Practice, Schedule 1 and 2
IE OEL / OELV - 8 hrs (TWA) IE OEL / OELV - 15 min (STEL)	:	Occupational exposure limit value (8-hour reference period) Occupational exposure limit value (15-minute reference peri- od)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Ef-



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657128-00024	Date of first issue: 02.05.2016

fect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Classification of the m	nixture:	Classification procedure:
Skin Sens. 1	H317	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Chronic 2	H411	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN