

Butorphanol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.04.2024

 3.0
 06.07.2024
 918667-00018
 Date of first issue: 03.10.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Butorphanol Formulation Other means of identification : Dolorex® (A006877)

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity : Category 2

Specific target organ toxicity

- single exposure (Oral)

Category 1 (Central nervous system)

Specific target organ toxicity

- repeated exposure (Oral)

: Category 1 (Blood, Central nervous system)

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H370 Causes damage to organs (Central nervous system) if

swallowed.

H372 Causes damage to organs (Blood, Central nervous system) through prolonged or repeated exposure if swallowed.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.



Butorphanol Formulation

Date of last issue: 23.04.2024 Version Revision Date: SDS Number: 3.0 06.07.2024 918667-00018 Date of first issue: 03.10.2016

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
17-(cyclobutylmethyl)morphinan-3,14-diyl [S-	58786-99-5	>= 1 -< 5
(R*,R*)]-2,3-dihydroxysuccinate		

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person. Suspected of damaging fertility. Suspected of damaging the

Most important symptoms

and effects, both acute and

delayed

unborn child. Causes damage to organs if swallowed.

Causes damage to organs through prolonged or repeated

exposure if swallowed.

First Aid responders should pay attention to self-protection, Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).



Butorphanol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.04.2024

 3.0
 06.07.2024
 918667-00018
 Date of first issue: 03.10.2016

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emergency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE



Butorphanol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.04.2024

 3.0
 06.07.2024
 918667-00018
 Date of first issue: 03.10.2016

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
17- (cyclobutylmethyl)morphinan- 3,14-diyl [S-(R*,R*)]-2,3- dihydroxysuccinate	58786-99-5	TWA	3 μg/m3 (OEB 4)	Internal
		Wipe limit	30 μg/100 cm ²	Internal
		STEL	25 μg/m3	Internal

Engineering measures : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.



Butorphanol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.04.2024

 3.0
 06.07.2024
 918667-00018
 Date of first issue: 03.10.2016

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not

exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

100 °C

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available



Butorphanol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.04.2024

 3.0
 06.07.2024
 918667-00018
 Date of first issue: 03.10.2016

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.



Butorphanol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.04.2024

 3.0
 06.07.2024
 918667-00018
 Date of first issue: 03.10.2016

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Acute oral toxicity : LD50 (Mouse): 395 mg/kg

LD50 (Dog): > 50 mg/kg

LD50 (Monkey): > 50 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Species : Rat

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Routes of exposure : Dermal

Assessment : Does not cause skin sensitization.

Result : negative

Germ cell mutagenicity

Not classified based on available information.



Butorphanol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.04.2024

 3.0
 06.07.2024
 918667-00018
 Date of first issue: 03.10.2016

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Species: RatApplication Route: OralExposure time: 2 YearsResult: negative

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Oral

Fertility: LOAEL: 160 mg/kg body weight

Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 1 mg/kg body weight Result: No teratogenic effects., Increased stillbirths

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 30 mg/kg body weight Result: No teratogenic effects., Maternal toxicity observed.,

Postimplantation loss.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Subcutaneous



Butorphanol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.04.2024

 3.0
 06.07.2024
 918667-00018
 Date of first issue: 03.10.2016

Developmental Toxicity: LOAEL: 0.5 mg/kg body weight

Result: Maternal toxicity observed.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments.. Some evidence of

adverse effects on development, based on animal

experiments.

STOT-single exposure

Causes damage to organs (Central nervous system) if swallowed.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Target Organs : Central nervous system
Assessment : Causes damage to organs.

STOT-repeated exposure

Causes damage to organs (Blood, Central nervous system) through prolonged or repeated exposure if swallowed.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Target Organs : Blood, Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Species : Rat
LOAEL : 0.4 mg/kg
Application Route : Subcutaneous
Exposure time : 6 Months

Target Organs : Blood, Central nervous system

Species : Monkey
LOAEL : 0.15 mg/kg
Application Route : Intramuscular
Exposure time : 6 Months

Target Organs : Central nervous system

Species : Dog LOAEL : 0.1 mg/kg Application Route : Intramuscular Exposure time : 3 Months

Symptoms : reduced body weight gain

Aspiration toxicity

Not classified based on available information.



Butorphanol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.04.2024

 3.0
 06.07.2024
 918667-00018
 Date of first issue: 03.10.2016

Experience with human exposure

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Ingestion : Symptoms: Drowsiness, Sweating, Nausea, Dizziness, Verti-

go, Palpitation, respiratory depression

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 38.1 mg/l

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



Butorphanol Formulation

Version Revision Date: SDS Number: Date of last issue: 23.04.2024 3.0 06.07.2024 918667-00018 Date of first issue: 03.10.2016

Domestic regulation

NOM-002-SCT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for

producing capsules, tablets and pills.

: Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 06.07.2024 Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substanc-



Butorphanol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.04.2024

 3.0
 06.07.2024
 918667-00018
 Date of first issue: 03.10.2016

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8