

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.4	30.09.2023	7665396-00007	Date of first issue: 10.12.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Calcium / Magnesium Chloride Formulation

Manufacturer or supplier's	details
Company name of ourselier	

Recommended use of the chemical and restrictions on use					
E-mail address	:	EHSDATASTEWARD@msd.com			
Emergency telephone	:	1-908-423-6000			
Telephone	:	908-740-4000			
		Rahway, New Jersey U.S.A. 07065			
Address	:	126 E. Lincoln Avenue			
Company name of supplier	•	NISD			

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Reproductive toxicity	:	Category 1B
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H360FD May damage fertility. May damage the unborn child.
Precautionary Statements	:	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response: P308 + P313 IF exposed or concerned: Get medical advice/ attention.
		Storage: P405 Store locked up.
		Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.
Other hazards		

None known.



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.4	30.09.2023	7665396-00007	Date of first issue: 10.12.2020

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

•		
Chemical name	CAS-No.	Concentration (% w/w)
Boric acid	10043-35-3	>= 1 -< 5
Magnesium chloride	7786-30-3	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May damage fertility. May damage the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Metal oxides Chlorine compounds Boron oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.



Vers 2.4	sion	Revision Date: 30.09.2023		S Number: 65396-00007	Date of last issue: 04.04.2023 Date of first issue: 10.12.2020	
	Special for fire-	protective equipment fighters	:	Remove undamag so. Evacuate area.	o cool unopened containers. ged containers from fire area if it is safe to do e, wear self-contained breathing apparatus. ective equipment.	
SEC	TION 6	ACCIDENTAL RELE	ASE	E MEASURES		
	Personal precautions, protec- tive equipment and emer- gency procedures		:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).		
	Enviror	mental precautions	:	Prevent spreading oil barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g., by containment or se of contaminated wash water. should be advised if significant spillages	
	Methods and materials for containment and cleaning up		:	For large spills, pr containment to ke can be pumped, s container. Clean up remainin absorbent. Local or national r disposal of this ma employed in the c determine which r Sections 13 and 1	a absorbent material. Tovide diking or other appropriate ep material from spreading. If diked material tore recovered material in appropriate ing materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to egulations are applicable. 5 of this SDS provide information regarding tional requirements.	

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.	
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.	
Advice on safe handling	 Do not get on skin or clothing. Do not breathe vapors or spray mist. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Take care to prevent spills, waste and minimize release to the provision of the second se	
Hygiene measures	 environment. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. 	e



Version 2.4	Revision Date: 30.09.2023	SDS Number: 7665396-00007	Date of last issue: 04.04.2023 Date of first issue: 10.12.2020			
		When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.				
Conditions for safe storage		: Keep in properly labeled containers. Store locked up. Keep tightly closed.				
Materials to avoid		: Do not store with Strong oxidizing	stances and mixtures			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Boric acid	10043-35-3	VLE-PPT (Inhalable)	2 mg/m ³	NOM-010- STPS-2014
		VLE-CT (In- halable)	6 mg/m ³	NOM-010- STPS-2014
		TWA (Inhalable particulate matter)	2 mg/m ³ (Borate)	ACGIH
		STEL (Inhalable particulate matter)	6 mg/m ³ (Borate)	ACGIH
Magnesium chloride	7786-30-3	TWA	OEB 2 (>= 100 < 1000 µg/m3)	Internal

Ingredients with workplace control parameters

Engineering measures	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.
Personal protective equipmer	it
Respiratory protection	If adequate local exhaust ventilation is not available or

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection		



Vers 2.4	sion	Revision Date: 30.09.2023		S Number: 65396-00007	Date of last issue: 04.04.2023 Date of first issue: 10.12.2020		
	Mat	erial	:	: Chemical-resistant gloves			
	Eye pro	otection	:	 Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty condition mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. 			
		Skin and body protection : Work uniform or laboratory coat.					
SEC	CTION 9	. PHYSICAL AND CHE	ΞΜΙΟ		3		
	Appear	ance	:	liquid			
	Color		:	translucent, light	yellow		
	Odor		:	No data available)		
	Odor T	hreshold	:	No data available)		
	рН		:	3.0 - 4.0			
	Melting	point/freezing point	:	No data available	9		
	Initial b range	oiling point and boiling	:	No data available			
	Flash p	oint	:	No data available			
	Evapor	ation rate	:	No data available)		
	Flamma	ability (solid, gas)	:	Not applicable			
	Flamma	ability (liquids)	:	No data available			
		explosion limit / Upper bility limit	:	No data available			
		explosion limit / Lower bility limit	:	No data available			
	Vapor p	pressure	:	No data available)		
	Relative	e vapor density	:	No data available)		
	Relative	e density	:	No data available)		
	Density	,	:	1.000 - 1.200 g/c	m ³		
	Solubili Wat	ty(ies) er solubility	:	No data available)		
	Partitio octanol	n coefficient: n-	:	Not applicable			
		/water hition temperature	:	No data available			



Calcium / Magnesium Chloride Formulation

VersionRevision Date:2.430.09.2023	SDS Number:Date of last issue: 04.04.20237665396-00007Date of first issue: 10.12.2020
Decomposition temperature Viscosity Viscosity, kinematic	No data availableNo data available
Explosive properties	: Not explosive
Oxidizing properties Molecular weight Particle size	 The substance or mixture is not classified as oxidizing. No data available Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability	:	Not classified as a reactivity hazard. Stable under normal conditions.
-	:	Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	None known. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes	of exposure	
Inhalation Skin contact Ingestion Eye contact		
Acute toxicity		
Not classified based on availa	le information.	
Product:		
Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method	
Components:		
Boric acid:		
Acute oral toxicity	: LD50 (Rat): 3,450 mg/kg	
Acute inhalation toxicity	 LC50 (Rat): > 2.03 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- 	



Version 2.4	Revision Date: 30.09.2023		0S Number: 65396-00007	Date of last issue: 04.04.2023 Date of first issue: 10.12.2020
Acute	e dermal toxicity	:	LD50 (Rabbit): > Assessment: Th toxicity	2,000 mg/kg e substance or mixture has no acute dermal
Масі	nesium chloride:			
-	e oral toxicity	:	Assessment: Th icity	000 mg/kg Test Guideline 423 e substance or mixture has no acute oral tox- d on data from similar materials
Acute	e dermal toxicity	:	Assessment: Th toxicity	000 mg/kg Test Guideline 402 e substance or mixture has no acute dermal d on data from similar materials
_	corrosion/irritation	lable	information.	
Com	ponents:			
Borie	c acid:			
Spec Resu		:	Rabbit No skin irritation	
Maqı	nesium chloride:			
Spec Meth Rem	ies od	:	Regulation (EC)	uman epidermis (RhE) No. 440/2008, Annex, B.46 rom similar materials
Resu	ılt	:	No skin irritation	
Not c	ous eye damage/eye ir classified based on avai ponents:			
Borie	c acid:			
Spec Resu		:	Rabbit No eye irritation	
Magi Spec Resu Meth Rema	ılt od	:	Rabbit No eye irritation OECD Test Guid Based on data fi	deline 405 rom similar materials



/ersion 2.4	Revision Date: 30.09.2023	SDS Number:Date of last issue: 04.04.20237665396-00007Date of first issue: 10.12.2020	
Respi	iratory or skin sens	ization	
-	sensitization assified based on av	ilable information.	
	iratory sensitization		
-	assified based on av	ilable information.	
<u>Comp</u>	oonents:		
Boric	acid:		
Test T	Гуре	: Buehler Test	
	s of exposure	: Skin contact	
Speci		: Guinea pig	
Metho		: OECD Test Guideline 406	
Resul	t	: negative	
Magn	esium chloride:		
Test T		: Maximization Test	
	s of exposure	: Skin contact	
Speci		: Guinea pig	
Metho		: OECD Test Guideline 406	
Resul	t	: negative	
Rema	irks	: Based on data from similar materials	
Germ	cell mutagenicity		
	assified based on av	ilable information.	
	oonents:		
Boric	acid:		
Genot	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative	
		Test Type: In vitro mammalian cell gene mutation test Result: equivocal	
		Test Type: Chromosome aberration test in vitro Result: negative	
Genot	toxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative	(in viv
Magn	esium chloride:		
-	toxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative	
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials	



ersion 4	Revision Date: 30.09.2023		9S Number: 65396-00007	Date of last issue: 04.04.2023 Date of first issue: 10.12.2020
			Test Type: Bact Result: negative	erial reverse mutation assay (AMES)
	nogenicity lassified based on availa	able	information.	
Com	ponents:			
Boric	acid:			
	cation Route sure time		Mouse Ingestion 103 weeks negative	
Magn	esium chloride:			
Speci Applic	es cation Route sure time It	::	Mouse Ingestion 18 Months negative	rom similar materials
May o	oductive toxicity damage fertility. May dar	nag	e the unborn child	d.
	oonents:			
	e acid: Is on fertility	:	Test Type: Thre Species: Rat Application Rou Result: positive	e-generation reproduction toxicity study te: Ingestion
Effect	ts on fetal development	:	Test Type: Emb Species: Rabbit Application Rou Result: positive	te: Ingestion
Repro sessn	oductive toxicity - As- nent	:	fertility, based o	of adverse effects on sexual function and n animal experiments., Clear evidence o on development, based on animal
Magn	esium chloride:			
-	ts on fertility	:		bined repeated dose toxicity study with t velopmental toxicity screening test

Result: negative

Application Route: Ingestion Method: OECD Test Guideline 422



Vers 2.4	ion	Revision Date: 30.09.2023		9S Number: 65396-00007	Date of last issue: 04.04.2023 Date of first issue: 10.12.2020
				Species: Rat Application Route Result: negative Remarks: Based of	: Ingestion on data from similar materials
		single exposure ssified based on availa	ble	information.	
		repeated exposure ssified based on availa	ble	information.	
	Repeat	ed dose toxicity			
	Compo	onents:			
	Boric a	icid:			
	Species NOAEL LOAEL	s - tion Route	:	Rat 100 mg/kg 334 mg/kg Ingestion 2 y	
	LAPUSU		•	2 y	
	Magne	sium chloride:			
	Species NOAEL LOAEL Applica Exposu Remark	tion Route ire time	:	Rat 308 mg/kg 1,600 mg/kg Ingestion 90 Days Based on data fro	m similar materials
	-	t ion toxicity ssified based on availa	ble	information.	
SEC	TION 1	2. ECOLOGICAL INFO	ORN	IATION	
	Ecotox	licity			
	Compo	onents:			
	Boric a	icid:			
	Toxicity		:	LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): 74 mg/l 3 h
		v to daphnia and other invertebrates	:	EC50 (Ceriodaph Exposure time: 48	nia dubia (water flea)): 102 mg/l 8 h
	Toxicity plants	v to algae/aquatic	:	EC50 (Pseudokiro mg/l Exposure time: 72 Method: OECD To	

NOEC (Pseudokirchneriella subcapitata (green algae)): 17.5 mg/l



rsion	Revision Date: 30.09.2023		9S Number: 65396-00007	Date of last issue: 04.04.2023 Date of first issue: 10.12.2020
			Exposure time: 72 Method: OECD T	2 h Test Guideline 201
Toxicity icity)	v to fish (Chronic tox-	:	Exposure time: 34	io (zebra fish)): 6.4 mg/l 4 d rest Guideline 210
aquatic	v to daphnia and other invertebrates (Chron-	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 10.8 mg/l 1 d
ic toxici Toxicity	v to microorganisms	:	EC10: 35.4 mg/l Exposure time: 3 Method: OECD T	h est Guideline 209
Magne	sium chloride:			
Toxicity	v to fish	:	LC50 (Pimephale Exposure time: 90	es promelas (fathead minnow)): 2,119.3 mg 6 h
	v to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 44	nagna (Water flea)): 548.4 mg/l 8 h
Toxicity plants	∕ to algae/aquatic	:	Exposure time: 72	esmus subspicatus (green algae)): > 100 m 2 h 'est Guideline 201
			Exposure time: 72	esmus subspicatus (green algae)): > 100 m 2 h est Guideline 201
aquatic	v to daphnia and other invertebrates (Chron-	:	EC10 (Daphnia m Exposure time: 2	nagna (Water flea)): 321 mg/l 1 d
ic toxici Toxicity	v to microorganisms	:	NOEC: > 900 mg Exposure time: 3 Method: OECD T	
	ence and degradabili a available	ty		
Bioacc	umulative potential			
Compo	onents:			
Boric a	icid:			
Bioaccu	umulation	:	Bioconcentration	s carpio (Carp) factor (BCF): <= 3.2 est Guideline 305
Partitio octanol	n coefficient: n- /water	:	log Pow: -1.09	
	y in soil a available			



Calcium / Magnesium Chloride Formulation

Version	Revision Date:	SDS Number: Date of last issue: 04.04.2023						
2.4	30.09.2023	7665396-00007 Date of first issue: 10.12.2020						
Othe	r adverse effects							
No da	ata available							
SECTION	13. DISPOSAL CONS	IDERATIONS						
Dispo	osal methods							
Wast	e from residues	: Do not dispose of waste into sewer.						
Conta	aminated packaging	 Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. 						
SECTION	14. TRANSPORT INF	ORMATION						
Interi	national Regulations							
UNR ⁻ Not re	TDG egulated as a dangerou	s good						
	-DGR egulated as a dangerou	s good						
-	IMDG-Code Not regulated as a dangerous good							
	sport in bulk accordin pplicable for product as	g to Annex II of MARPOL 73/78 and the IBC Code supplied.						
Dom	estic regulation							
-	-002-SCT egulated as a dangerou	s good						
Spec	Special precautions for user							
Not a	pplicable							
SECTION	15. REGULATORY IN	FORMATION						
Safet mixtu		mental regulations/legislation specific for the substance or						
esser	Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.							
	ngredients of this pro	duct are reported in the following inventories:						
DSL		: not determined						
AICS		: not determined						
IECS	С	: not determined						

SECTION 16. OTHER INFORMATION



Version 2.4	Revision Date: 30.09.2023		0S Number: 65396-00007	Date of last issue: 04.04.2023 Date of first issue: 10.12.2020			
Revision Date Date format		:	30.09.2023 dd.mm.yyyy				
Full text of other abbreviations							
ACGIH NOM-010-STPS-2014		:	USA. ACGIH Threshold Limit Values (TLV) Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Con- trol - Appendix 1 Occupational Exposure Limits				
ACGIH / TWA ACGIH / STEL NOM-010-STPS-2014 / VLE- PPT NOM-010-STPS-2014 / VLE- CT			8-hour, time-weighted average Short-term exposure limit Time weighted average limit value Short term exposure limit value				

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.4	30.09.2023	7665396-00007	Date of first issue: 10.12.2020

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8