

Chlorhexidine (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.10	30.09.2023	5499492-00011	Date of first issue: 17.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Trade name	:	Chlorhexidine (20%) Formulation
1.2	Relevant identified uses of t	he s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Veterinary product
	Recommended restrictions on use	:	Not applicable
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	MSD
			Kilsheelan
			Clonmel Tipperary, IE
	Telephone	:	353-51-601000
	E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 Specific target organ toxicity - repeated exposure, Category 2 Long-term (chronic) aquatic hazard, Category 2 H319: Causes serious eye irritation. H373: May cause damage to organs through prolonged or repeated exposure. H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

÷

Hazard pictograms

Warning

Signal word

1 / 17



Chlorhexidine (20%) Formulation

Version 1.10	Revision Date: 30.09.2023		S Number: 99492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020
Hazar	d statements		H373 May caus repeated exposur	erious eye irritation. se damage to organs through prolonged or re. aquatic life with long lasting effects.
Preca	utionary statements	•	P273 Avoid rele	n thoroughly after handling. ease to the environment. e protection/ face protection.
		i		cal advice/ attention if you feel unwell. eye irritation persists: Get medical advice/ billage.

Hazardous components which must be listed on the label:

Chlorhexidine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
Chlorhexidine	Registration number 55-56-1	Acute Tox. 4; H302	>= 20 - < 25
Chiomexiane	200-238-7	Eye Irrit. 2; H319 STOT RE 2; H373 (Liver) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute	



Chlorhexidine (20%) Formulation

Version 1.10	Revision Date: 30.09.2023	SDS Number: 5499492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020	
			aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
For o	valenation of abbrevis	ations and postion 16		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately.		
		When symptoms persist or in all cases of doubt seek medical advice.		
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).		
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.		
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention if symptoms occur.		
In case of eye contact		In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.		
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.		
4.2 Most important symptoms and	d e	ffects, both acute and delayed		
Risks	:	Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.		
4.3 Indication of any immediate medical attention and special treatment needed				

Treatment	
ricatinont	

: Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1	Ex	tin	guis	shing	media	

Suitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide (CO2)



Chlorhexidine (20%) Formulation

		Date of last issue: 04.04.2023 Date of first issue: 17.03.2020
	Dry chemical	
ig :	None known.	
g from th	e substance or m	lixture
g fire- :	Exposure to con	nbustion products may be a hazard to health.
prod- :	Carbon oxides	
pment :		re, wear self-contained breathing apparatus. otective equipment.
neth- :	cumstances and Use water spray	ng measures that are appropriate to local cir- I the surrounding environment. I to cool unopened containers. aged containers from fire area if it is safe to do
	g from th g fire- : prod- :	5499492-00011 Dry chemical ag : None known. g from the substance or m g fire- : Exposure to con a prod- : Carbon oxides pment : In the event of fi Use personal pro- meth- : Use extinguishing cumstances and Use water spray Remove undama so.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Follow sa	onal protective equipment. afe handling advice (see section 7) and personal pro- quipment recommendations (see section 8).
-----------	--

6.2 Environmental precautions

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages
		Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent.
	Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-



Commission Regulation (EU) 2020/878

Chlorhexidine (20%) Formulation

Version 1.10	Revision Date: 30.09.2023	SDS Number: 5499492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020			
		Sections 13 a	gulations are applicable. nd 15 of this SDS provide information regarding r national requirements.			
	ence to other section ons: 7, 8, 11, 12 and 13					
SECTION	N 7: Handling and s	torage				
7.1 Preca	utions for safe handl	ing				
Tech	nical measures		ing measures under EXPOSURE PERSONAL PROTECTION section.			
	l/Total ventilation e on safe handling	 Use only with Do not breath Do not swallor Do not get in a Avoid prolong Wash skin the Handle in acc practice, base sessment 	Use only with adequate ventilation. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the			
Hygie	ene measures	: If exposure to flushing syste place. When u nated clothing The effective engineering c appropriate de industrial hygi	 If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. 			
7.2 Condi	tions for safe storage	e, including any inc	ompatibilities			
D			why labelled containers. Store in accordance with			

Requirements for storage areas and containers	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.
Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents Gases
7.3 Specific end use(s) Specific use(s)	:	No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Chlorhexidine (20%) Formulation

Version 1.10	Revision Date: 30.09.2023	SDS Number: 5499492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020	

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Chlorhexidine	55-56-1	TWA	40 µg/m3 (OEB 3)	Internal
	Further inform	nation: RSEN		
		Wipe limit	400 μg/100 cm2	Internal

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.	
Hand protection			
Material	:	Chemical-resistant gloves	
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.	
Respiratory protection Filter type	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 143 Particulates type (P)	
Material Remarks Skin and body protection Respiratory protection	: :: ::	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentiall contaminated clothing. If adequate local exhaust ventilation is not available or expo sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 143	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	clear
Odour	:	odourless
Odour Threshold	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Vers 1.10		Revision Date: 30.09.2023		S Number: 9492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020
	Melting	point/freezing point	:	No data available	
	Initial be range	oiling point and boiling	:	No data available	
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Flash p	oint	:	No data available	
	Auto-igi	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	рН		:	No data available	
	Viscosit Visc	ty osity, kinematic	:	147 mm2/s	
	Solubili Wate	ty(ies) er solubility	:	soluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Vapour	pressure	:	No data available	
	Relative	e density	:	No data available	
	Density		:	1.06 - 1.07 g/cm ³	
	Relative	e vapour density	:	No data available	
		characteristics icle size	:	Not applicable	
9.2		formation			
	Explosi		:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 1.10	Revision Date: 30.09.2023		0S Number: 99492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020
Evap	oration rate	:	No data availabl	e
Mole	cular weight	:	No data availabl	e
SECTION	N 10: Stability and rea	acti	vity	
10.1 Reac Not c	t ivity lassified as a reactivity h	naza	rd.	
	nical stability e under normal conditior	าร.		
10.3 Poss	bility of hazardous rea	acti	ons	
Haza	rdous reactions	:	Can react with s	trong oxidizing agents.
10.4 Cond	litions to avoid			
Cond	itions to avoid	:	None known.	
10.5 Inco	mpatible materials			
Mate	rials to avoid	:	Oxidizing agents	5
10.6 Haza	rdous decomposition	pro	ducts	
	azardous decomposition	-		
SECTION	N 11: Toxicological ir	nfor	mation	
11.1 Infor	mation on hazard class	ses	as defined in Reg	gulation (EC) No 1272/2008
	nation on likely routes of	f :	Inhalation Skin contact	
expo	sure		Ingestion	
			Eye contact	
	e toxicity	- - -	information.	
	lassified based on availa	apie	information.	
Prod Acute	e oral toxicity	:	Acute toxicity est Method: Calculat	imate: > 2,000 mg/kg ion method
<u>Com</u>	ponents:			
Chlo	rhexidine:			
Acute	e oral toxicity	:	LD50 Oral (Mous	e): 1,260 mg/kg
			LD50 Oral (Rabb	it): 1,100 mg/kg
			LD50 Oral (Rat):	2,000 mg/kg
Acute	e toxicity (other routes of	:	LD50 (Rat): 21 m	ıg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Chlorhexidine (20%) Formulation

ersion 10	Revision Date: 30.09.2023	SDS Number: 5499492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020
admir	nistration)	Application Rou	ute: Intravenous
•	corrosion/irritation	ailable information.	
	us eye damage/eye es serious eye irritatio		
<u>Com</u>	oonents:		
Chlor	hexidine:		
Speci Resul		: Rabbit : Mild eye irritatio	on
Resp	iratory or skin sensi	itisation	
•••••	sensitisation lassified based on ava	ailable information.	
•	iratory sensitisation assified based on ava		
	a cell mutagenicity lassified based on ava	ailable information.	
Com	oonents:		
Chlor	hexidine:		
Geno	toxicity in vitro	: Test Type: Bac Result: negative	terial reverse mutation assay (AMES) e
			omosomal aberration hinese hamster ovary cells e
Geno	toxicity in vivo	: Test Type: dom Species: Mouse Result: negative	
		Test Type: Cyto Species: Hams Result: negative	ogenetic assay ter
	nogenicity lassified based on ava	ailable information.	
Com	oonents:		
Chlor	hexidine:		
Expos	es cation Route sure time	: Rat : oral (drinking w : 2 Years	vater)

Frequency of Treatment



Vers 1.10	-	Revision Date: 30.09.2023	-	99492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020			
	NOAEL Result	-	:	38 mg/kg body we negative	eight			
	Species Application Route Exposure time Frequency of Treatment NOAEL Result Reproductive toxicity Not classified based on availa		: : :	Rat oral (drinking water) 2 Years daily 158 mg/kg body weight negative				
	Compo	onents:						
	Chlorh	exidine:						
	Effects	on fertility	:	Species: Rat Fertility: NOAEL:	100 mg/kg body weight			
	Effects ment	on foetal develop-	:	Species: Rat Developmental To	oxicity: NOAEL: 300 mg/kg body weight			
				Species: Rabbit Developmental To	oxicity: NOAEL: 40 mg/kg body weight			
		 single exposure ssified based on availa 	able	information.				
	STOT -	· repeated exposure						
	May ca	use damage to organs	s thr	ough prolonged or	repeated exposure.			
	<u>Compo</u>	onents:						
		exidine: Organs ment	:	Liver May cause damag exposure.	ge to organs through prolonged or repeated			
	Repeat	ted dose toxicity						
	Compo	onents:						
	Chlorh	exidine:						
	Specie	S		Rat				

Species NOAEL Application Route Exposure time	:	Rat 158 mg/kg Oral 2 yr
Species LOAEL Application Route Exposure time	::	Rabbit 250 mg/kg Dermal 13 Weeks



Chlorhexidine (20%) Formulation

Version 1.10	Revision Date: 30.09.2023	SDS Number: 5499492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020			
Targe	et Organs	: Skin, Liver				
-	r ation toxicity lassified based on ava	ailable information.				
11.2 Infor	mation on other haz	ards				
Endo	crine disrupting pro	perties				
Prod	uct:					
Asse	ssment	ered to have REACH Art (EU) 2017/2	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.			
Expe	rience with human e	xposure				
Com	ponents:					
Chlo	rhexidine:					
Gene Inhala	ral Information	: Symptoms: : Target Orga				
in in ion		Symptoms:	Symptoms: Asthmatic appearance, bronchospasm, discomfor in the chest, upper respiratory tract infection			
Inges	tion	: Target Orga	ans: Gastrointestinal tract Gastrointestinal disturbance, Gastrointestinal tract			

12.1 Toxicity

Components:		
Chlorhexidine:		
Toxicity to fish	:	(Fish): 2.088 mg/l Exposure time: 96 h Method: ECOSAR (Ecological Structure Activity Relation- ships)
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.222 mg/l Exposure time: 48 h Method: ECOSAR (Ecological Structure Activity Relation- ships)
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.124 mg/l End point: Growth rate Exposure time: 96 hrs Method: ECOSAR (Ecological Structure Activity Relation- ships)



Chlorhexidine (20%) Formulation

Version 1.10	Revision Date: 30.09.2023		DS Number: 99492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020
M-Fa icity)	ctor (Acute aquatic tox-	:	1	
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
12.2 Pers	istence and degradabi	lity		
<u>Com</u>	ponents:			
	rhexidine: egradability	:	Remarks: Not inh	nerently biodegradable.
12.3 Bioa	ccumulative potential			
<u>Com</u>	ponents:			
Partit	rhexidine: ion coefficient: n- iol/water	:	log Pow: 4.85	
	i lity in soil ata available			
12.5 Resu	ults of PBT and vPvB a	sse	ssment	
Prod	uct:			
Asse	ssment	:	to be either persi	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6 Endo	ocrine disrupting prope	ertie	es	
Prod	uct:			
-	ssment	:	ered to have end REACH Article 5	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.
	r adverse effects			
	ata available			
SECTION	N 13: Disposal consid	der	ations	
13.1 Was	te treatment methods			
Prod	uct	:	According to the	ordance with local regulations. European Waste Catalogue, Waste Codes pecific, but application specific.

Waste codes should be assigned by the user, preferably in



Version 1.10	Revision Date: 30.09.2023		DS Number: 99492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020	
Contaminated packaging		:	 discussion with the waste disposal authorities. Do not dispose of waste into sewer. Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. 		
SECTION	14: Transport infor	nat	tion		
14.1 UN nı	umber or ID number				
ADN		:	UN 3082		
ADR		:	UN 3082		
RID		:	UN 3082		
IMDG		:	UN 3082		
ΙΑΤΑ		:	UN 3082		
14.2 UN pr	oper shipping name				
ADN		:	ENVIRONMENTA N.O.S. (Chlorhexidine)	ALLY HAZARDOUS SUBSTANCE, LIQUID,	
ADR		:	ENVIRONMENTA N.O.S. (Chlorhexidine)	ALLY HAZARDOUS SUBSTANCE, LIQUID,	
RID		:	ENVIRONMENTA N.O.S. (Chlorhexidine)	ALLY HAZARDOUS SUBSTANCE, LIQUID,	
IMDG		:	ENVIRONMENTA N.O.S. (Chlorhexidine)	ALLY HAZARDOUS SUBSTANCE, LIQUID,	
ΙΑΤΑ		:	Environmentally h (Chlorhexidine)	nazardous substance, liquid, n.o.s.	
14.3 Trans	port hazard class(es)				
			Class	Subsidiary risks	
ADN		:	9		
ADR		:	9		
RID		:	9		
IMDG		:	9		
ΙΑΤΑ		:	9		
14.4 Packi	ng group				
Classi	ng group fication Code d Identification Number	:	III M6 90		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Chlorhexidine (20%) Formulation

Version 1.10	Revision Date: 30.09.2023		OS Number: 99492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020
Label	S	:	9	
Class Hazaı Label	ng group ification Code rd Identification Number s el restriction code	:	III M6 90 9 (-)	
Class	ng group ification Code rd Identification Number s	:	III M6 90 9	
IMDG Packi Label EmS	ng group s	:	III 9 F-A, S-F	
Packi aircra Packi	ng instruction (LQ) ng group	:	964 Y964 III Miscellaneous	
Packi ger ai Packi	(Passenger) ng instruction (passen- rcraft) ng instruction (LQ) ng group s	:	964 Y964 III Miscellaneous	
14.5 Envir	onmental hazards			
ADN Enviro	onmentally hazardous	:	yes	
ADR Enviro	onmentally hazardous	:	yes	
RID Enviro	onmentally hazardous	:	yes	
IMDG Marin	e pollutant	:	yes	
	(Passenger)	:	yes	
Enviro	(Cargo) onmentally hazardous ial precautions for use	:	yes	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Commission Regulation (EU) 2020/878

Chlorhexidine (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.10	30.09.2023	5499492-00011	Date of first issue: 17.03.2020

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (ÉC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parlian major-accident hazards involving dangerous substances.		t and of the Council on the control of

		Quantity 1	Quantity 2
E2	ENVIRONMENTAL	200 t	500 t
	HAZARDS		

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL	:	not determined
AICS	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.



Chlorhexidine (20%) Formulation

Version 1.10	Revision Date: 30.09.2023	•-	DS Number: 199492-00011	Date of last issue: 04.04.2023 Date of first issue: 17.03.2020		
SECTIO	N 16: Other information	tion				
Othe	er information	:		nges have been made to the previous version the body of this document by two vertical		
Full	text of H-Statements					
H30	H302 :		Harmful if swallowed.			
H31	H319 : Causes serious eye irritation.		eye irritation.			
H37	3	:	: May cause damage to organs through prolonged or repeatexposure.			
H40	H400 :		Very toxic to aquatic life.			
H41	H410 :		Very toxic to aquatic life with long lasting effects.			
Full	Full text of other abbreviations					
Aqu Aqu Eye	e Tox. atic Acute atic Chronic Irrit. IT RE	 Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Eye irritation Specific target organ toxicity - repeated exp 		ic) aquatic hazard		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA



Chlorhexidine (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.10	30.09.2023	5499492-00011	Date of first issue: 17.03.2020

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the	Classification procedure:	
Eye Irrit. 2	H319	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN