



Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/06
8.0	2024/09/28	5491686-00014	Date of first issue: 2020/03/17

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name	:	Chlorhexidine (20%) Formulation
Supplier's company name, ac Company name of supplier	ddr :	ess and phone number MSD
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemic	al	product
Serious eye damage/eye irri- tation	:	Category 2B
Specific target organ toxicity - repeated exposure	:	Category 2 (Liver)
Short-term (acute) aquatic hazard	:	Category 2
Long-term (chronic) aquatic hazard	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H320 Causes eye irritation. H373 May cause damage to organs (Liver) through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.





Version 8.0	Revision Date: 2024/09/28	SDS Number: 5491686-00014	Date of last issue: 2024/09/06 Date of first issue: 2020/03/17
Preca	utionary statements	P264 Wash ski	eathe mist or vapours. n thoroughly after handling. ease to the environment.
		for several minu easy to do. Cor P314 Get medio	cal advice/ attention if you feel unwell. eye irritation persists: Get medical advice/ at-
		Disposal: P501 Dispose o disposal plant.	of contents/ container to an approved waste

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Chlorhexidine	55-56-1	>= 20 - < 30	9-2060, 9-1294

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention if symptoms occur.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and	:	Causes eye irritation. May cause damage to organs through prolonged or repeated

gency procedures



Chlorhexidine (20%) Formulation

Version 8.0	Revision Date: 2024/09/28	-	0S Number: 91686-00014	Date of last issue: 2024/09/06 Date of first issue: 2020/03/17		
delay Prote	yed ection of first-aiders	:		ers should pay attention to self-protection,		
Note	s to physician	:	and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Treat symptomatically and supportively.			
5. FIREFI	GHTING MEASURES					
Suita	able extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical			
Unsu medi	uitable extinguishing a	:	None known.			
Spec fighti	sific hazards during fire- ng	:	Exposure to com	pustion products may be a hazard to health.		
Haza ucts	ardous combustion prod-	:	Carbon oxides			
Spec ods	tific extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to d		
	cial protective equipment refighters	:		e, wear self-contained breathing apparatus. tective equipment.		
6. ACCID	ENTAL RELEASE MEA	SUF	RES			
	onal precautions, protec- equipment and emer-	:	Follow safe handl	tective equipment. ing advice (see section 7) and personal pro-		

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

tective equipment recommendations (see section 8).





Version 8.0	Revision Date: 2024/09/28	SDS Number: 5491686-00014	Date of last issue: 2024/09/06 Date of first issue: 2020/03/17
		posal of this m employed in th mine which re Sections 13 ar	nal regulations may apply to releases and dis- naterial, as well as those materials and items ne cleanup of releases. You will need to deter- gulations are applicable. Ind 15 of this SDS provide information regarding r national requirements.
7. HANDL	ING AND STORAGE		
Hand	ling		
Techr	nical measures		ng measures under EXPOSURE PERSONAL PROTECTION section.
	/Total ventilation e on safe handling	 Use only with Do not breathed Do not swallow Do not get in edited Avoid prolonged Wash skin tho Handle in accord practice, based sessment 	adequate ventilation. e mist or vapours. v.
	ance of contact ne measures	 Oxidizing ager If exposure to flushing system place. When using do Wash contami The effective of engineering co appropriate de industrial hygic 	nts chemical is likely during typical use, provide eye ns and safety showers close to the working o not eat, drink or smoke. nated clothing before re-use. operation of a facility should include review of ontrols, proper personal protective equipment, egowning and decontamination procedures, ene monitoring, medical surveillance and the strative controls.
Stora	-		
	itions for safe storage	Store in accore	rly labelled containers. dance with the particular national regulations. ith the following product types: ng agents
Packa	aging material	: Unsuitable ma	terial: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Concentra-	





8.0 2024/09/28 5491686-00014 Date of first issue: 2020/03/17	Version 8.0	Revision Date: 2024/09/28	SDS Number: 5491686-00014	Date of last issue: 2024/09/06 Date of first issue: 2020/03/17
--	----------------	---------------------------	------------------------------	---

		exposure)	tion standard /				
			Permissible con- centration				
Chlorhexidine	55-56-1	TWA	40 µg/m3 (OEB 3)	Internal			
		ation: RSEN, DS					
		Wipe limit	100 µg/100 cm2	Internal			
Engineering measures :	technologies t less quick cor All engineerin design and op protect produc Containment are required to	ate engineering of to control airborr nections). g controls should berated in accord cts, workers, and technologies suito control at sour	controls and manufactive concentrations (e.g. d be implemented by dance with GMP princ d the environment. table for controlling co ce and to prevent mig areas (e.g., open-fac	J., drip- facility siples to ompounds gration of			
	tainment devi Minimize oper	ces).					
Personal protective equipment	t						
Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.						
Filter type : Hand protection	Particulates ty	Particulates type					
Material :	Chemical-resi	stant gloves					
Remarks :		ble gloving. protective glove	S				
Eye protection :	Wear safety g If the work en mists or aeros Wear a facesl potential for d aerosols.	lasses with side vironment or act sols, wear the ap nield or other full irect contact to t	shields or goggles. ivity involves dusty co- propriate goggles. face protection if the he face with dusts, m	re is a			
Skin and body protection :	Additional boo task being pe posable suits)	formed (e.g., sle to avoid expose ate degowning te	at. uld be used based up eevelets, apron, gaun ed skin surfaces. echniques to remove p	tlets, dis-			

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Colour	:	clear
Odour	:	odourless



Versio 8.0	n Revision Date: 2024/09/28		S Number: 1686-00014	Date of last issue: 2024/09/06 Date of first issue: 2020/03/17
0	dour Threshold	:	No data available	9
М	elting point/freezing point	:	No data available)
	biling point, initial boiling bint and boiling range	:	No data available)
FI	ammability (solid, gas)	:	Not applicable	
FI	ammability (liquids)	:	No data available)
Lo	ower explosion limit and uppe Upper explosion limit / Up- per flammability limit			
	Lower explosion limit / Lower flammability limit	:	No data available	
FI	ash point	:	No data available	
D	ecomposition temperature	:	No data available)
pł	ł	:	No data available)
E	vaporation rate	:	No data available)
A	uto-ignition temperature	:	No data available	9
Vi	scosity Viscosity, kinematic	•	147 mm2/s	
So	blubility(ies) Water solubility	:	soluble	
	artition coefficient: n- stanol/water	:	Not applicable	
Va	apour pressure	:	No data available)
D	ensity and / or relative densit Relative density	у :	No data available)
	Density	:	1.06 - 1.07 g/cm ³	
R	elative vapour density	:	No data available)
E	plosive properties	:	Not explosive	
0	xidizing properties	:	The substance or	r mixture is not classified as oxidizing.
М	olecular weight	:	No data available	





Version 3.0	Revision Date: 2024/09/28		91686-00014	Date of last issue: 2024/09/06 Date of first issue: 2020/03/17
	le characteristics irticle size	:	Not applicable	
0. STABI	LITY AND REACTIVIT	Y		
Possi tions Condi	ivity ical stability bility of hazardous reac- tions to avoid apatible materials	: : : :	Stable under no	trong oxidizing agents.
	dous decomposition	:		ecomposition products are known.
1. TOXIC	OLOGICAL INFORMA	TIO	N	
Inforn expos	nation on likely routes of sure	f:	Inhalation Skin contact Ingestion Eye contact	
	e toxicity assified based on availa	able	information.	
<u>Produ</u>	uct:			
Acute	oral toxicity	:	Acute toxicity est Method: Calculat	imate: > 2,000 mg/kg ion method
<u>Com</u>	oonents:			
Chlor	hexidine:			
Acute	oral toxicity	:	LD50 Oral (Mous	se): 1,260 mg/kg
			LD50 Oral (Rabb	it): 1,100 mg/kg
			LD50 Oral (Rat):	2,000 mg/kg
	toxicity (other routes of histration)	:	LD50 (Rat): 21 m Application Route	
-	corrosion/irritation assified based on availa	able	information.	
	us eye damage/eye irr es eye irritation.	itati	on	



ersion .0	Revision Date: 2024/09/28		Number: 686-00014	Date of last issue: 2024/09/06 Date of first issue: 2020/03/17
Com	ponents:			
Chlo	rhexidine:			
Spec Resu			Rabbit /lild eye irritation	
Resp	iratory or skin sensi	isation		
-	sensitisation lassified based on ava	ilable in	formation.	
-	iratory sensitisation lassified based on ava	ilable in	formation.	
	n cell mutagenicity lassified based on ava	ilable in	formation.	
Com	ponents:			
	rhexidine: otoxicity in vitro	F	Result: negative	rial reverse mutation assay (AMES)
		٦		nosomal aberration nese hamster ovary cells
Geno	otoxicity in vivo	5	est Type: domir Species: Mouse Result: negative	nant lethal test
		5	est Type: Cytog Species: Hamste Result: negative	
	inogenicity lassified based on ava	ilable in	formation.	
Com	ponents:			
Chlo	rhexidine:			
Expo	cation Route sure time uency of Treatment EL	: 0 : 2 : 0 : 3	Rat oral (drinking wat 2 Years laily 88 mg/kg body w legative	
Expo	ies cation Route sure time uency of Treatment	: c : 2	Rat oral (drinking wat ? Years laily	ter)





Version 8.0	Revision Date: 2024/09/28	SDS Number:Date of last issue: 20245491686-00014Date of first issue: 2020	
NOAI Resu		158 mg/kg body weightnegative	
Not c	oductive toxicity lassified based on avai ponents:	ble information.	
	rhexidine:		
••	ts on fertility	: Species: Rat Fertility: NOAEL: 100 mg/kg body weight	
Effect ment	ts on foetal develop-	: Species: Rat Developmental Toxicity: NOAEL: 300 mg/	kg body weight
		Species: Rabbit Developmental Toxicity: NOAEL: 40 mg/k	g body weight
	- single exposure	ale information	
Not c	lassified based on avai	ble information.	

STOT - repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

Components:

Chlorhexidine:

Target Organs	:	Liver
Assessment	:	May cause damage to organs through prolonged or repeated
		exposure.

Repeated dose toxicity

Components:

Chlorhexidine:

Species NOAEL Application Route Exposure time	:	158 mg/kg Oral 2 yr
Species LOAEL Application Route Exposure time Target Organs	:	Rabbit 250 mg/kg Dermal 13 Weeks Skin, Liver

Aspiration toxicity

Not classified based on available information.





ersion)	Revision Date: 2024/09/28		91686-00014	Date of last issue: 2024/09/06 Date of first issue: 2020/03/17
Expe	rience with human exp	osi	ire	
<u>Comp</u>	ponents:			
Chlor	hexidine:			
Gene	ral Information	:	Symptoms: Hea	dache
Inhala	ation	:		Lungs Imatic appearance, bronchospasm, discomf per respiratory tract infection
Inges	tion	:		Gastrointestinal tract trointestinal disturbance, Gastrointestinal tra
. ECOL	OGICAL INFORMATIO	N		
Ecoto	oxicity			
<u>Comp</u>	oonents:			
Chlor	hexidine:			
Toxic	ity to fish	:	(Fish): 2.088 m Exposure time: 9 Method: ECOSA ships)	
	ity to daphnia and other	:		magna (Water flea)): 0.222 mg/l
aquat	ic invertebrates		Exposure time: Method: ECOSA ships)	48 h AR (Ecological Structure Activity Relation-
Toxic	ity to algae/aquatic	:	ErC50 (Pseudol	kirchneriella subcapitata (green algae)): 1.12
plants	8		mg/I End point: Grow	th rate
			Exposure time:	
	ctor (Acute aquatic tox-	:	1	
icity) M-Fac toxicit	ctor (Chronic aquatic y)	:	1	
Persi	stence and degradabil	ity		
	oonents:			
<u>Comp</u>	<u>sonents.</u>			
	hexidine:			



Version 8.0	Revision Date: 2024/09/28		DS Number: 91686-00014	Date of last issue: 2024/09/06 Date of first issue: 2020/03/17
Bioa	ccumulative potential			
Com	ponents:			
Partit	rhexidine: ion coefficient: n- iol/water	:	log Pow: 4.85	
	lity in soil ata available			
	rdous to the ozone lay	er		
	r adverse effects ata available			
13. DISPO	SAL CONSIDERATION	IS		
Wast	osal methods e from residues aminated packaging	:	Do not dispose of Empty containers dling site for recyc	ordance with local regulations. waste into sewer. should be taken to an approved waste han- cling or disposal. pecified: Dispose of as unused product.
14. TRAN	SPORT INFORMATION			
Inter	national Regulations			
-	TDG umber er shipping name	:	UN 3082 ENVIRONMENTA N.O.S. (Chlorhexidine)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
Labe	ing group	::	9 III 9 yes	
UN/II	-DGR D No. er shipping name	:	UN 3082 Environmentally h (Chlorhexidine)	nazardous substance, liquid, n.o.s.
Labe	ing group ls ing instruction (cargo	: : :	9 III Miscellaneous 964	
Pack	ing instruction (passen- ircraft)	:	964	
	onmentally hazardous	:	yes	



	sion Date: I/09/28		91686-00014	Date of last issue: 2024/09/06 Date of first issue: 2020/03/17
IMDG-Code				
UN number Proper shipp	ing name	:		ALLY HAZARDOUS SUBSTANCE, LIQUID,
		•	N.O.S. (Chlorhexidine)	
Class		:	9	
Packing grou	ıр	:	III	
Labels	-	:	9	
EmS Code		:	F-A, S-F	
Marine pollut	ant	:	yes	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable



ersion 0	Revision Date: 2024/09/28	SDS Number: 5491686-00014	Date of last issue: 2 Date of first issue: 2	
	tances Subject to be 57-2 (Enforcement (
	nical name	(Concentration (%)	Remarks
Subs Article Cher	hexidine tances Subject to be 57 (Enforcement Or nical name baviding		>=20 - <30	From April 1st, 2025
11	hexidine			From April 1st, 2025
Cher Chlo	nical name rhexidine nogenic Substance	bstances for PPE Rec s (Article 577-2 of the	· · ·	
Not a Ordin Not a	oplicable	of Hazards Due to Sp of Lead Poisoning	ecified Chemical Sul	ostances
	oplicable ance on Prevention	of Tetraalkyl Lead Po	isonina	
	oplicable			
	ance on Prevention	of Organic Solvent P	oisoning	
Subs	cement Order of the tances) oplicable	e Industrial Safety and	l Health Law - Attach	ed table 1 (Dangerous
	onous and Deleterio	us Substances Contro	bl Law	
viron		of Release Amounts of Improvements to		Substances in the En- reof
-	Pressure Gas Safet	y Act		
•	osive Control Law			
Vess	el Safety Law			
Misce	llaneous dangerous s	substances and articles nd its Attached Table 1)		es on shipping and stor-
Aviat	ion Law			
Misce	llaneous dangerous s	substances and articles	(Article 194 of The En	forcement Rules of Avia-



Version 8.0	Revision Date: 2024/09/28		DS Number: 91686-00014	Date of last issue: 2024/09/06 Date of first issue: 2020/03/17				
Marine Pollution and Sea Disaster Prevention etc Law								
Bulk transportation		:	: Not classified as noxious liquid substance					
Pack	Pack transportation		Classified as marine pollutant					
Narco	Narcotics and Psychotropics Control Act							
Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable								
Waste Disposal and Public Cleansing Law Industrial waste								
The components of this product are reported in the following inventories:								
DSL		:	not determined					
AICS		:	not determined					
IECS	C	:	not determined					

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data	eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format

: yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

SAFETY DATA SHEET



Chlorhexidine (20%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/06
8.0	2024/09/28	5491686-00014	Date of first issue: 2020/03/17

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN