according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/02/13 1.3 2023/04/04 10839986-00004 Date of first issue: 2022/08/25

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Chlorhexidine (23.96%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number: 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use

Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : suspension

Colour : blue

Odour : No data available

Causes mild skin irritation. Causes serious eye irritation. May cause damage to organs through

prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

GHS Classification

Skin corrosion/irritation : Category 3

Serious eye damage/eye irri-

tation

Category 2A

Specific target organ toxicity - :

repeated exposure

Category 2

Short-term (acute) aquatic

Category 1

hazard

Long-term (chronic) aquatic

Category 1

hazard

GHS label elements

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/02/13
1.3 2023/04/04 10839986-00004 Date of first issue: 2022/08/25

Hazard pictograms :







Signal word : Warning

Hazard statements : H316 Causes mild skin irritation.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear eye protection/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Causes mild skin irritation. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Chlorhexidine	55-56-1	>= 20 -< 25	

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Revision Date: Version SDS Number: Date of last issue: 2023/02/13 2023/04/04 10839986-00004 Date of first issue: 2022/08/25 1.3

Nonylphenol, ethoxylated 9016-45-9 >= 1 -< 2.5

4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of contact, immediately flush skin with soap and plenty In case of skin contact

Get medical attention if symptoms occur.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting. If swallowed

> Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Causes mild skin irritation.

Most important symptoms

and effects, both acute and

delayed

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

media

Specific hazards during fire-

fiahtina

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/02/13 2023/04/04 10839986-00004 Date of first issue: 2022/08/25 1.3

Personal precautions, protec: : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

See Engineering measures under EXPOSURE Technical measures

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Advice on safe handling

Do not breathe mist or vapours.

Use only with adequate ventilation.

Do not swallow.

Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact Oxidizing agents

Storage

Conditions for safe storage

Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Do not store with the following product types: Materials to avoid

Strong oxidizing agents

Unsuitable material: None known. Packaging material

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2023/02/13

 1.3
 2023/04/04
 10839986-00004
 Date of first issue: 2022/08/25

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Chlorhexidine	55-56-1	TWA	40 μg/m3 (OEB 3)	Internal	
	Further information: RSEN				
		Wipe limit	400 μg/100 cm2	Internal	

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures,

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version 1.3

Revision Date: 2023/04/04

SDS Number: 10839986-00004

Date of last issue: 2023/02/13 Date of first issue: 2022/08/25

industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Colour : blue

Odour : No data available

Odour Threshold : No data available

pH : 5.55 - 6.65 (20 °C)

Melting point/freezing point : No data available

Initial boiling point and boiling:

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.010 - 1.020

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/02/13 2023/04/04 10839986-00004 Date of first issue: 2022/08/25 1.3

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle size Not applicable

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac- :

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes Inhalation

> Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute toxicity estimate: > 5,000 mg/kg Acute oral toxicity

Method: Calculation method

Components:

Chlorhexidine:

Acute oral toxicity LD50 Oral (Mouse): 1,260 mg/kg

LD50 Oral (Rabbit): 1,100 mg/kg

LD50 Oral (Rat): 2,000 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Rat): 21 mg/kg

Application Route: Intravenous

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

Skin corrosion/irritation Causes mild skin irritation.

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/02/13 1.3 2023/04/04 10839986-00004 Date of first issue: 2022/08/25

Components:

Nonylphenol, ethoxylated:

Result : Skin irritation

Remarks : Based on national or regional regulation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Chlorhexidine:

Species : Rabbit

Result : Mild eye irritation

Nonylphenol, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Nonylphenol, ethoxylated:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Chlorhexidine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test

Species: Mouse Result: negative

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/02/13 2023/04/04 10839986-00004 Date of first issue: 2022/08/25 1.3

Test Type: Cytogenetic assay

Species: Hamster Result: negative

Nonylphenol, ethoxylated:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Chlorhexidine:

Species Rat

Application Route oral (drinking water)

Exposure time 2 Years Frequency of Treatment daily

NOAEL 38 mg/kg body weight

Result negative

Species Rat

Application Route oral (drinking water)

Exposure time 2 Years Frequency of Treatment dailv

NOAEL 158 mg/kg body weight

Result negative

Reproductive toxicity

Not classified based on available information.

Components:

Chlorhexidine:

Effects on fertility Species: Rat

Fertility: NOAEL: 100 mg/kg body weight

Effects on foetal develop-

Species: Rat

ment Developmental Toxicity: NOAEL: 300 mg/kg body weight

Species: Rabbit

Developmental Toxicity: NOAEL: 40 mg/kg body weight

Nonylphenol, ethoxylated:

Reproductive toxicity - As-Some evidence of adverse effects on sexual function and

sessment fertility, and/or on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/02/13 1.3 2023/04/04 10839986-00004 Date of first issue: 2022/08/25

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Chlorhexidine:

Target Organs : Liver

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Nonylphenol, ethoxylated:

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Remarks : Based on national or regional regulation.

Repeated dose toxicity

Components:

Chlorhexidine:

Species : Rat

NOAEL : 158 mg/kg

Application Route : Oral Exposure time : 2 yr

Species : Rabbit
LOAEL : 250 mg/kg
Application Route : Dermal
Exposure time : 13 Weeks
Target Organs : Skin, Liver

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Chlorhexidine:

General Information : Symptoms: Headache Inhalation : Target Organs: Lungs

Symptoms: Asthmatic appearance, bronchospasm, discomfort

in the chest, upper respiratory tract infection

Ingestion : Target Organs: Gastrointestinal tract

Symptoms: Gastrointestinal disturbance, Gastrointestinal tract

damage

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/02/13 1.3 2023/04/04 10839986-00004 Date of first issue: 2022/08/25

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Chlorhexidine:

Toxicity to fish : (Fish): 2.088 mg/l

Exposure time: 96 h

Method: ECOSAR (Ecological Structure Activity Relation-

ships)

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.222 mg/l

Exposure time: 48 h

Method: ECOSAR (Ecological Structure Activity Relation-

ships)

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.124

mg/l

End point: Growth rate Exposure time: 96 hrs

Method: ECOSAR (Ecological Structure Activity Relation-

ships)

M-Factor (Acute aquatic tox-:

icity)

M-Factor (Chronic aquatic

toxicity)

1

Nonylphenol, ethoxylated:

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia sp. (water flea)): 1.82 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 20 mg/l

Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Remarks: Based on national or regional regulation.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Remarks: Based on national or regional regulation.

Persistence and degradability

Components:

Chlorhexidine:

Biodegradability : Remarks: Not inherently biodegradable.

Nonylphenol, ethoxylated:

Biodegradability : Result: Readily biodegradable.

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version Revision Date: 1.3 2023/04/04

SDS Number: 10839986-00004

Date of last issue: 2023/02/13 Date of first issue: 2022/08/25

Biodegradation: 97 % Exposure time: 30 d

Bioaccumulative potential

Components:

Chlorhexidine:

Partition coefficient: n-

log Pow: 4.85

octanol/water

Nonylphenol, ethoxylated:

Partition coefficient: n-

log Pow: 4.48

octanol/water

Mobility in soil
No data available

Other adverse effects

Components:

Nonylphenol, ethoxylated:

Results of PBT and vPvB

assessment

This substance is considered to be persistent, bioaccumulating and toxic (PBT). This substance is considered to be very

persistent and very bioaccumulating (vPvB).

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorhexidine, Nonylphenol, ethoxylated)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Chlorhexidine, Nonylphenol, ethoxylated)

Class : 9

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/02/13 1.3 2023/04/04 10839986-00004 Date of first issue: 2022/08/25

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: :

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

964

(Chlorhexidine, Nonylphenol, ethoxylated)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorhexidine, Nonylphenol, ethoxylated)

Class : 9
Packing group : III
Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version SDS Number Date of last issue: 2023/02/13 Revision Date: 2023/04/04 10839986-00004 Date of first issue: 2022/08/25 1.3

16. OTHER INFORMATION

Revision Date 2023/04/04

Further information

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

yyyy/mm/dd Date format

Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

according to GB/T 16483 and GB/T 17519



Chlorhexidine (23.96%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/02/13 1.3 2023/04/04 10839986-00004 Date of first issue: 2022/08/25

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN/EN