

## Chlorhexidine (4.79%) Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 30.09.2023  |
| 3.0     | 21.11.2023     | 10839972-00006 | Date of first issue: 25.08.2022 |

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Chlorhexidine (4.79%) Formulation

Other means of identification : Hibitane (A000585)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Veterinary product

Recommended restrictions  
on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
20 Spartan Road  
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person  
responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification



#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|  |  |
|--|--|
| Eye irritation, Category 2                     | H319: Causes serious eye irritation.                   |
| Long-term (chronic) aquatic hazard, Category 2 | H411: Toxic to aquatic life with long lasting effects. |

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

|                   |   |   |
|-------------------|---|---|
| Hazard pictograms | : |   |
| Signal word       | : | Warning   |
| Hazard statements | : | H319 Causes serious eye irritation.<br>H411 Toxic to aquatic life with long lasting effects.  |

## Chlorhexidine (4.79%) Formulation

Version 3.0      Revision Date: 21.11.2023      SDS Number: 10839972-00006      Date of last issue: 30.09.2023  
 Date of first issue: 25.08.2022

## Precautionary statements :

**Prevention:**

P264 Wash skin thoroughly after handling.  
 P273 Avoid release to the environment.  
 P280 Wear eye protection/ face protection.

**Response:**

P337 + P313 If eye irritation persists: Get medical advice/  
 attention.  
 P391 Collect spillage.

**2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Components**

| Chemical name            | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification   | Concentration<br>(% w/w) |
|--------------------------|---|--|--------------------------|
| Chlorhexidine            | 55-56-1<br>200-238-7                                  | Acute Tox. 4; H302<br>Eye Irrit. 2; H319<br>STOT RE 2; H373<br>(Liver)<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute<br>aquatic toxicity): 1<br>M-Factor (Chronic<br>aquatic toxicity): 1 | >= 2,5 - < 10            |
| Nonylphenol, ethoxylated | 9016-45-9   | Acute Tox. 4; H302<br>Eye Dam. 1; H318<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute<br>aquatic toxicity): 1<br>M-Factor (Chronic<br>aquatic toxicity): 10                                | >= 1 - < 2,5             |

For explanation of abbreviations see section 16.

**Chlorhexidine (4.79%) Formulation**

Version 3.0      Revision Date: 21.11.2023      SDS Number: 10839972-00006      Date of last issue: 30.09.2023  
Date of first issue: 25.08.2022

---

**SECTION 4: First aid measures****4.1 Description of first aid measures**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

**4.2 Most important symptoms and effects, both acute and delayed**

- ||** Risks : Causes serious eye irritation.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Treatment : Treat symptomatically and supportively.
- 

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.

**5.2 Special hazards arising from the substance or mixture**

- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion prod- : Carbon oxides

## Chlorhexidine (4.79%) Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 30.09.2023  |
| 3.0     | 21.11.2023     | 10839972-00006 | Date of first issue: 25.08.2022 |

---

ucts

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
- 

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
-

## Chlorhexidine (4.79%) Formulation

Version 3.0      Revision Date: 21.11.2023      SDS Number: 10839972-00006      Date of last issue: 30.09.2023  
 Date of first issue: 25.08.2022

- Local/Total ventilation : Use only with adequate ventilation.  
 Advice on safe handling : Do not breathe mist or vapours.  
 Do not swallow.  
 Do not get in eyes.  
 Avoid prolonged or repeated contact with skin.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.
- Advice on common storage : Do not store with the following product types:  
 Strong oxidizing agents  
 Gases

### 7.3 Specific end use(s)

- Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components                | CAS-No. | Value type (Form of exposure) | Control parameters           | Basis    |
|---------------------------|---------|-------------------------------|------------------------------|----------|
| Chlorhexidine             | 55-56-1 | TWA                           | 40 µg/m <sup>3</sup> (OEB 3) | Internal |
| Further information: RSEN |         |                               |                              |          |
|                           |         | Wipe limit                    | 400 µg/100 cm <sup>2</sup>   | Internal |

### 8.2 Exposure controls

#### Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

## Chlorhexidine (4.79%) Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 30.09.2023  |
| 3.0     | 21.11.2023     | 10839972-00006 | Date of first issue: 25.08.2022 |

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

### Personal protective equipment

|                          |   |  |
|--------------------------|---|--|
| Eye/face protection      | : | Wear safety glasses with side shields or goggles.<br>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.<br>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Hand protection          | : |  |
| Material                 | : | Chemical-resistant gloves  |
| Remarks                  | : | Consider double gloving.   |
| Skin and body protection | : | Work uniform or laboratory coat.<br>Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.<br>Use appropriate degowning techniques to remove potentially contaminated clothing.                    |
| Respiratory protection   | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.   |
| Filter type              | : | Particulates type (P)  |

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |   |                     |
|--|---|---------------------|
| Appearance                                       | : | Aqueous solution    |
| Colour   | : | blue                |
| Odour  | : | No data available   |
| Odour Threshold                                  | : | No data available   |
| pH   | : | 5,55 - 6,65 (20 °C) |
| Melting point/freezing point                     | : | No data available   |
| Initial boiling point and boiling range          | : | No data available   |
| Flash point                                      | : | No data available   |
| Evaporation rate                                 | : | No data available   |
| Flammability (solid, gas)                        | : | Not applicable      |
| Upper explosion limit / Upper flammability limit | : | No data available   |
| Lower explosion limit / Lower flammability limit | : | No data available   |
| Vapour pressure                                  | : | No data available   |

**Chlorhexidine (4.79%) Formulation**

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 30.09.2023  |
| 3.0     | 21.11.2023     | 10839972-00006 | Date of first issue: 25.08.2022 |

---

|  |   |  |
|--|---|--|
| Relative vapour density                | : | No data available  |
| Relative density                       | : | 1,010 - 1,020  |
| Density                                | : | No data available  |
| Solubility(ies)                        |   |  |
| Water solubility                       | : | No data available  |
| Partition coefficient: n-octanol/water | : | Not applicable   |
| Auto-ignition temperature              | : | No data available  |
| Decomposition temperature              | : | No data available  |
| Viscosity                              |   |  |
| Viscosity, kinematic                   | : | No data available  |
| Explosive properties                   | : | Not explosive  |
| Oxidizing properties                   | : | The substance or mixture is not classified as oxidizing. |

**9.2 Other information**

|                        |   |                   |
|------------------------|---|-------------------|
| Flammability (liquids) | : | No data available |
| Molecular weight       | : | No data available |
| Particle size          | : | Not applicable    |

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Not classified as a reactivity hazard.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

|                     |   |   |
|---------------------|---|---|
| Hazardous reactions | : | Can react with strong oxidizing agents. |
|---------------------|---|---|

**10.4 Conditions to avoid**

|                     |   |             |
|---------------------|---|-------------|
| Conditions to avoid | : | None known. |
|---------------------|---|-------------|

**10.5 Incompatible materials**

|                    |   |                  |
|--------------------|---|------------------|
| Materials to avoid | : | Oxidizing agents |
|--------------------|---|------------------|

**10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

## Chlorhexidine (4.79%) Formulation

Version 3.0      Revision Date: 21.11.2023      SDS Number: 10839972-00006      Date of last issue: 30.09.2023  
 Date of first issue: 25.08.2022

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation  
 Skin contact  
 Ingestion  
 Eye contact

##### Acute toxicity

|| Not classified based on available information.

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
 Method: Calculation method

##### Components:

##### Chlorhexidine:

|| Acute oral toxicity : LD50 Oral (Mouse): 1.260 mg/kg  
 LD50 Oral (Rabbit): 1.100 mg/kg  
 LD50 Oral (Rat): 2.000 mg/kg  
 Acute toxicity (other routes of administration) : LD50 (Rat): 21 mg/kg  
 Application Route: Intravenous

##### Nonylphenol, ethoxylated:

|| Acute oral toxicity : LD50 (Rat): 500 - 2.000 mg/kg

##### Skin corrosion/irritation

|| Not classified based on available information.

##### Components:

##### Nonylphenol, ethoxylated:

|| Species : Rabbit  
 Method : OECD Test Guideline 404  
 Result : No skin irritation

##### Serious eye damage/eye irritation

|| Causes serious eye irritation.

##### Components:

##### Chlorhexidine:

|| Species : Rabbit  
 Result : Mild eye irritation

##### Nonylphenol, ethoxylated:

|| Species : Rabbit  
 Method : OECD Test Guideline 405



## Chlorhexidine (4.79%) Formulation

Version 3.0      Revision Date: 21.11.2023      SDS Number: 10839972-00006      Date of last issue: 30.09.2023  
 Date of first issue: 25.08.2022

Result : Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Nonylphenol, ethoxylated:

Test Type : Maximisation Test  
 Exposure routes : Skin contact  
 Species : Guinea pig  
 Result : negative  
 Remarks : Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Chlorhexidine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative  
 Test Type: Chromosomal aberration  
 Test system: Chinese hamster ovary cells  
 Result: negative  
 Genotoxicity in vivo : Test Type: dominant lethal test  
 Species: Mouse  
 Result: negative  
 Test Type: Cytogenetic assay  
 Species: Hamster  
 Result: negative

##### Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative  
 Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

#### Components:

##### Chlorhexidine:

Species : Rat  
 Application Route : oral (drinking water)  
 Exposure time : 2 Years

## Chlorhexidine (4.79%) Formulation

Version 3.0      Revision Date: 21.11.2023      SDS Number: 10839972-00006      Date of last issue: 30.09.2023  
 Date of first issue: 25.08.2022

Frequency of Treatment : daily  
 NOAEL : 38 mg/kg body weight  
 Result : negative

Species : Rat  
 Application Route : oral (drinking water)  
 Exposure time : 2 Years  
 Frequency of Treatment : daily  
 NOAEL : 158 mg/kg body weight  
 Result : negative

**Reproductive toxicity**

Not classified based on available information.

**Components:****Chlorhexidine:**

Effects on fertility : Species: Rat  
 Fertility: NOAEL: 100 mg/kg body weight

Effects on foetal development : Species: Rat  
 Developmental Toxicity: NOAEL: 300 mg/kg body weight

Species: Rabbit  
 Developmental Toxicity: NOAEL: 40 mg/kg body weight

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Components:****Chlorhexidine:**

Target Organs : Liver  
 Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Chlorhexidine:**

Species : Rat  
 NOAEL : 158 mg/kg  
 Application Route : Oral  
 Exposure time : 2 yr

Species : Rabbit  
 LOAEL : 250 mg/kg  
 Application Route : Dermal  
 Exposure time : 13 Weeks  
 Target Organs : Skin, Liver

## Chlorhexidine (4.79%) Formulation

Version 3.0      Revision Date: 21.11.2023      SDS Number: 10839972-00006      Date of last issue: 30.09.2023  
 Date of first issue: 25.08.2022

### Aspiration toxicity

|| Not classified based on available information.

### Experience with human exposure

#### Components:

#### Chlorhexidine:

|                     |   |  |
|---------------------|---|--|
| General Information | : | Symptoms: Headache   |
| Inhalation          | : | Target Organs: Lungs<br>Symptoms: Asthmatic appearance, bronchospasm, discomfort in the chest, upper respiratory tract infection |
| Ingestion           | : | Target Organs: Gastrointestinal tract<br>Symptoms: Gastrointestinal disturbance, Gastrointestinal tract damage                   |

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### Chlorhexidine:

|   |   |  |
|---|---|--|
| Toxicity to fish                                    | : | (Fish): 2,088 mg/l<br>Exposure time: 96 h<br>Method: ECOSAR (Ecological Structure Activity Relationships)  |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0,222 mg/l<br>Exposure time: 48 h<br>Method: ECOSAR (Ecological Structure Activity Relationships)   |
| Toxicity to algae/aquatic plants                    | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,124 mg/l<br>End point: Growth rate<br>Exposure time: 96 hrs<br>Method: ECOSAR (Ecological Structure Activity Relationships) |
| M-Factor (Acute aquatic toxicity)                   | : | 1  |
| M-Factor (Chronic aquatic toxicity)                 | : | 1  |

#### Nonylphenol, ethoxylated:

|   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | LC50 (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l<br>Exposure time: 96 h<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Ceriodaphnia dubia (water flea)): > 0,1 - 1 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials      |

## Chlorhexidine (4.79%) Formulation

Version 3.0      Revision Date: 21.11.2023      SDS Number: 10839972-00006      Date of last issue: 30.09.2023  
 Date of first issue: 25.08.2022

|  |   |   |
|--|---|---|
| Toxicity to algae/aquatic plants                                       | : | ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials |
|  |   | EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials       |
| M-Factor (Acute aquatic toxicity)                                      | : | 1   |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC: > 0,1 - 1 mg/l<br>Exposure time: 100 d<br>Species: Oryzias latipes (Japanese medaka)<br>Remarks: Based on data from similar materials                               |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: > 0,001 - 0,01 mg/l<br>Exposure time: 28 d<br>Species: Mysidopsis bahia (opossum shrimp)<br>Remarks: Based on data from similar materials                           |
| M-Factor (Chronic aquatic toxicity)                                    | : | 10  |

## 12.2 Persistence and degradability

**Components:****Chlorhexidine:**

Biodegradability : Remarks: Not inherently biodegradable.

**Nonylphenol, ethoxylated:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

## 12.3 Bioaccumulative potential

**Components:****Chlorhexidine:**

Partition coefficient: n-octanol/water : log Pow: 4,85

**Nonylphenol, ethoxylated:**

Partition coefficient: n-octanol/water : log Pow: 4,48

## 12.4 Mobility in soil

No data available

## Chlorhexidine (4.79%) Formulation

Version 3.0      Revision Date: 21.11.2023      SDS Number: 10839972-00006      Date of last issue: 30.09.2023  
Date of first issue: 25.08.2022

---

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

**Product:**

Endocrine disrupting potential : This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

**Components:**

**Nonylphenol, ethoxylated:**

Endocrine disrupting potential : The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for the environment.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

## SECTION 14: Transport information

### 14.1 UN number

ADN : UN 3082  
ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082  
IATA : UN 3082

### 14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

## Chlorhexidine (4.79%) Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 30.09.2023  |
| 3.0     | 21.11.2023     | 10839972-00006 | Date of first issue: 25.08.2022 |

---

(Chlorhexidine, Nonylphenol, ethoxylated)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Chlorhexidine, Nonylphenol, ethoxylated)

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Chlorhexidine, Nonylphenol, ethoxylated)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Chlorhexidine, Nonylphenol, ethoxylated)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(Chlorhexidine, Nonylphenol, ethoxylated)

## 14.3 Transport hazard class(es)

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADN</b>  | : 9   |                  |
| <b>ADR</b>  | : 9   |                  |
| <b>RID</b>  | : 9   |                  |
| <b>IMDG</b> | : 9   |                  |
| <b>IATA</b> | : 9   |                  |

## 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

**Chlorhexidine (4.79%) Formulation**

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 30.09.2023  |
| 3.0     | 21.11.2023     | 10839972-00006 | Date of first issue: 25.08.2022 |

---

**IATA (Passenger)**

|  |   |               |
|--|---|---------------|
| Packing instruction (passenger aircraft) | : | 964           |
| Packing instruction (LQ)                 | : | Y964          |
| Packing group                            | : | III           |
| Labels                                   | : | Miscellaneous |

**14.5 Environmental hazards****ADN**

|                           |   |     |
|---------------------------|---|-----|
| Environmentally hazardous | : | yes |
|---------------------------|---|-----|

**ADR**

|                           |   |     |
|---------------------------|---|-----|
| Environmentally hazardous | : | yes |
|---------------------------|---|-----|

**RID**

|                           |   |     |
|---------------------------|---|-----|
| Environmentally hazardous | : | yes |
|---------------------------|---|-----|

**IMDG**

|                  |   |     |
|------------------|---|-----|
| Marine pollutant | : | yes |
|------------------|---|-----|

**IATA (Passenger)**

|                           |   |     |
|---------------------------|---|-----|
| Environmentally hazardous | : | yes |
|---------------------------|---|-----|

**IATA (Cargo)**

|                           |   |     |
|---------------------------|---|-----|
| Environmentally hazardous | : | yes |
|---------------------------|---|-----|

**14.6 Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

|         |   |   |
|---------|---|---|
| Remarks | : | Not applicable for product as supplied. |
|---------|---|---|

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

The components of this product are reported in the following inventories:

|      |   |                |
|------|---|----------------|
| AICS | : | not determined |
|------|---|----------------|

|     |   |                |
|-----|---|----------------|
| DSL | : | not determined |
|-----|---|----------------|

|       |   |                |
|-------|---|----------------|
| IECSC | : | not determined |
|-------|---|----------------|

**15.2 Chemical safety assessment**

A Chemical Safety Assessment has not been carried out.

---

**SECTION 16: Other information**

|                   |   |  |
|-------------------|---|--|
| Other information | : | Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines. |
|-------------------|---|--|

## Chlorhexidine (4.79%) Formulation

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 30.09.2023  |
| 3.0     | 21.11.2023     | 10839972-00006 | Date of first issue: 25.08.2022 |

---

**Full text of H-Statements**

H302 : Harmful if swallowed.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H373 : May cause damage to organs through prolonged or repeated exposure.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

**Full text of other abbreviations**

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

Sources of key data used to compile the Safety Data : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-



**Chlorhexidine (4.79%) Formulation**

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 30.09.2023  |
| 3.0     | 21.11.2023     | 10839972-00006 | Date of first issue: 25.08.2022 |

---

Sheet [cy, http://echa.europa.eu/](http://echa.europa.eu/)**Classification of the mixture:**

Eye Irrit. 2 H319

|| Aquatic Chronic 2 H411

**Classification procedure:**

Calculation method

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN