

# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Chlorhexidine Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.

Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### 2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Short-term (acute) aquatic

hazard

Category 2

Long-term (chronic) aquatic

hazard

Category 2

**GHS** label elements

Hazard pictograms :

\*

Signal word : None

Hazard statements : H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste



# **Chlorhexidine Formulation**

SDS Number: Date of last issue: 2024/09/06 Version Revision Date: 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

disposal plant.

#### Other hazards which do not result in classification

Important symptoms and out- : lines of the emergency assumed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Ethanol#	64-17-5	>= 1 - < 10	2-202
Chlorhexidine	55-56-1	>= 1 - < 10	9-2060, 9-1294
Linalyl acetate	115-95-7	>= 0.1 - < 1	2-2536

<sup>#</sup> Voluntarily-disclosed substance

## 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Get medical attention if symptoms occur.

In case of eye contact If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Protection of first-aiders

Contact with dust can cause mechanical irritation or drying of the skin.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-



# **Chlorhexidine Formulation**

Version SDS Number: Date of last issue: 2024/09/06 Revision Date: 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

Handling

Technical measures Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation. Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact

Oxidizing agents If exposure to chemical is likely during typical use, provide eye Hygiene measures

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Storage

Conditions for safe storage Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Do not store with the following product types: Materials to avoid

Strong oxidizing agents

Packaging material Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components CAS-No.	Value type	Control parame-	Basis	
--------------------	------------	-----------------	-------	--



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

		(Form of exposure)	ters / Concentra- tion standard / Permissible con- centration	
Ethanol	64-17-5	STEL	1,000 ppm	ACGIH
Chlorhexidine	55-56-1	TWA	40 μg/m3 (OEB 3)	Internal
	Further information: RSEN, DSEN			
		Wipe limit	100 μg/100 cm2	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type Hand protection

. .

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Impermeable protective gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Colour : light pink



# **Chlorhexidine Formulation**

Version SDS Number: Date of last issue: 2024/09/06 **Revision Date:** 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

Odour No data available

Odour Threshold No data available

Melting point/freezing point No data available

Boiling point, initial boiling

point and boiling range

No data available

Flammability (solid, gas) May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Up- : No data available

per flammability limit

Lower explosion limit /

Lower flammability limit

No data available

Flash point No data available

Decomposition temperature No data available

5.0 - 6.5pΗ

Evaporation rate No data available

Auto-ignition temperature No data available

Viscosity

Viscosity, kinematic No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure No data available

Density and / or relative density

Relative density No data available

Density No data available

Relative vapour density No data available

Explosive properties Not explosive



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

#### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation
Skin contact
Ingestion
Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

**Components:** 

**Ethanol:** 

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116.9 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

**Chlorhexidine:** 

Acute oral toxicity : LD50 Oral (Mouse): 1,260 mg/kg



# **Chlorhexidine Formulation**

Version SDS Number: Date of last issue: 2024/09/06 Revision Date: 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

LD50 Oral (Rabbit): 1,100 mg/kg

LD50 Oral (Rat): 2,000 mg/kg

Acute toxicity (other routes of : LD50 (Rat): 21 mg/kg

administration)

Application Route: Intravenous

Linalyl acetate:

Acute oral toxicity : LD50 (Rat): > 9,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

**Ethanol:** 

**Species** Rabbit

Method OECD Test Guideline 404

Result No skin irritation

Linalyl acetate:

**Species** Rabbit

Method **OECD Test Guideline 404** 

Result Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

**Ethanol:** 

**Species** Rabbit

Result Irritation to eyes, reversing within 21 days

Method **OECD Test Guideline 405** 

**Chlorhexidine:** 

**Species** Rabbit

Result Mild eye irritation

Linalyl acetate:

**Species** Rabbit

Result Irritation to eyes, reversing within 21 days

**OECD Test Guideline 405** Method

Remarks Based on data from similar materials



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

#### Components:

**Ethanol:** 

Test Type : Mouse ear swelling test (MEST)

Exposure routes : Skin contact
Species : Mouse
Result : negative

Linalyl acetate:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact

Species : Mouse

Method : OECD Test Guideline 429

Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation

rate in humans

# Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

**Ethanol:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Rat

Application Route: Ingestion

Result: negative

## **Chlorhexidine:**



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test

Species: Mouse Result: negative

Test Type: Cytogenetic assay

Species: Hamster Result: negative

Linalyl acetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

**Chlorhexidine:** 

Species : Rat

Application Route : oral (drinking water)

Exposure time : 2 Years Frequency of Treatment : daily

NOAEL : 38 mg/kg body weight

Result : negative

Species : Rat

Application Route : oral (drinking water)



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

Exposure time : 2 Years Frequency of Treatment : daily

NOAEL : 158 mg/kg body weight

Result : negative

Reproductive toxicity

Not classified based on available information.

**Components:** 

**Ethanol:** 

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

**Chlorhexidine:** 

Effects on fertility : Species: Rat

Fertility: NOAEL: 100 mg/kg body weight

Effects on foetal develop-

ment

Species: Rat

Developmental Toxicity: NOAEL: 300 mg/kg body weight

Species: Rabbit

Developmental Toxicity: NOAEL: 40 mg/kg body weight

Linalyl acetate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

**Chlorhexidine:** 

Target Organs : Liver



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Linalyl acetate:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Remarks : Based on data from similar materials

Repeated dose toxicity

**Components:** 

Ethanol:

Species : Rat

NOAEL : 1,730 mg/kg
LOAEL : 3,200 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

**Chlorhexidine:** 

Species : Rat
NOAEL : 158 mg/kg
Application Route : Oral
Exposure time : 2 yr

Species : Rabbit
LOAEL : 250 mg/kg
Application Route : Dermal
Exposure time : 13 Weeks
Target Organs : Skin, Liver

Linalyl acetate:

Species : Rat

NOAEL : > 30 - 300 mg/kg

Application Route : Ingestion Exposure time : 28 Days

Remarks : Based on data from similar materials

Species : Rat

NOAEL : > 100 mg/kg Application Route : Skin contact Exposure time : 91 Days

Remarks : Based on data from similar materials

**Aspiration toxicity** 

Not classified based on available information.



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

#### **Experience with human exposure**

**Components:** 

**Chlorhexidine:** 

General Information : Symptoms: Headache

Inhalation : Target Organs: Lungs

Symptoms: Asthmatic appearance, bronchospasm, discomfort

in the chest, upper respiratory tract infection

Ingestion : Target Organs: Gastrointestinal tract

Symptoms: Gastrointestinal disturbance, Gastrointestinal tract

damage

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Components:** 

**Ethanol:** 

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l

Exposure time: 100 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to microorganisms : EC50 (Protozoa): 5,800 mg/l

Exposure time: 4 h

**Chlorhexidine:** 

Toxicity to fish : (Fish): 2.088 mg/l

Exposure time: 96 h

Method: ECOSAR (Ecological Structure Activity Relation-

ships)

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.222 mg/l

Exposure time: 48 h



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

Method: ECOSAR (Ecological Structure Activity Relation-

ships)

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.124

mg/l

End point: Growth rate Exposure time: 96 hrs

Method: ECOSAR (Ecological Structure Activity Relation-

ships)

M-Factor (Acute aquatic tox-

icity)

M-Factor (Chronic aquatic

toxicity)

1

Linalyl acetate:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 11 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

EC10 (Desmodesmus subspicatus (green algae)): > 1 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 30 min Method: ISO 8192

Persistence and degradability

Components:

**Ethanol:** 

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

**Chlorhexidine:** 

Biodegradability : Remarks: Not inherently biodegradable.

Linalyl acetate:

Biodegradability : Result: Readily biodegradable.



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

Biodegradation: 70 - 80 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

## **Bioaccumulative potential**

**Components:** 

**Ethanol:** 

Partition coefficient: n-

octanol/water

log Pow: -0.35

Chlorhexidine:

Partition coefficient: n-

octanol/water

log Pow: 4.85

Linalyl acetate:

Partition coefficient: n-

octanol/water

log Pow: 3.9

Method: OECD Test Guideline 107

Mobility in soil
No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

## International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorhexidine)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Chlorhexidine)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Chlorhexidine)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A. S-F

Marine pollutant : yes

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

Refer to section 15 for specific national regulation.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

#### 15. REGULATORY INFORMATION

#### **Related Regulations**

## Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### **Chemical Substance Control Law**

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

## Industrial Safety and Health Law

## **Harmful Substances Prohibited from Manufacture**

Not applicable



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### **Substances Prevented From Impairment of Health**

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

## **Substances Subject to be Notified Names**

Article 57-2 (Enforcement Order Table 9)

, a dolo or z (zinoroomont order rabio o)		
Chemical name	Concentration (%)	Remarks
Ethanol	>=1 - <10	-
chlorhexidine	>=1 - <10	From April 1st, 2025
3,7-Dimethylocta-1,6-dien-3-yl acetate	>=0.1 - <1	From April 1st, 2025

#### **Substances Subject to be Indicated Names**

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Ethanol	-
chlorhexidine	From April 1st, 2025

## Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)

•	•		•	•	
Chemical name					
Chlorhexidine					

# Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

## Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

# **Ordinance on Prevention of Lead Poisoning**

Not applicable

#### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

## **Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

# Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

# **Poisonous and Deleterious Substances Control Law**

Not applicable



# **Chlorhexidine Formulation**

Date of last issue: 2024/09/06 Version Revision Date: SDS Number: 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

## **High Pressure Gas Safety Act**

Not applicable

## **Explosive Control Law**

Not applicable

#### **Vessel Safety Law**

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

#### **Aviation Law**

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

#### Marine Pollution and Sea Disaster Prevention etc Law

**Bulk transportation** : Noxious liquid substance(Category Y)

Classified as marine pollutant Pack transportation

#### **Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

# Waste Disposal and Public Cleansing Law

Industrial waste

# The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

#### 16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

#### **Further information**

compile the Safety Data

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.



# **Chlorhexidine Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/09/06 8.0 2024/09/28 5322111-00015 Date of first issue: 2019/11/25

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN