according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	4242345-00012	Date of first issue: 2019/05/03

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	:	Cimetidine Formulation				
Manufacturer or supplier's details						
Company	:	MSD				
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331				
Telephone	:	+1-908-740-4000				
Emergency telephone number	:	86-571-87268110				
E-mail address	:	EHSDATASTEWARD@msd.com				
Recommended use of the chemical and restrictions on use						
Recommended use Restrictions on use	:	Pharmaceutical Not applicable				

### 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

Appearance Colour Odour	:	powder No data available No data available
May damage the unborn child. posure.	Ma	y cause damage to organs through prolonged or repeated ex-
GHS Classification		
Reproductive toxicity	:	Category 1B
Specific target organ toxicity - repeated exposure	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H360D May damage the unborn child. H373 May cause damage to organs through prolonged or re-

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version 3.0	Revision Date: 2024/09/28	SDS Number: 4242345-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/05/03
		peated exposure	<b>3</b> .
Precau	itionary statements	<b>Prevention:</b> P201 Obtain spe P202 Do not han and understood. P260 Do not bre	ecial instructions before use. ndle until all safety precautions have been read eathe dust. ective gloves/ protective clothing/ eye protec-
		<b>Response:</b> P308 + P313 IF attention.	exposed or concerned: Get medical advice/
		<b>Storage:</b> P405 Store lock	ed up.
		<b>Disposal:</b> P501 Dispose o disposal plant.	f contents/ container to an approved waste

#### Physical and chemical hazards

Not classified based on available information.

#### Health hazards

May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.

#### Environmental hazards

Not classified based on available information.

#### Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 40 %

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
cimetidine	51481-61-9	>= 30 -< 50
Cellulose	9004-34-6	>= 10 -< 20
Starch	9005-25-8	>= 1 -< 10
Magnesium stearate	557-04-0	>= 1 -< 10

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

3.0         2024/09/28         4242345-00012         Date of first issue: 2019/05/03	Version 3.0	Revision Date: 2024/09/28	SDS Number: 4242345-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/05/03	
--	----------------	---------------------------	------------------------------	---	--

### 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes.
		Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms	:	May damage the unborn child.
and effects, both acute and delayed		May cause damage to organs through prolonged or repeated exposure.
delayed		Contact with dust can cause mechanical irritation or drying of
		the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment
Notes to physician	:	when the potential for exposure exists (see section 8). Treat symptomatically and supportively.
5. FIREFIGHTING MEASURES		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire- fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides Metal oxides
Specific extinguishing meth-	:	Use extinguishing measures that are appropriate to local cir-

according to GB/T 16483 and GB/T 17519

Revision Date:

SDS Number:



Date of last issue: 2024/04/06

# **Cimetidine Formulation**

Version

the surrounding environment. to cool unopened containers. aged containers from fire area if it is safe to do re, wear self-contained breathing apparatus.	
and personal pro- ction 8).	
do so. ater. cant spillages	
in suitable con- g dust surfaces mulate on surfac- if they are re- centration. leases and dis- ials and items Il need to deter- mation regarding	
suspended dust	
h local exhaust	

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Versio 3.0	on Revision Da 2024/09/28		DS Number: 242345-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/05/03	
			Handle in accordance with good industrial hygiene and saf practice, based on the results of the workplace exposure a sessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to environment.		
A	Avoidance of contact	ct :	Oxidizing agents		
S	Storage				
	Conditions for safe Materials to avoid	storage :	Store locked up. Keep tightly close Store in accordan	ce with the particular national regulations. the following product types:	
			Strong Unidizing a	yens	
F	Packaging material	:	Unsuitable materia	al: None known.	

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
cimetidine	51481-61-9	TWA	1000 µg/m3 (OEB 1)	
Cellulose	9004-34-6	PC-TWA	10 mg/m3	CN OEL
		TWA	10 mg/m3	ACGIH
Starch	9005-25-8	TWA	10 mg/m3	ACGIH
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH

Engineering measures :	Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Personal protective equipment	
Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec-

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version 3.0	Revision Date: 2024/09/28	SDS Number: 4242345-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/05/03
	ter type ace protection	: Particulates t : Wear safety of If the work en mists or aeros Wear a faces	uidelines, use respiratory protection. ype glasses with side shields or goggles. wironment or activity involves dusty conditions, sols, wear the appropriate goggles. hield or other full face protection if there is a lirect contact to the face with dusts, mists, or
Hand	and body protection protection		or laboratory coat.
Ma	aterial	: Chemical-res	istant gloves
Hygie	ne measures	eye flushing s ing place. When using o Wash contam The effective engineering o appropriate d industrial hyg	o chemical is likely during typical use, provide systems and safety showers close to the work- do not eat, drink or smoke. hinated clothing before re-use. operation of a facility should include review of controls, proper personal protective equipment, egowning and decontamination procedures, iene monitoring, medical surveillance and the strative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version 3.0	Revision Date: 2024/09/28		S Number: 12345-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/05/03
	ver explosion limit / Lower nmability limit	:	No data available	9
Vap	oour pressure	:	Not applicable	
Rel	ative vapour density	:	Not applicable	
Rel	ative density	:	No data available	9
Dei	nsity	:	No data available	9
	ubility(ies) Water solubility	:	No data available	9
	tition coefficient: n-	:	Not applicable	
	anol/water o-ignition temperature	:	No data available	9
Dee	composition temperature	:	No data available	9
	cosity Viscosity, kinematic	:	Not applicable	
Exp	blosive properties	:	Not explosive	
Oxi	dizing properties	:	The substance o	r mixture is not classified as oxidizing.
Мо	lecular weight	:	No data available	9
	ticle characteristics ticle size	:	No data available	9

### **10. STABILITY AND REACTIVITY**

Reactivity Chemical stability Possibility of hazardous reac- tions	: :	Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Exposure routes

: Inhalation

Skin contact

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

rsion )	Revision Date: 2024/09/28		S Number: 42345-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/05/03
Acute	toxicity		Ingestion Eye contact	
	assified based on availa	ble	information.	
	oonents:			
	idine: oral toxicity	÷	LD50 (Rat): > 5,0	00 mg/kg
Acute		•	. ,	
			LD50 (Mouse): 2,	550 mg/kg
			LD50 (Hamster):	> 4,000 mg/kg
	toxicity (other routes of istration)	:	LD50 (Rat): 106 n Application Route	
			LD50 (Rabbit): 16 Application Route	
			LD50 (Rat): 860 n Application Route	
			LD50 (Mouse): 43 Application Route Symptoms: Conve	: Subcutaneous
Cellul	ose:			
	oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 5.8	mg/l
			Exposure time: 4 Test atmosphere:	
Acute	dermal toxicity	:	LD50 (Rabbit): > 2	
II Starcl	h.			
	oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg
Acute	dermal toxicity	:	LD50 (Rabbit): > 2	2,000 mg/kg
	esium stearate: oral toxicity	:	icity	
<b>II</b> .	dermal toxicity		LD50 (Rabbit): > 2	

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version	Revision Date: 2024/09/28	SDS Number:	Date of last issue: 2024/04/06
3.0		4242345-00012	Date of first issue: 2019/05/03

#### Remarks: Based on data from similar materials

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

#### Magnesium stearate:

Species : Result : Remarks :	Rabbit
Result :	No skin irritation
Remarks :	Based on data from similar materials

#### Serious eye damage/eye irritation

Not classified based on available information.

#### **Components:**

#### Starch:

Species	:	Rabbit
Result	:	No eye irritation

#### Magnesium stearate:

Species : Result : Remarks :	Rabbit
Result :	No eye irritation
Remarks :	Based on data from similar materials

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Components:**

#### Starch:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species Result	:	Guinea pig
Result	:	negative

#### Magnesium stearate:

	Maximisation Test
	Skin contact
Species : Method :	Guinea pig
	OECD Test Guideline 406
Result :	negative
Remarks :	Based on data from similar materials

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	4242345-00012	Date of first issue: 2019/05/03

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

cimetidine:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosomal aberration Result: negative
		Test Type: unscheduled DNA synthesis assay Test system: rat hepatocytes Result: negative
		Test Type: unscheduled DNA synthesis assay Result: negative
Cellulose:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative
Starch:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Magnesium stearate:		
Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
		Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		10/10

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version 3.0	Revision Date: 2024/09/28		DS Number: 242345-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/05/03
			Remarks: Based	on data from similar materials
Carci	inogenicity			
	lassified based on avail	able	information.	
Com	ponents:			
cime	tidine:			
Speci Applio Expos	ies cation Route sure time et Organs		Rat Oral 2 Years Testis Benign tumor(s)	
Carci ment	nogenicity - Assess-	:	No evidence of ca	arcinogenicity in animal studies.
Cellu	lose:			
	cation Route sure time	:	Rat Ingestion 72 weeks negative	
-	oductive toxicity damage the unborn chil	Ч		
	ponents:	u.		
cimet	tidine:			
Effect	ts on fertility	:	Species: Rat Application Route Fertility: NOAEL:	y/early embryonic development e: Oral 950 mg/kg body weight on reproduction capacity
Effect ment	ts on foetal develop-	:	Symptoms: male	
Repro sessn	oductive toxicity - As- nent	:	May damage the	unborn child.
Cellu	lose:			
Effect	ts on fertility	:	Test Type: One-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study a: Ingestion

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version 3.0	Revision Date: 2024/09/28	SDS Number: 4242345-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/05/03
Effec ment	ts on foetal develop-	Species: Ra	Route: Ingestion
II Magr	nesium stearate:		
	ts on fertility	reproduction Species: Ra Application Method: OE Result: neg	Route: Ingestion CD Test Guideline 422
Effec ment	ts on foetal develop-	Species: Ra Application Result: neg	Route: Ingestion
Not c <b>STO</b> May o	<b>Γ - single exposure</b> lassified based on avai <b>Γ - repeated exposure</b> cause damage to orgar <u>ponents:</u>		ed or repeated exposure.
Expo Targe	<b>tidine:</b> sure routes et Organs ssment	: Oral : Liver, Kidne : May cause exposure.	y, Testis damage to organs through prolonged or repeated
Repe	ated dose toxicity		
Com	ponents:		
	tidine:		
Speci LOAE Appli Expos	ies EL cation Route sure time et Organs	: Rat : 160 mg/kg : Oral : 2 Months : Gastrointes : May cause	tinal tract damage to organs.
Speci NOAI Applie Expos		: Rat : 200 mg/kg : Oral : 12 Months	

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version 3.0	Revision Date: 2024/09/28		S Number: 2345-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/05/03			
Symp	otoms	:	No adverse effe	ects			
LÕAE Applie Expo Targe	Species LOAEL Application Route Exposure time Target Organs Remarks		<ul> <li>Rat</li> <li>950 mg/kg</li> <li>Oral</li> <li>2 yr</li> <li>Liver, Testis, Prostate</li> <li>May cause damage to organs.</li> </ul>				
Expo	EL cation Route sure time at Organs		Dog 366 mg/kg Oral 12 Months Liver, Kidney, F May cause dam				
Spec NOAI Appli Expo Symp	EL cation Route sure time	:	Dog 144 mg/kg Oral 4 yr No adverse effe	ects			
Spec NOAI Appli			Rat >= 9,000 mg/kg Ingestion 90 Days	9			
Starc Spec NOAI Applie Expo Metho	ies EL cation Route sure time	:	Rat >= 2,000 mg/kg Skin contact 28 Days OECD Test Gu				
Spec NOAI Appli	EL cation Route sure time		Rat > 100 mg/kg Ingestion 90 Days Based on data	from similar materials			

### Aspiration toxicity

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

	sue: 2024/04/06 sue: 2019/05/03
--	------------------------------------

#### Experience with human exposure

### Components:

# cimetidine:

Ingestion

: Symptoms: The most common side effects are:, Headache, Dizziness, Nausea, skin rash, Itching, May cause, central nervous system effects, gynecomastia, impotence, kidney effects Remarks: May cause harm to breast-fed children.

#### **12. ECOLOGICAL INFORMATION**

Factoricity		
Ecotoxicity		
Components:		
cimetidine:		
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded
Cellulose:		
Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 48 h
		Remarks: Based on data from similar materials
Magnesium stearate:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l Exposure time: 48 h Method: DIN 38412
		Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 47 h
		Test substance: Water Accommodated Fraction
		Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials
		No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h
		Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
		Remarks: Based on data from similar materials No toxicity at the limit of solubility

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version 3.0	Revision Date: 2024/09/28		DS Number: 42345-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/05/03
			mg/l Exposure time: Test substance Method: OECD	dokirchneriella subcapitata (green algae)): > 1 72 h e: Water Accommodated Fraction 9 Test Guideline 201 ed on data from similar materials
Toxic	ity to microorganisms	:	Exposure time: Test substance	monas putida): > 100 mg/l 16 h e: Water Accommodated Fraction ed on data from similar materials
Persi	stence and degradabi	lity		
Com	ponents:			
Cellu	lose:			
Biode	egradability	:	Result: Readily	biodegradable.
Magr	nesium stearate:			
Biode	egradability	:	Result: Not bioo Remarks: Base	degradable ed on data from similar materials
Bioa	ccumulative potential			
Com	ponents:			
cime	tidine:			
	ion coefficient: n- ol/water	:	log Pow: 0.40	
Magr	nesium stearate:			
Partit	ion coefficient: n- ol/water	:	log Pow: > 4	
	<b>lity in soil</b> ata available			
Othe	r adverse effects ata available			

### **13. DISPOSAL CONSIDERATIONS**

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

according to GB/T 16483 and GB/T 17519



## **Cimetidine Formulation**

Version Revision Date: 3.0 2024/09/28

SDS Number: 4242345-00012

Date of last issue: 2024/04/06 Date of first issue: 2019/05/03

### **14. TRANSPORT INFORMATION**

#### **International Regulations**

UNRTDG UN number Proper shipping name Class Subsidiary risk Packing group Labels Environmentally hazardous	:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable no
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels	:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

:

: no

Not applicable for product as supplied.

### **National Regulations**

#### GB 6944/12268

EmS Code

Marine pollutant

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Marine pollutant	:	no

#### Special precautions for user

Not applicable

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version         Revision Date:         SDS Number:         Date of last issue: 2024/04/06           3.0         2024/09/28         4242345-00012         Date of first issue: 2019/05/03	Version 3.0	Revision Date: 2024/09/28	SDS Number: 4242345-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/05/03	
--	----------------	---------------------------	------------------------------	---	--

### **15. REGULATORY INFORMATION**

Regulations on Safety Mar		of Occupational Diseases
Catalogue of Hazardous Ch	-	: This product is not listed in the cata- logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de- termination.
Identification of Major Hazar 18218)	d Installa	ions for Hazardous Chemicals (GB : Not listed
Hazardous Chemicals for Pr SAWS	riority Ma	agement under : Not listed
Regulations on Labour Pro		n Workplaces where Toxic Substances are Used : Not listed
Regulation of Environmen and Export of Toxic Chem		gement on the First Import of Chemicals and the Import
China Severely Restricted T and Export	oxic Che	nicals for Import : Not listed
Regulation on the Adminis Catalogue and Classification		
Yangtze River Protection I	Law	
This product does not conta	in any da	ngerous chemicals prohibited for inland river transport.
The components of this pr AICS		e reported in the following inventories: determined
DSL	: no	determined
IECSC	: no	determined
16. OTHER INFORMATION		
Revision Date	: 20	24/09/28
Further information		

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	4242345-00012	Date of first issue: 2019/05/03

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd			
Full text of other abbreviations					
ACGIH CN OEL	:	USA. ACGIH Threshold Limit Values (TLV) Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.			
ACGIH / TWA CN OEL / PC-TWA	:	8-hour, time-weighted average Permissible concentration - time weighted average			

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-

according to GB/T 16483 and GB/T 17519



# **Cimetidine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/28	4242345-00012	Date of first issue: 2019/05/03

rial is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN