

Clanobutin Formulation

Version 2.0	Revision Date: 28.09.2024	SDS Num 3667484-		Date of last issue: 30.09.2023 Date of first issue: 09.11.2018				
SECTION	1. IDENTIFICATION							
Produ	Product identifier		: Clanobutin Formulation					
Manu	Ifacturer or supplier	s details						
Comp	bany	: MSD	MSD					
Addre	ess			nto Soares, 530 Paulo - Brazil CEP 12730-340				
Telep	hone	: 908-7	740-4000					
Emer	gency telephone	: 1-908	3-423-6000					
E-ma	E-mail address		EHSDATASTEWARD@msd.com					
Reco	mmended use of the	chemical ar	nd restricti	ons on use				
	mmended use ictions on use		rinary produ applicable	uct				

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in acco Skin irritation	rdano :	ce with ABNT NBR 14725 Standard Category 2
Eye irritation	:	Category 2B
GHS label elements in acco	ordar	nce with ABNT NBR 14725 Standard
Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	H315 + H320 Causes skin and eye irritation.
Precautionary Statements	:	Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves.
		Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332 + P313 If skin irritation occurs: Get medical advice/ atten- tion.



ersion)	Revision Date: 28.09.2024	SDS Number: 3667484-00012	Date of last issue: Date of first issue:	00.00.2020					
		P337 + P313 If eye irritation persists: Get medical advice/ at- tention. P362 + P364 Take off contaminated clothing and wash it before reuse.							
The f	t ional Labeling ollowing percentage o tic environment: 10,64		s of ingredient(s) with un	known hazards to the					
••	r hazards which do r known.	not result in classif	ication						
CTION	3. COMPOSITION/IN	IFORMATION ON IN	NGREDIENTS						
Subs	tance / Mixture	: Mixture							
Com	ponents								
Chem	nical name	CAS-No.	Classification	Concentration (% w/w)					
Clanc	butin	30544-61-7	Acute Tox. (Oral), 5 Skin Irrit., 2 Eye Irrit., 2B STOT SE, 3	>= 10 -< 20					

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Causes skin and eye irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES



Clanobutin Formulation

Versi 2.0	ion	Revision Date: 28.09.2024		S Number: 67484-00012	Date of last issue: 30.09.2023 Date of first issue: 09.11.2018	
:	Suitable extinguishing media		:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical		
	Unsuita media	ble extinguishing	:	None known.		
	Specific fighting	hazards during fire	:		explosive mixtures with air. pustion products may be a hazard to health.	
	Hazardo ucts	ous combustion prod-	:	Carbon oxides Nitrogen oxides (N	NOx)	
	Specific ods	extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do	
	Special for fire-f	protective equipment ighters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.



Clanobutin Formulation

Version 2.0	Revision Date: 28.09.2024	SDS Number: 3667484-00012	Date of last issue: 30.09.2023 Date of first issue: 09.11.2018			
SECTION	7. HANDLING AND S	TORAGE				
Tech	nical measures		ering measures under EXPOSURE S/PERSONAL PROTECTION section.			
Local	/Total ventilation	: Use only wi	th adequate ventilation.			
	e on safe handling	Avoid inhala Do not swal Do not get i Wash skin t Handle in a practice, ba assessmen Take care to environmen	Do not get on skin or clothing. Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.			
Hygie	ene measures	flushing sys place. When using Wash conta The effectiv engineering appropriate industrial hy	to chemical is likely during typical use, provide eye tems and safety showers close to the working do not eat, drink or smoke. minated clothing before re-use. e operation of a facility should include review of controls, proper personal protective equipment, degowning and decontamination procedures, rgiene monitoring, medical surveillance and the nistrative controls.			
Cond	itions for safe storage	: Keep in pro	perly labeled containers. ordance with the particular national regulations.			
Mate	rials to avoid		e with the following product types:			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace co	ntroi parametei	5					
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration				
Clanobutin	30544-61-7						
Engineering measures :	 Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment. 						
Personal protective equipmen	t						
Respiratory protection :	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.						
Filter type :		Particulates type					

Ingredients with workplace control parameters



Clanobutin Formulation

Versio 2.0	on Revision Date: 28.09.2024		S Number: 57484-00012	Date of last issue: 30.09.2023 Date of first issue: 09.11.2018					
Н	land protection Material	:	Chemical-resistan	t gloves					
E	Eye protection		Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or						
S	Skin and body protection	:	aerosols. Work uniform or laboratory coat.						
SECT	ION 9. PHYSICAL AND CH	EMIC		3					
Ρ	Physical state	:	liquid						
С	Color	:	No data available						
С	Ddor	:	No data available						
С	Odor Threshold	:	No data available						
р	Н	:	No data available						
N	Aelting point/freezing point	:	No data available						
	nitial boiling point and boiling ange	:	No data available						
F	lash point	:	93,4 °C						
E	vaporation rate	:	No data available						
F	lammability (solid, gas)	:	Not applicable						
F	lammability (liquids)	:	Not applicable						
	Jpper explosion limit / Upper ammability limit	:	No data available						
	ower explosion limit / Lower ammability limit	:	No data available						
V	/apor pressure	:	No data available	•					
R	Relative vapor density	:	No data available	•					
R	Relative density	:	No data available	•					
D	Density	:	No data available	•					
S	Solubility(ies) Water solubility	:	soluble						
	Solubility in other solvents	:	No data available						



Clanobutin Formulation

Version 2.0	Revision Date: 28.09.2024	SDS Nur 3667484		Date of last issue: 30.09.2023 Date of first issue: 09.11.2018
octar	ion coefficient: n- iol/water gnition temperature		applicable lata availabl	e
Deco	Decomposition temperature		lata availabl	e
	osity scosity, kinematic osive properties		lata availabl explosive	9
	zing properties cular weight		substance c lata availabl	r mixture is not classified as oxidizing. e
	cle characteristics cle size	: Not a	applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	Oxidizing agents

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.

Product:

Components:

Clanobutin:		
Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
Acute oral toxicity Acute toxicity (other routes of administration)	:	LD50 (Rat): 570 mg/kg Application Route: Intravenous



ersion .0	Revision Date: 28.09.2024	SDS Number: 3667484-00012	Date of last issue: 30.09.2023 Date of first issue: 09.11.2018
	corrosion/irritation es skin irritation.		
Comp	oonents:		
Clanc	butin:		
Resul	t	: irritating	
	us eye damage/eye irri es eye irritation.	tation	
Comp	oonents:		
Clanc	butin:		
Resul	t	: Severe irritation	
Resp	ratory or skin sensitiz	ation	
	sensitization assified based on availa	ble information.	
-	i ratory sensitization assified based on availa	ble information.	
	cell mutagenicity assified based on availa	ble information.	
	nogenicity assified based on availa	ble information.	
•	oductive toxicity assified based on availa	ble information	
	oonents:	bie mornation.	
Clanc	butin:		
Effect	s on fetal development	: Test Type: Deve Species: Rat Application Rou Developmental	
		Test Type: Deve Species: Rabbit Application Rou Developmental	
	-single exposure		
	assified based on availa	ble information.	
	oonents:		

Clanobutin:

Routes of exposure	:	Inhalation
Assessment	:	May cause respiratory irritation.

Version



Date of last issue: 30.09.2023

Clanobutin Formulation

Revision Date:

2.0	28.09.2024	3667484-00012	2 Date of first issue: 09.11.2018
STO	F-repeated exposure		
Not c	lassified based on avail	able information.	
Repe	ated dose toxicity		
Com	ponents:		
Clane	obutin:		
Speci		: Dog	
LOAE		: 500 mg/kg	
Expo	cation Route sure time	: Oral : 4 Weeks	
	et Organs		vous system
Symp			isorientation
Speci		: Rat	
NOA		: 300 mg/kg	
LOAE		: 500 mg/kg	
	cation Route sure time	: Oral : 6 Months	
	et Organs	: Kidney, Liv	er, Thyroid
Speci	ies	: Dog	
NOA		: 300 mg/kg	
LOAE		: 600 mg/kg	
Applie	cation Route	: Oral	
Expo	sure time	: 6 Months	
Expo	sure time et Organs	: 6 Months : Kidney, Live	er, Thyroid
Expos Targe	et Organs		er, Thyroid
Expos Targe Aspir	sure time et Organs r ation toxicity lassified based on avail	: Kidney, Liv	er, Thyroid
Expos Targe Aspir Not c	et Organs	: Kidney, Live	er, Thyroid
Expos Targe Aspir Not c SECTION	et Organs r ation toxicity lassified based on avail	: Kidney, Live	er, Thyroid
Aspir Not c SECTION Ecoto	et Organs ration toxicity lassified based on avail 12. ECOLOGICAL INF	: Kidney, Live	er, Thyroid
Aspir Not c SECTION Ecoto <u>Com</u>	et Organs ration toxicity lassified based on avail 12. ECOLOGICAL INF oxicity	: Kidney, Live	er, Thyroid
Expos Targe Aspir Not c SECTION Ecoto Com	et Organs ration toxicity lassified based on avail 12. ECOLOGICAL INF pxicity ponents: pobutin:	: Kidney, Live	er, Thyroid
Expos Targe Aspir Not c SECTION Ecoto Cland Ecoto	et Organs ration toxicity lassified based on avail 12. ECOLOGICAL INF pxicity ponents:	: Kidney, Live able information. ORMATION	er, Thyroid
Expos Targe Aspir Not c SECTION Ecoto Cland Ecoto	et Organs ration toxicity lassified based on avail 12. ECOLOGICAL INF oxicity ponents: obutin: oxicology Assessmen	: Kidney, Live able information. ORMATION	
Expos Targe Aspir Not c SECTION Ecoto Cland Ecoto Acute Chror	et Organs ration toxicity lassified based on avail 12. ECOLOGICAL INF oxicity ponents: obutin: oxicology Assessmen a aquatic toxicity hic aquatic toxicity	: Kidney, Live able information. ORMATION t : Toxic effect : Toxic effect	s cannot be excluded
Expos Targe Aspir Not c SECTION Ecoto Cland Ecoto Chror Persi	et Organs ration toxicity lassified based on avail 12. ECOLOGICAL INF oxicity ponents: obutin: oxicology Assessmen e aquatic toxicity	: Kidney, Live able information. ORMATION t : Toxic effect : Toxic effect	s cannot be excluded
Expos Targe Aspir Not c SECTION Ecoto Cland Cland Chror Persi No da Bioad	et Organs ration toxicity lassified based on avail 12. ECOLOGICAL INF ponents: pobutin: pxicology Assessmen a aquatic toxicity hic aquatic toxicity stence and degradabi	: Kidney, Live able information. ORMATION t : Toxic effect : Toxic effect	s cannot be excluded
Expos Targe Aspir Not c SECTION Ecoto Cland Ecoto Acute Chror Persi No da Bioad No da	et Organs ration toxicity lassified based on avail 12. ECOLOGICAL INF ponents: ponents: poticity ponents: point covicity a quatic toxicity hic aquatic toxicity stence and degradabi ata available ccumulative potential	: Kidney, Live able information. ORMATION t : Toxic effect : Toxic effect	s cannot be excluded

SDS Number:



Clanobutin Formulation

Version 2.0	Revision Date: 28.09.2024	SDS Number: 3667484-00012	Date of last issue: 30.09.2023 Date of first issue: 09.11.2018
Othe	r adverse effects		
No da	ata available		
SECTION	13. DISPOSAL CONS	IDERATIONS	
Dispo	osal methods		
Waste	e from residues	•	of waste into sewer. ccordance with local regulations.
Conta	aminated packaging	: Empty containe handling site fo	ers should be taken to an approved waste or recycling or disposal. e specified: Dispose of as unused product.
SECTION	14. TRANSPORT INF	ORMATION	
Intern	national Regulations		
UNR Not re	FDG egulated as a dangerou	is good	
	-DGR egulated as a dangerou	is good	
	-Code egulated as a dangerou	is good	
	sport in bulk accordin pplicable for product as	-	RPOL 73/78 and the IBC Code
Dome	estic regulation		
ANTT Not re	r egulated as a dangerou	is good	
•	ial precautions for us pplicable	er	
SECTION	15. REGULATORY IN	FORMATION	
Safet mixtu		mental regulations/	legislation specific for the substance or
	nal List of Carcinogenio	Agents for Humans	- : Not applicable
Brazil Police	List of chemicals cont	rolled by the Federal	: Not applicable
The i AICS	•	duct are reported in : not determined	n the following inventories:
DSL		: not determined	
	•		
IECS	C	: not determined	1

SECTION 16. OTHER INFORMATION



Version 2.0	Revision Date: 28.09.2024	SDS Number: 3667484-00012	Date of last issue: 30.09.2023 Date of first issue: 09.11.2018
	ion Date ormat	: 28.09.2024 : dd.mm.yyyy	
Furth	er information		

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



2.0 28.09.2024 3667484-00012 Date of first issue: 09.11.2018	Version 2.0	Revision Date: 28.09.2024	SDS Number: 3667484-00012	Date of last issue: 30.09.2023 Date of first issue: 09.11.2018
--	----------------	---------------------------	------------------------------	---

BR / Z8