

# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Cloprostenol (with Propylene Glycol) Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.

Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

## **GHS** classification of chemical product

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Propylene glycol	57-55-6	>= 10 - < 20	2-234
4-Chloro-3-methylphenol	59-50-7	>= 0.1 - < 1	3-900
Sodium [1α(Z),2β(1E,3R*),3α,5α]- (+/-)-7-[2-[4-(3-chlorophenoxy)-3- hydroxybut-1-enyl]-3,5-	55028-72-3	< 0.1	-



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

dihydroxycyclopentyl]hept-5-enoate

4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms

: None known.

and effects, both acute and delayed

Protection of first-aiders Notes to physician No special precautions are necessary for first aid responders.

Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

: Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Follow safe handling advice (see section 7) and personal pro-



# Cloprostenol (with Propylene Glycol) Formulation

Version 9.0

Revision Date: 2024/09/28

SDS Number: 5266458-00012

Date of last issue: 2024/04/06 Date of first issue: 2019/11/14

tive equipment and emergency procedures

tective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

# 7. HANDLING AND STORAGE

# Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact Hygiene measures Oxidizing agents

If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

**Storage** 

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
4-Chloro-3-methylphenol	59-50-7	TWA	200 μg/m3 (OEB 2)	Internal
		Wipe limit	100 µg/100 cm2	Internal
Sodium [1α(Z),2β(1E,3R*),3α,5α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate	55028-72-3	TWA	0.01 ug/m3 (OEB 5)	Internal
	Further information: RSEN, Skin			
		Wipe limit	0.1 ug/100 cm2	Internal

**Engineering measures** 

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to pre-

vent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the

workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection Particulates type



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

Material Chemical-resistant gloves

Remarks Consider double gloving.

Eye protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection Work uniform or laboratory coat.

> Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Aqueous solution

Colour colourless

Odour characteristic

Odour Threshold No data available

Melting point/freezing point -6 °C

Boiling point, initial boiling

point and boiling range

99 °C

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Up- : No data available

per flammability limit

Lower explosion limit / Lower flammability limit No data available

Flash point No data available

Decomposition temperature No data available

pΗ No data available

Evaporation rate No data available

Auto-ignition temperature No data available



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

Viscosity

Viscosity, kinematic : 1.56 - 1.62 mm2/s

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Density and / or relative density

Relative density : 1.02 - 1.08

Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

#### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation
Skin contact

Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

### **Components:**

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

4-Chloro-3-methylphenol:

Acute oral toxicity : LD50 (Mouse): 600 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.871 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Sodium  $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$ 

Acute oral toxicity : LD50 (Rat): > 25 mg/kg

Remarks: No mortality observed at this dose.

Acute toxicity (other routes of:

administration)

LD50 (Rat): > 50 mg/kg

Application Route: Subcutaneous

LD50 (Rat): > 50 mg/kg

Application Route: Intramuscular

LD50 (Rat): 5 mg/kg

Application Route: Intravenous

Remarks: No mortality observed at this dose.

LD50 (Mouse): 350 mg/kg Application Route: Intramuscular

LD50 (Mouse): 54.7 mg/kg Application Route: Intravenous

TDLo (Monkey): 0.0025 - 0.025 mg/kg Application Route: Intramuscular

Target Organs: Lungs

Symptoms: Diarrhoea, Vomiting, Rapid respiration

TDLo (Monkey): 0.0013 mg/kg



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

Application Route: Intramuscular

Target Organs: ovaries

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

# Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

## 4-Chloro-3-methylphenol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 1 to 4 hours of exposure

# Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Remarks : Not classified due to lack of data.

Can be absorbed through skin.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

#### Propylene glycol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

# 4-Chloro-3-methylphenol:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

# Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Remarks : Not classified due to lack of data.

# Respiratory or skin sensitisation

## Skin sensitisation

Not classified based on available information.



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

# Propylene glycol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

### 4-Chloro-3-methylphenol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Assessment : Probability or evidence of low to moderate skin sensitisation

rate in humans

Sodium  $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]$ -(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Result : Sensitiser

# Germ cell mutagenicity

Not classified based on available information.

### **Components:**

## Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

### 4-Chloro-3-methylphenol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Sodium  $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$ 



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: equivocal

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

#### Carcinogenicity

Not classified based on available information.

# **Components:**

# Propylene glycol:

Species: RatApplication Route: IngestionExposure time: 2 YearsResult: negative

Sodium  $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$ 

Remarks : Not classified due to lack of data.

#### Reproductive toxicity

Not classified based on available information.

## **Components:**

ment

### Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on foetal develop-

Test Type: Embryo-foetal development

Species: Mouse

**Application Route: Ingestion** 

Result: negative

#### 4-Chloro-3-methylphenol:



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Reproduction/Developmental toxicity screening

iesi

Species: Rat

Application Route: Ingestion

Result: negative

# Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: Oral

General Toxicity F1: NOAEL: 0.015 mg/kg body weight

Fertility: NOAEL: > 0.04 mg/kg body weight

Result: Animal testing did not show any effects on fertility.

Species: Cattle

Application Route: Intramuscular

General Toxicity - Parent: LOAEL: 0.16 µg/kg

Result: positive Remarks: Abortion

Effects on foetal develop-

ment

Test Type: Development

Species: Rabbit

Application Route: Subcutaneous Teratogenicity: NOAEL: 0.250 µg/kg Result: No teratogenic effects

result. No teratogerile effec

Test Type: Development

Species: Rat

Application Route: Oral

Teratogenicity: NOAEL: 100 μg/kg Result: No teratogenic effects

Reproductive toxicity - As-

sessment

May damage fertility.

### STOT - single exposure

Not classified based on available information.

# **Components:**

## 4-Chloro-3-methylphenol:

Assessment : May cause respiratory irritation.



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

Sodium  $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$ 

Target Organs : Lungs

Assessment : Causes damage to organs.

#### STOT - repeated exposure

Not classified based on available information.

#### **Components:**

Sodium  $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$ 

Target Organs : Ovary

Assessment : Causes damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

# **Components:**

## Propylene glycol:

Species : Rat, male

NOAEL : >= 1,700 mg/kg

Application Route : Ingestion

Exposure time : 2 yr

## 4-Chloro-3-methylphenol:

Species : Rat

NOAEL : 200 mg/kg

LOAEL : 400 mg/kg

Application Route : Ingestion

Exposure time : 28 Days

# Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Species : Rat

NOAEL : 0.05 mg/kg
LOAEL : 0.15 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Ovary

Species : Rat

LOAEL : 0.0125 mg/kg
Application Route : Subcutaneous
Exposure time : 30 Days
Target Organs : Ovary

Species : Monkey



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

NOAEL : 0.05 mg/kg
LOAEL : 0.15 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Heart, Testis

# **Aspiration toxicity**

Not classified based on available information.

#### **Components:**

Sodium  $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$ 

Not applicable

### **Experience with human exposure**

### **Components:**

Sodium  $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$ 

General Information : Target Organs: Uterus (including cervix)

Symptoms: Embryo-foetal toxicity, foetal mortality, menstrual

irregularities, miscarriage

Target Organs: Lungs

Symptoms: Asthma, bronchospasm

Inhalation : Target Organs: Lungs

Symptoms: bronchospasm, Asthma

Remarks: May cause sensitisation of susceptible persons by

inhalation of aerosol or dust.

Target Organs: Uterus (including cervix)

Symptoms: Embryolethal effects, menstrual irregularities

Skin contact : Target Organs: Lungs

Symptoms: bronchospasm

Remarks: Can be absorbed through skin.

Target Organs: Uterus (including cervix)

Symptoms: Embryolethal effects



# Cloprostenol (with Propylene Glycol) Formulation

Version 9.0

Revision Date: 2024/09/28

SDS Number: 5266458-00012 Date of last issue: 2024/04/06 Date of first issue: 2019/11/14

#### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### **Components:**

Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l

Exposure time: 7 d

Toxicity to microorganisms

NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

4-Chloro-3-methylphenol:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 917 µg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Chlorella pyrenoidosa (algae)): 15 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Chlorella pyrenoidosa (algae)): 2.3 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.32 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms EC50: 22.86 mg/l

Exposure time: 60 h



# Cloprostenol (with Propylene Glycol) Formulation

Version I 9.0

Revision Date: 2024/09/28

SDS Number: 5266458-00012

Date of last issue: 2024/04/06 Date of first issue: 2019/11/14

Sodium  $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$ 

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Persistence and degradability

Components:

Propylene glycol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 98.3 % Exposure time: 28 d

Method: OECD Test Guideline 301F

4-Chloro-3-methylphenol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 78 % Exposure time: 15 d

Method: OECD Test Guideline 301

**Bioaccumulative potential** 

**Components:** 

Propylene glycol:

Partition coefficient: n- : log Pow: -1.07

octanol/water Method: Regulation (EC) No. 440/2008, Annex, A.8

4-Chloro-3-methylphenol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 5.5 - 13

Partition coefficient: n-

octanol/water

: log Pow: 0.477

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

# **International Regulations**

**UNRTDG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

**IATA-DGR** 

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

**IMDG-Code** 

UN number Not applicable Proper shipping name Not applicable Not applicable Class Not applicable Subsidiary risk Packing group Not applicable Not applicable Labels **EmS Code** Not applicable Marine pollutant Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

Refer to section 15 for specific national regulation.



# Cloprostenol (with Propylene Glycol) Formulation

Version 9.0

Revision Date: 2024/09/28

SDS Number: 5266458-00012

Date of last issue: 2024/04/06 Date of first issue: 2019/11/14

#### Special precautions for user

Not applicable

#### 15. REGULATORY INFORMATION

#### **Related Regulations**

# Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### **Chemical Substance Control Law**

**Priority Assessment Chemical Substance** 

Chemical name	Number
Propane-1,2-diol	106

#### Industrial Safety and Health Law

#### **Harmful Substances Prohibited from Manufacture**

Not applicable

### Harmful Substances Required Permission for Manufacture

Not applicable

#### **Substances Prevented From Impairment of Health**

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

# **Substances Subject to be Notified Names**

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Propylene glycol	>=10 - <20	From April 1st, 2025
4-Chloro-3-methylphenol	>=0.1 - <1	From April 1st, 2025

#### **Substances Subject to be Indicated Names**

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Propylene glycol	From April 1st, 2025

# Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)

Not applicable

# Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

## **Ordinance on Prevention of Lead Poisoning**

Not applicable

#### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

### **Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

# Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

#### **Poisonous and Deleterious Substances Control Law**

Not applicable

# Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

#### **High Pressure Gas Safety Act**

Not applicable

#### **Explosive Control Law**

Not applicable

#### **Vessel Safety Law**

Not regulated as a dangerous good

## **Aviation Law**

Not regulated as a dangerous good

# Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

#### **Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

# Waste Disposal and Public Cleansing Law

Industrial waste

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

IECSC : not determined

#### 16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

#### **Further information**

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System



# Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 9.0 2024/09/28 5266458-00012 Date of first issue: 2019/11/14

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN