

Vers 4.0	sion	Revision Date: 06.04.2024		DS Number: 312-00025	Date of last issue: 08.12.2023 Date of first issue: 24.10.2014				
SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking								
1.1 F	1.1 Product identifier								
	Trade I	name	:	Cloprostenol Forr	nulation				
	Other r	neans of identification	:	ESTRUMATE® (/ ESTRUMATE SY AND HORSES (3	NTHETIC PROSTAGLANDIN FOR CATTLE				
1.2 F	1.2 Relevant identified uses of the substance or mixture and uses advised against								
		the Sub- /Mixture	:	Veterinary produc	xt				
	Recom on use	mended restrictions	:	Not applicable					
1.3 [	Details	of the supplier of the	saf	ety data sheet					
	Compa	••	:	MSD 20 Spartan Road 1619 Spartan, So	outh Africa				
	Teleph	one	:	+27119239300					
		address of person sible for the SDS	:	EHSDATASTEW	ARD@msd.com				

### 1.4 Emergency telephone number

+1-908-423-6000

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

### Additional Labelling

EUH210 Safety data sheet available on request.



Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.0	06.04.2024	25312-00025	Date of first issue: 24.10.2014

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 1 - < 10
Sodium [1α(Z),2β(1E,3R*),3α,5α]-(+/- )-7-[2-[4-(3-chlorophenoxy)-3- hydroxybut-1-enyl]-3,5- dihydroxycyclopentyl]hept-5-enoate	55028-72-3 259-439-3	Resp. Sens. 1; H334 Repr. 1B; H360F STOT SE 1; H370 (Lungs) STOT RE 1; H372 (Ovary)	< 0,1

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Protection of first-aiders	: No special precautions are necessary for first aid responders
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

# 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed Treatment

: Treat symptomatically and supportively.



Version 4.0	Revision Date: 06.04.2024	-	DS Number: 312-00025	Date of last issue: 08.12.2023 Date of first issue: 24.10.2014
SECTIO	ON 5: Firefighting meas	sur	es	
5.1 Exti	nguishing media			
Sui	table extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (0 Dry chemical	
Uns me	suitable extinguishing dia	:	None known.	
5.2 Spe	cial hazards arising from	n the	e substance or mi	xture
	ecific hazards during fire- ting	:	Exposure to com	bustion products may be a hazard to health.
Haz	zardous combustion prod- s	:	Carbon oxides	
5.3 Adv	ice for firefighters			
	ecial protective equipment firefighters	:		ed breathing apparatus for firefighting if nec- onal protective equipment.
Spe ods	ecific extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do
SECTIO	ON 6: Accidental releas	se r	measures	
	sonal precautions, protects sonal precautions	ctiv :	Follow safe hand	emergency procedures ling advice (see section 7) and personal pro- t recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	---	--

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material.
		For large spills, provide dyking or other appropriate contain-
		ment to keep material from spreading. If dyked material can
		be pumped, store recovered material in appropriate container.
		Clean up remaining materials from spill with suitable absor-



Version 4.0	Revision Date: 06.04.2024	SDS Number: 25312-00025	Date of last issue: 08.12.2023 Date of first issue: 24.10.2014
		posal of this m employed in th mine which re Sections 13 a	nal regulations may apply to releases and dis- naterial, as well as those materials and items ne cleanup of releases. You will need to deter- gulations are applicable. nd 15 of this SDS provide information regarding r national requirements.
6.4 Refere	ence to other sectior	าร	
See section	ons: 7, 8, 11, 12 and 1	3.	

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment
		Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use.
		The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	inc	luding any incompatibilities

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.
Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents Gases
7.3 Specific end use(s) Specific use(s)	:	No data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Sodium	55028-72-3	TWA	0.01 ug/m3 (OEB 5)	Internal



Version 4.0	Revision Da 06.04.2024			ate of last issue: 08.12.2023 ate of first issue: 24.10.2014	
(3-chl 3-hyd enyl]- dihydi	),2β(1E,3R*), ]-(+/-)-7-[2-[4- orophenoxy)- roxybut-1- 3,5- roxycyclopen- pt-5-enoate				
		Further inform	nation: RSEN, Skin		
			Wipe limit	0.1 ug/100 cm2	Internal

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,4 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	27 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic ef- fects	20 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic ef- fects	20 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0,1 mg/l
	Intermittent use/release	2,3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5,27 mg/kg
	Marine sediment	0,527 mg/kg
	Soil	0,456 mg/kg

# 8.2 Exposure controls

### **Engineering measures**

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems are required.



Version 4.0	Revision Date: 06.04.2024	SDS Number: 25312-00025	Date of last issue: 08.12.2023 Date of first issue: 24.10.2014
	rations require the use pounds into the workpla		tainment technology designed to prevent leakage of
Pers	sonal protective equip	ment	
Eye	/face protection	If the work mists or ae Wear a fac	y glasses with side shields or goggles. environment or activity involves dusty conditions, rosols, wear the appropriate goggles. eshield or other full face protection if there is a r direct contact to the face with dusts, mists, or
Han	d protection		
Ν	laterial	: Chemical-r	esistant gloves
	Remarks and body protection	: Work unifo Additional t being perfo suits) to av Use approp	buble gloving. m or laboratory coat. body garments should be used based upon the task rmed (e.g., sleevelets, apron, gauntlets, disposable bid exposed skin surfaces. wriate degowning techniques to remove potentially
·	piratory protection	sure asses ommended	local exhaust ventilation is not available or expo- sment demonstrates exposures outside the rec- guidelines, use respiratory protection. bour type (A)

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	Aqueous solution clear No data available No data available
рН	:	5,6 - 6,1 (20 - 25 °C)
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	No data available
range Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available



Vers 4.0	ion	Revision Date: 06.04.2024		S Number: 312-00025	Date of last issue: 08.12.2023 Date of first issue: 24.10.2014
	Relativ	e density	:	1	
	Density	ý	:	No data available	e
	Partitio octano	ter solubility n coefficient: n-	:	soluble Not applicable No data available	e
	Decom	position temperature	:	No data available	e
	Viscos Visc	ity cosity, kinematic	:	No data available	e
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
		nformation ability (liquids)	:	No data available	e
	Molecu	ılar weight	:	No data available	e
	Particle	e size	:	Not applicable	

## SECTION 10: Stability and reactivity

<b>10.1 Reactivity</b> Not classified as a reactivity haza	rd.
<b>10.2 Chemical stability</b> Stable under normal conditions.	
10.3 Possibility of hazardous reaction	ons
Hazardous reactions :	Can react with strong oxidizing agents.
<b>10.4 Conditions to avoid</b> Conditions to avoid :	None known.
10.5 Incompatible materials	
Materials to avoid :	Oxidizing agents
<b>10.6 Hazardous decomposition proc</b> No hazardous decomposition proc	

## SAFETY DATA SHEET



# **Cloprostenol Formulation**

/ersion I.0	Revision Date: 06.04.2024		0S Number: 312-00025	Date of last issue: 08.12.2023 Date of first issue: 24.10.2014
SECTION	I 11: Toxicological in	for	mation	
1.1 Infor	mation on toxicologica	l ef	fects	
Inform expos	nation on likely routes of sure	:	Inhalation Skin contact Ingestion Eye contact	
Acute	e toxicity			
Not cl	assified based on availa	ble	information.	
Produ				
Acute	oral toxicity	:	Acute toxicity esti Method: Calculati	mate: > 2.000 mg/kg on method
Acute	inhalation toxicity	:	Acute toxicity esti Exposure time: 4 Test atmosphere: Method: Calculati	h dust/mist
Comp	oonents:			
	yl alcohol:			
Acute	oral toxicity	:	LD50 (Rat): 1.620	) mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 4,1 Exposure time: 4 Test atmosphere: Method: OECD T	h
	ım [1α(Ζ),2β(1E,3R*),3c Iroxycyclopentyl]hept⊰			hlorophenoxy)-3-hydroxybut-1-enyl]-3,5-
	oral toxicity	:	LD50 (Rat): > 25	mg/kg tality observed at this dose.
	toxicity (other routes of histration)	:	LD50 (Rat): > 50 Application Route	
			LD50 (Rat): > 50 Application Route	
			LD50 (Rat): 5 mg. Application Route Remarks: No mor	
			LD50 (Mouse): 35 Application Route	
			LD50 (Mouse): 54 Application Route	
			TDLo (Monkey): ( Application Route	),0025 - 0,025 mg/kg : Intramuscular



ersion .0	Revision Date: 06.04.2024	SDS Number: 25312-00025	Date of last issue: 08.12.2023 Date of first issue: 24.10.2014
II		Target Organs	
		Symptoms: Dia	arrhoea, Vomiting, Rapid respiration
			): 0,0013 mg/kg
		Application Ro Target Organs	ute: Intramuscular : ovaries
II Skin	corrosion/irritation		
	lassified based on av	ailable information.	
Com	ponents:		
Benz	yl alcohol:		
Speci		: Rabbit	
Metho Resu		: OECD Test Gu : No skin irritatio	
Resu	ii.	. NO SKIT ITTALIO	11
	um [1α(Z),2β(1E,3R* droxycyclopentyl]he		-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-
Rema	arks		lue to lack of data.
11		Can be absorb	ed through skin.
Serio	ous eye damage/eye	irritation	
	lassified based on av		
Com	ponents:		
Benz	yl alcohol:		
Speci		: Rabbit	
Metho		: OECD Test Gu	
Resu	It	: Irritation to eye	s, reversing within 21 days
	um [1α(Z),2β(1E,3R* droxycyclopentyl]he		-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-
Rema	arks	: Not classified of	lue to lack of data.
Resp	iratory or skin sens	itisation	
Skin	sensitisation		
Not c	lassified based on av	ailable information.	
Resp	iratory sensitisatio	ı	
•	lassified based on av		
Com	ponents:		
Benz	yl alcohol:		
Test	Туре	: Maximisation T	est
	sure routes	: Skin contact	
Speci Metho		: Guinea pig : OECD Test Gu	ideline 406
Resu		: negative	
		-	

### SAFETY DATA SHEET



# **Cloprostenol Formulation**

sion	Revision Date: 06.04.2024	SDS Number: 25312-00025	Date of last issue: 08.12.2023 Date of first issue: 24.10.2014
Sodiu	um [1α(Ζ),2β(1E,3R*	),3α,5α]-(+/-)-7-[2-[4-(	3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,
	lroxycyclopentyl]he		
Resul	lt	: Sensitiser	
Germ	cell mutagenicity		
Not cl	lassified based on available	ailable information.	
Comp	oonents:		
Benz	yl alcohol:		
Geno	toxicity in vitro	: Test Type: Ba Result: negati	cterial reverse mutation assay (AMES) ve
Geno	toxicity in vivo	cytogenetic as	
		Species: Mou Application Ro Result: negati	oute: Intraperitoneal injection
	um [1α(Z),2β(1E,3R*) Iroxycyclopentyl]he		3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5
-	toxicity in vitro		cterial reverse mutation assay (AMES) ve
			vitro mammalian cell gene mutation test nouse lymphoma cells ve
			romosomal aberration Human lymphocytes ocal
Geno	toxicity in vivo		cronucleus test
		Species: Mou Cell type: Bor	
			oute: Intraperitoneal
Carci	nogenicity	-	
Not cl	lassified based on ava	ailable information.	
<u>Comp</u>	oonents:		
	yl alcohol:		
Speci		: Mouse	
	cation Route	: Ingestion : 103 weeks	
		. 100 WEEKS	
Applic Expos Metho		: OECD Test G	uideline 451

dihydroxycyclopentyl]hept-5-enoate: Remarks : Not classified due to lack of data.

10/17



Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.0	06.04.2024	25312-00025	Date of first issue: 24.10.2014

### Reproductive toxicity

Not classified based on available information.

### **Components:**

Benz	yl alcohol:		
Effect	s on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effect ment	s on foetal develop-	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative
	ım [1α(Ζ),2β(1E,3R*),3α, Iroxycyclopentyl]hept-5		]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5- noate:
Effect	s on fertility	:	Test Type: Three-generation study Species: Rat Application Route: Oral General Toxicity F1: NOAEL: 0,015 mg/kg body weight Fertility: NOAEL: > 0,04 mg/kg body weight Result: Animal testing did not show any effects on fertility.
			Species: Cattle Application Route: Intramuscular General Toxicity - Parent: LOAEL: 0,16 µg/kg Result: positive Remarks: Abortion
Effect ment	s on foetal develop-	:	Test Type: Development Species: Rabbit Application Route: Subcutaneous Teratogenicity: NOAEL: 0,250 µg/kg Result: No teratogenic effects

Test Type: Development Species: Rat Application Route: Oral Teratogenicity: NOAEL: 100 μg/kg Result: No teratogenic effects

: May damage fertility.

Reproductive toxicity - Assessment

### STOT - single exposure

Not classified based on available information.



ersion 0	Revision Date: 06.04.2024	SDS Number: 25312-00025	Date of last issue: 08.12.2023 Date of first issue: 24.10.2014
<u>Comp</u>	oonents:		
	ım [1α(Ζ),2β(1E,3R* Iroxycyclopentyl]he		-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-
Targe	et Organs	: Lungs	
	ssment	: Causes dam	age to organs.
	- repeated exposur		
	onents:		
Sodiu			-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-
	t Organs	: Ovary	
	ssment		age to organs through prolonged or repeated
Repe	ated dose toxicity		
<u>Comp</u>	oonents:		
Benzy	yl alcohol:		
Speci		: Rat	
NOAE		: 1,072 mg/l	
	cation Route	: inhalation (d : 28 Days	ust/mist/fume)
Metho	sure time od		Guideline 412
		).3α.5α]-(+/-)-7-[2-[4	-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-
dihyd	Iroxycyclopentyl]he	pt-5-enoate:	
dihyd Speci	Iroxycyclopentyl]he es	pt-5-enoate: : Rat	
<b>dihyd</b> Speci NOAE	<b>Iroxycyclopentyl]he</b> es EL	pt-5-enoate: : Rat : 0,05 mg/kg	
dihyd Speci NOAE LOAE	Iroxycyclopentyl]he es EL EL	pt-5-enoate: : Rat	
dihyd Speci NOAE LOAE Applic Expos	Iroxycyclopentyl]he es EL EL cation Route sure time	<b>pt-5-enoate:</b> : Rat : 0,05 mg/kg : 0,15 mg/kg : Oral : 3 Months	
dihyd Speci NOAE LOAE Applic Expos	Iroxycyclopentyl]he es EL EL cation Route	pt-5-enoate: : Rat : 0,05 mg/kg : 0,15 mg/kg : Oral	
dihyd Speci NOAE LOAE Applic Expos Targe	Iroxycyclopentyl]he es EL EL cation Route sure time et Organs es	<b>pt-5-enoate:</b> : Rat : 0,05 mg/kg : 0,15 mg/kg : Oral : 3 Months : Ovary : Rat	
dihyd Speci NOAE LOAE Applic Expos Targe Speci LOAE	Iroxycyclopentyl]he es EL EL cation Route sure time sure time et Organs es EL	pt-5-enoate: : Rat : 0,05 mg/kg : 0,15 mg/kg : Oral : 3 Months : Ovary : Rat : 0,0125 mg/l	
dihyd Speci NOAE LOAE Applic Expos Targe Speci LOAE Applic	Iroxycyclopentyl]he es EL EL cation Route sure time ot Organs es EL cation Route	pt-5-enoate:         :       Rat         :       0,05 mg/kg         :       0,15 mg/kg         :       Oral         :       3 Months         :       Ovary         :       Rat         :       0,0125 mg/l         :       Subcutaneout	
dihyd Speci NOAE LOAE Applic Expos Targe Speci LOAE Applic Expos	Iroxycyclopentyl]he es EL EL cation Route sure time sure time et Organs es EL	pt-5-enoate: : Rat : 0,05 mg/kg : 0,15 mg/kg : Oral : 3 Months : Ovary : Rat : 0,0125 mg/l	
dihyd Speci NOAE LOAE Applic Expos Targe Speci LOAE Applic Expos Targe	Iroxycyclopentyl]he es EL EL cation Route sure time et Organs es EL cation Route sure time et Organs	pt-5-enoate:         :       Rat         :       0,05 mg/kg         :       0,15 mg/kg         :       Oral         :       3 Months         :       Ovary         :       Rat         :       0,0125 mg/l         :       Subcutaneou         :       30 Days         :       Ovary	
dihyd Speci NOAE LOAE Applic Expos Targe Speci LOAE Applic Expos Targe	Iroxycyclopentyl]he es EL EL cation Route sure time et Organs es EL cation Route sure time et Organs es	<ul> <li>pt-5-enoate:</li> <li>Rat</li> <li>0,05 mg/kg</li> <li>0,15 mg/kg</li> <li>Oral</li> <li>3 Months</li> <li>Ovary</li> <li>Rat</li> <li>0,0125 mg/l</li> <li>Subcutaneod</li> <li>30 Days</li> <li>Ovary</li> <li>Monkey</li> </ul>	
dihyd Speci NOAE LOAE Applic Expos Targe Speci LOAE Applic Expos Targe	Iroxycyclopentyl]he es EL EL cation Route sure time et Organs es EL cation Route sure time et Organs es	pt-5-enoate:         :       Rat         :       0,05 mg/kg         :       0,15 mg/kg         :       Oral         :       3 Months         :       Ovary         :       Rat         :       0,0125 mg/l         :       Subcutaneou         :       30 Days         :       Ovary         :       Monkey         :       0,05 mg/kg	
dihyd Speci NOAE LOAE Applic Expos Targe Speci LOAE Applic Expos Targe	Iroxycyclopentyl]he es EL EL cation Route sure time of Organs es EL cation Route sure time of Organs es EL	pt-5-enoate:         :       Rat         :       0,05 mg/kg         :       0,15 mg/kg         :       Oral         :       3 Months         :       Ovary         :       Rat         :       0,0125 mg/l         :       Subcutaneo         :       30 Days         :       Ovary         :       Monkey         :       0,05 mg/kg         :       0,15 mg/kg	
dihyd Speci NOAE LOAE Applic Expos Targe Speci LOAE Applic Expos Targe	Iroxycyclopentyl]he es EL EL cation Route sure time et Organs es EL cation Route sure time et Organs es	pt-5-enoate:         :       Rat         :       0,05 mg/kg         :       0,15 mg/kg         :       Oral         :       3 Months         :       Ovary         :       Rat         :       0,0125 mg/l         :       Subcutaneou         :       30 Days         :       Ovary         :       Monkey         :       0,05 mg/kg	

### Aspiration toxicity

Not classified based on available information.



rsion )	Revision Date: 06.04.2024	SDS Number: 25312-00025	Date of last issue: 08.12.2023 Date of first issue: 24.10.2014	
Comp	oonents:			
dihyd	<b>Im [1α(Ζ),2β(1E,3R*</b> ) I <b>roxycyclopentyl]he</b> oplicable		3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5	
Expe	rience with human e	exposure		
<u>Comp</u>	oonents:			
	ım [1α(Ζ),2β(1E,3R*) roxycyclopentyl]he		3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5	
Gene	ral Information	Symptoms: En irregularities, r Target Organs		
Inhala	ition	<ul> <li>Target Organs: Lungs</li> <li>Symptoms: bronchospasm, Asthma</li> <li>Remarks: May cause sensitisation of susceptible persons by inhalation of aerosol or dust.</li> <li>Target Organs: Uterus (including cervix)</li> <li>Symptoms: Embryolethal effects, menstrual irregularities</li> </ul>		
Skin o	contact	: Target Organs Symptoms: bro Remarks: Can Target Organs	: Lungs	

### 12.1 Toxicity

### Components:

### Benzyl alcohol:

Benzyr aloonol.		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other	:	NOEC: 51 mg/l

## SAFETY DATA SHEET



# **Cloprostenol Formulation**

Version 4.0	Revision Date: 06.04.2024	-	OS Number: 312-00025	Date of last issue: 08.12.2023 Date of first issue: 24.10.2014	
aquatic invertebrates (Chron- ic toxicity)			Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211		
	um [1α(Ζ),2β(1E,3R*),3 Iroxycyclopentyl]hept·			chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-	
Ecoto	oxicology Assessment	1			
Acute	aquatic toxicity	:	: Toxic effects cannot be excluded		
Chror	nic aquatic toxicity	:	Toxic effects car	nnot be excluded	
12.2 Persi	stence and degradabi	lity			
<u>Com</u>	oonents:				
Benz	yl alcohol:				
Biode	gradability	:	Result: Readily to Biodegradation: Exposure time: 1	92 - 96 %	
12.3 Bioa	ccumulative potential				
Com	oonents:				
Partit	<b>yl alcohol:</b> ion coefficient: n- ol/water	:	log Pow: 1,05		
12.4 Mobi	<b>lity in soil</b> ata available				
	llts of PBT and vPvB a	sse	ssment		
Prod	uct				
	ssment	:	to be either persi	nixture contains no components considered istent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of	
12.6 Othe	r adverse effects				
Drad	uct				
<u>Prode</u> Endo tial	uct: crine disrupting poten-	:	ered to have end REACH Article 5	nixture does not contain components consid- docrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.	

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



Version 4.0	Revision Date: 06.04.2024	SDS Number: 25312-00025	Date of last issue: 08.12.2023 Date of first issue: 24.10.2014	
Produ	uct	<ul> <li>Dispose of in accordance with local regulations.</li> <li>According to the European Waste Catalogue, Waste Code are not product specific, but application specific.</li> <li>Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.</li> <li>Do not dispose of waste into sewer.</li> </ul>		
Conta	aminated packaging	dling site for re	ers should be taken to an approved waste han- ecycling or disposal. e specified: Dispose of as unused product.	

14.1 UN number		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

### Not regulated as a dangerous good



	1	
4.0         06.04.2024         25312-00025         Date of first issue: 24.10.2014	4	
· · · · · · · · · · · · · · · · · · ·	1	

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements		
H302	:	Harmful if swallowed.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H334	:	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H360F	:	May damage fertility.
H370	:	Causes damage to organs.
H372	:	Causes damage to organs through prolonged or repeated exposure.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Eye Irrit.	Eye irritation
Repr.	: Reproductive toxicity
Resp. Sens.	: Respiratory sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration



Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.0	06.04.2024	25312-00025	Date of first issue: 24.10.2014

associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN