

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.1 Revision Date: 30.09.2023 SDS Number: 808851-00021 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

Section 1: Identification

Product name : Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800
CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

Section 2: Hazard identification**GHS Classification**

Reproductive toxicity : Category 1

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Liver, Kidney, Adrenal gland)

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version 7.1 Revision Date: 30.09.2023 SDS Number: 808851-00021 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

Hazard statements : H360Df May damage the unborn child. Suspected of damaging fertility.
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.
H373 May cause damage to organs (Liver, Kidney, Adrenal gland) through prolonged or repeated exposure if swallowed.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 90 -<= 100
clotrimazole	23593-75-1	>= 1 -< 2.5
Gentamicin	1403-66-3	>= 0.25 -< 1
betamethasone	378-44-9	>= 0.1 -< 0.25

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	808851-00021	Date of first issue: 22.07.2016

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May damage the unborn child. Suspected of damaging fertility.
Causes damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Hazchem Code : 3Z

Section 6: Accidental release measures

Personal precautions, protection : Use personal protective equipment.

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	808851-00021	Date of first issue: 22.07.2016

- tive equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures,

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version 7.1 Revision Date: 30.09.2023 SDS Number: 808851-00021 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

- Conditions for safe storage : industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	WES-TWA (Mist)	5 mg/m ³	NZ OEL
		WES-STEL (Mist)	10 mg/m ³	NZ OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
clotrimazole	23593-75-1	TWA	0.2 mg/m ³ (OEB 2)	Internal
Gentamicin	1403-66-3	TWA	0.1 mg/m ³ (OEB 2)	Internal
Further information: OTO				
betamethasone	378-44-9	TWA	1 µg/m ³ (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm ²	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Essentially no open handling permitted.
Use closed processing systems or containment technologies.
If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type
- Hand protection

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.1 Revision Date: 30.09.2023 SDS Number: 808851-00021 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Section 9: Physical and chemical properties

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	808851-00021	Date of first issue: 22.07.2016

Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	808851-00021	Date of first issue: 22.07.2016

Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

clotrimazole:

Acute oral toxicity : LD50 (Rat): 708 mg/kg
LD50 (Mouse): 761 mg/kg
LD50 (Rabbit): > 1,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.73 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Mouse): 923 mg/kg

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg
LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg
Application Route: Intravenous
LD50 (Rat): 371 - 384 mg/kg
Application Route: Intramuscular

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.1 Revision Date: 30.09.2023 SDS Number: 808851-00021 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

LDLo (Monkey): 30 mg/kg
Application Route: Intravenous

betamethasone:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 4,500 mg/kg
Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l
Exposure time: 4 h

Skin corrosion/irritation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rabbit
Result : No skin irritation

clotrimazole:

Species : Rabbit
Result : No skin irritation

Gentamicin:

Species : Rabbit
Result : Mild skin irritation

betamethasone:

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rabbit
Result : No eye irritation

clotrimazole:

Species : Rabbit
Result : Mild eye irritation

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.1 Revision Date: 30.09.2023 SDS Number: 808851-00021 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

Gentamicin:

Species : Rabbit
Result : Mild eye irritation

betamethasone:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Gentamicin:

Remarks : No data available

betamethasone:

Exposure routes : Dermal
Species : Guinea pig
Result : Weak sensitizer

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.1 Revision Date: 30.09.2023 SDS Number: 808851-00021 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

Result: negative
Remarks: Based on data from similar materials

clotrimazole:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
- Test Type: Chromosome aberration test in vitro
Result: negative
- Test Type: in vitro micronucleus test
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Rat
Application Route: Oral
Result: negative
- Test Type: Mammalian spermatogonial chromosome aberration test (in vivo)
Species: Hamster
Result: negative
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Gentamicin:

- Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
- Test Type: Chromosome aberration test in vitro
Result: equivocal
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intravenous injection
Result: negative

betamethasone:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
- Test Type: In vitro mammalian cell gene mutation test
Result: negative
- Test Type: Chromosome aberration test in vitro
Result: positive

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.1 Revision Date: 30.09.2023 SDS Number: 808851-00021 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Oral
Result: equivocal

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

clotrimazole:

Species : Rat
Application Route : Oral
Exposure time : 78 weeks
Result : negative

Gentamicin:

Carcinogenicity - Assessment : No data available

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:**White mineral oil (petroleum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Skin contact
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

clotrimazole:

Effects on fertility : Test Type: Fertility/early embryonic development

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	808851-00021	Date of first issue: 22.07.2016

- Species: Rat
Application Route: Oral
Fertility: LOAEL: 50 mg/kg body weight
Result: Effects on fertility
- Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 100 mg/kg body weight
Result: Embryo-foetal toxicity, No teratogenic effects
- Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 50 mg/kg body weight
Result: Embryo-foetal toxicity, No teratogenic effects
- Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Developmental Toxicity: NOAEL: 200 mg/kg body weight
Result: No effects on foetal development
- Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 180 mg/kg body weight
Result: No effects on foetal development
- Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.
- Gentamicin:**
- Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Fertility: NOAEL: 20 mg/kg body weight
Result: No significant adverse effects were reported
- Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight
Result: No embryo-foetal toxicity
- Test Type: Embryo-foetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 75 mg/kg body weight
Result: Embryo-foetal toxicity

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	808851-00021	Date of first issue: 22.07.2016

Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Intraperitoneal
 Developmental Toxicity: LOAEL: 10 mg/kg body weight
 Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Intraperitoneal
 Developmental Toxicity: LOAEL: 50 mg/kg body weight
 Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

betamethasone:

Effects on foetal development : Species: Rabbit
 Application Route: Intramuscular
 Developmental Toxicity: LOAEL: 0.05 mg/kg body weight
 Result: Fetotoxicity, Malformations were observed.

Species: Rat
 Application Route: Subcutaneous
 Developmental Toxicity: LOAEL: 0.42 mg/kg body weight
 Result: Malformations were observed.

Species: Mouse
 Application Route: Intramuscular
 Developmental Toxicity: LOAEL: 1 mg/kg body weight
 Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.
 May cause damage to organs (Liver, Kidney, Adrenal gland) through prolonged or repeated exposure if swallowed.

Components:

clotrimazole:

Target Organs : Liver, Kidney, Adrenal gland
 Assessment : May cause damage to organs through prolonged or repeated exposure.

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.1 Revision Date: 30.09.2023 SDS Number: 808851-00021 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

Gentamicin:

Target Organs : Kidney, inner ear
Assessment : Causes damage to organs through prolonged or repeated exposure.

betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****White mineral oil (petroleum):**

Species : Rat
LOAEL : 160 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat
LOAEL : >= 1 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 4 Weeks
Method : OECD Test Guideline 412

clotrimazole:

Species : Rabbit
LOAEL : 5 - 40 mg/kg
Application Route : Skin contact
Exposure time : 3 Weeks
Target Organs : Skin
Symptoms : Oedema, Fissuring, Necrosis, Redness

Species : Rat
LOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Liver, Kidney, Adrenal gland

Species : Dog
LOAEL : 25 mg/kg
Application Route : Oral
Exposure time : 6 - 12 Months
Target Organs : Adrenal gland
Symptoms : Salivation, Lachrymation, Vomiting

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.1 Revision Date: 30.09.2023 SDS Number: 808851-00021 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

Gentamicin:

Species : Dog
LOAEL : 3 mg/kg
Application Route : Intramuscular
Exposure time : 12 Months
Target Organs : Kidney
Symptoms : Vomiting, Salivation

Species : Monkey
LOAEL : 50 mg/kg
Application Route : Subcutaneous
Exposure time : 3 Weeks
Target Organs : Kidney, inner ear

Species : Monkey
LOAEL : 6 mg/kg
Application Route : Intramuscular
Exposure time : 3 Weeks
Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat
NOAEL : 5 mg/kg
LOAEL : 10 mg/kg
Application Route : Intramuscular
Exposure time : 52 Weeks
Target Organs : Kidney, Blood

Species : Rat
NOAEL : 12.5 mg/kg
LOAEL : 50 mg/kg
Application Route : Intramuscular
Exposure time : 13 Weeks
Target Organs : Kidney

betamethasone:

Species : Rabbit
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 10 - 30 d
Target Organs : Pituitary gland, Immune system, muscle

Species : Rat
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Mouse

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	808851-00021	Date of first issue: 22.07.2016

LOAEL	:	0.1 %
Application Route	:	Skin contact
Exposure time	:	8 Weeks
Target Organs	:	thymus gland
Species	:	Dog
LOAEL	:	0.05 mg/kg
Application Route	:	Oral
Exposure time	:	28 d
Target Organs	:	Blood, thymus gland, Adrenal gland

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

clotrimazole:

Skin contact	:	Symptoms: Rash, Itching, Blistering, Oedema, Redness
Ingestion	:	Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea

Gentamicin:

Ingestion	:	Target Organs: Kidney
	:	Target Organs: inner ear
	:	Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

betamethasone:

Inhalation	:	Target Organs: Adrenal gland
Skin contact	:	Symptoms: Redness, pruritis, Irritation

Section 12: Ecological information

Ecotoxicity

Components:

White mineral oil (petroleum):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	808851-00021	Date of first issue: 22.07.2016

- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l
Exposure time: 21 d
- clotrimazole:**
- Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 0.29 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.02 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.268 mg/l
Exposure time: 72 h
- NOEC (Desmodesmus subspicatus (green algae)): 0.017 mg/l
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.025 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.01 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 10
- Toxicity to microorganisms : EC50: > 10,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
- Gentamicin:**
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- LC50 (Americamysis): 30 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l
Exposure time: 72 h

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	808851-00021	Date of first issue: 22.07.2016

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: 288.7 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

betamethasone:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l
Exposure time: 32 d

Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l

Exposure time: 219 d

Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic) : NOEC (Daphnia magna (Water flea)): 8 mg/l
Exposure time: 21 d

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.1 Revision Date: 30.09.2023 SDS Number: 808851-00021 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

ic toxicity) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1,000

Persistence and degradability**Components:****White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 31 %
Exposure time: 28 d

clotrimazole:

Stability in water : Hydrolysis: 50 %(242 d)

Gentamicin:

Biodegradability : Result: rapidly degradable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Bioaccumulative potential**Components:****Gentamicin:**

Partition coefficient: n-octanol/water : log Pow: < -2

betamethasone:

Partition coefficient: n-octanol/water : log Pow: 2.11

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.1 Revision Date: 30.09.2023 SDS Number: 808851-00021 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

Section 14: Transport information**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(clotrimazole, Gentamicin)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(clotrimazole, Gentamicin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo : 964
aircraft)
Packing instruction (passen- : 964
ger aircraft)
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(clotrimazole, Gentamicin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(clotrimazole, Gentamicin)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 3Z

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	808851-00021	Date of first issue: 22.07.2016

Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

not allocated

The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

Section 16: Other information

Revision Date : 30.09.2023

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NZ OEL	: New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA	: 8-hour, time-weighted average
NZ OEL / WES-TWA	: Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEL	: Workplace Exposure Standard - Short-Term Exposure Limit

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	808851-00021	Date of first issue: 22.07.2016

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN