

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 4.12 Revision Date: 30.09.2023 SDS Number: 808852-00020 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Manufacturer or supplier's details

Company : MSD
Address : 50 Tuas West Drive
Singapore - Singapore 638408
Telephone : +1-908-740-4000
Emergency telephone number : 65 6697 2111 (24/7/365)
E-mail address : EHSDATASTEWARD@msd.com



Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Reproductive toxicity : Category 1A
Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)
Short-term (acute) aquatic hazard : Category 1
Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :  
Signal word : Danger
Hazard statements : H360D May damage the unborn child.
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through pro-

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version 4.12 Revision Date: 30.09.2023 SDS Number: 808852-00020 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

longed or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 90 -<= 100
clotrimazole	23593-75-1	>= 1 -< 2.5
Gentamicin	1403-66-3	>= 0.3 -< 1
betamethasone	378-44-9	>= 0.1 -< 0.25

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.12	30.09.2023	808852-00020	Date of first issue: 22.07.2016

- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
-

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version 4.12	Revision Date: 30.09.2023	SDS Number: 808852-00020	Date of last issue: 04.04.2023 Date of first issue: 22.07.2016
-----------------	------------------------------	-----------------------------	---

Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version 4.12 Revision Date: 30.09.2023 SDS Number: 808852-00020 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

White mineral oil (petroleum)	8042-47-5	PEL (long term) (Mist)	5 mg/m ³	SG OEL
		PEL (short term) (Mist)	10 mg/m ³	SG OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
clotrimazole	23593-75-1	TWA	0.2 mg/m ³ (OEB 2)	Internal
Gentamicin	1403-66-3	TWA	0.1 mg/m ³ (OEB 2)	Internal
Further information: OTO				
betamethasone	378-44-9	TWA	1 µg/m ³ (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work-

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.12	30.09.2023	808852-00020	Date of first issue: 22.07.2016

ing place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.12	30.09.2023	808852-00020	Date of first issue: 22.07.2016

Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 4.12 Revision Date: 30.09.2023 SDS Number: 808852-00020 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

Components:**White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

clotrimazole:

Acute oral toxicity : LD50 (Rat): 708 mg/kg
LD50 (Mouse): 761 mg/kg
LD50 (Rabbit): > 1,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.73 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Mouse): 923 mg/kg

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg
LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg
Application Route: Intravenous
LD50 (Rat): 371 - 384 mg/kg
Application Route: Intramuscular
LDLo (Monkey): 30 mg/kg
Application Route: Intravenous

betamethasone:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 4.12 Revision Date: 30.09.2023 SDS Number: 808852-00020 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

LD50 (Mouse): > 4,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l
Exposure time: 4 h

Skin corrosion/irritation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rabbit
Result : No skin irritation

clotrimazole:

Species : Rabbit
Result : No skin irritation

Gentamicin:

Species : Rabbit
Result : Mild skin irritation

betamethasone:

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rabbit
Result : No eye irritation

clotrimazole:

Species : Rabbit
Result : Mild eye irritation

Gentamicin:

Species : Rabbit
Result : Mild eye irritation

betamethasone:

Species : Rabbit

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 4.12 Revision Date: 30.09.2023 SDS Number: 808852-00020 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Gentamicin:

Remarks : No data available

betamethasone:

Exposure routes : Dermal
Species : Guinea pig
Result : Weak sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

clotrimazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version 4.12	Revision Date: 30.09.2023	SDS Number: 808852-00020	Date of last issue: 04.04.2023 Date of first issue: 22.07.2016
-----------------	------------------------------	-----------------------------	---

- Result: negative
- Test Type: in vitro micronucleus test
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Oral
Result: negative
- Test Type: Mammalian spermatogonial chromosome aberration test (in vivo)
Species: Hamster
Result: negative
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.
- Gentamicin:**
- Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
- Test Type: Chromosome aberration test in vitro
Result: equivocal
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intravenous injection
Result: negative
- betamethasone:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
- Test Type: In vitro mammalian cell gene mutation test
Result: negative
- Test Type: Chromosome aberration test in vitro
Result: positive
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Oral
Result: equivocal
- Germ cell mutagenicity - : Weight of evidence does not support classification as a germ

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.12	30.09.2023	808852-00020	Date of first issue: 22.07.2016

Developmental Toxicity: LOAEL: 100 mg/kg body weight
Result: Embryo-foetal toxicity, No teratogenic effects

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 50 mg/kg body weight
Result: Embryo-foetal toxicity, No teratogenic effects

Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Developmental Toxicity: NOAEL: 200 mg/kg body weight
Result: No effects on foetal development

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 180 mg/kg body weight
Result: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Fertility: NOAEL: 20 mg/kg body weight
Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight
Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 75 mg/kg body weight
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Mouse
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version 4.12	Revision Date: 30.09.2023	SDS Number: 808852-00020	Date of last issue: 04.04.2023 Date of first issue: 22.07.2016
-----------------	------------------------------	-----------------------------	---

Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 50 mg/kg body weight
Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

betamethasone:

Effects on foetal development : Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 0.05 mg/kg body weight
Result: Fetotoxicity, Malformations were observed.

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 0.42 mg/kg body weight
Result: Malformations were observed.

Species: Mouse
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

Components:

clotrimazole:

Target Organs : Liver, Kidney, Adrenal gland
Assessment : May cause damage to organs through prolonged or repeated exposure.

Gentamicin:

Target Organs : Kidney, inner ear
Assessment : Causes damage to organs through prolonged or repeated exposure.

betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version 4.12 Revision Date: 30.09.2023 SDS Number: 808852-00020 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

White mineral oil (petroleum):

Species : Rat
LOAEL : 160 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat
LOAEL : ≥ 1 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 4 Weeks
Method : OECD Test Guideline 412

clotrimazole:

Species : Rabbit
LOAEL : 5 - 40 mg/kg
Application Route : Skin contact
Exposure time : 3 Weeks
Target Organs : Skin
Symptoms : Oedema, Fissuring, Necrosis, Redness

Species : Rat
LOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 18 Months
Target Organs : Liver, Kidney, Adrenal gland

Species : Dog
LOAEL : 25 mg/kg
Application Route : Oral
Exposure time : 6 - 12 Months
Target Organs : Adrenal gland
Symptoms : Salivation, Lachrymation, Vomiting

Gentamicin:

Species : Dog
LOAEL : 3 mg/kg
Application Route : Intramuscular
Exposure time : 12 Months
Target Organs : Kidney
Symptoms : Vomiting, Salivation

Species : Monkey

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version 4.12 Revision Date: 30.09.2023 SDS Number: 808852-00020 Date of last issue: 04.04.2023
Date of first issue: 22.07.2016

LOAEL : 50 mg/kg
Application Route : Subcutaneous
Exposure time : 3 Weeks
Target Organs : Kidney, inner ear

Species : Monkey
LOAEL : 6 mg/kg
Application Route : Intramuscular
Exposure time : 3 Weeks
Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat
NOAEL : 5 mg/kg
LOAEL : 10 mg/kg
Application Route : Intramuscular
Exposure time : 52 Weeks
Target Organs : Kidney, Blood

Species : Rat
NOAEL : 12.5 mg/kg
LOAEL : 50 mg/kg
Application Route : Intramuscular
Exposure time : 13 Weeks
Target Organs : Kidney

betamethasone:

Species : Rabbit
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 10 - 30 d
Target Organs : Pituitary gland, Immune system, muscle

Species : Rat
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Mouse
LOAEL : 0.1 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Dog
LOAEL : 0.05 mg/kg
Application Route : Oral
Exposure time : 28 d
Target Organs : Blood, thymus gland, Adrenal gland

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.12	30.09.2023	808852-00020	Date of first issue: 22.07.2016

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

clotrimazole:

Skin contact : Symptoms: Rash, Itching, Blistering, Oedema, Redness
Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea

Gentamicin:

Ingestion : Target Organs: Kidney
Target Organs: inner ear
Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

betamethasone:

Inhalation : Target Organs: Adrenal gland
Skin contact : Symptoms: Redness, pruritis, Irritation

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : NOEC (Pseudokirchneriella subcapitata (green algae)): 100
plants : mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox- : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l
icity) : Exposure time: 28 d

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 1,000 mg/l
aquatic invertebrates (Chron- : Exposure time: 21 d
ic toxicity)

clotrimazole:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 0.29 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.12	30.09.2023	808852-00020	Date of first issue: 22.07.2016

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.02 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 0.268 mg/l Exposure time: 72 h
		NOEC (Desmodesmus subspicatus (green algae)): 0.017 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.025 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.01 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to microorganisms	:	EC50: > 10,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Gentamicin:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 86 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
		LC50 (Americamysis): 30 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.12	30.09.2023	808852-00020	Date of first issue: 22.07.2016

Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100
M-Factor (Chronic aquatic toxicity) : 1
Toxicity to microorganisms : EC50: 288.7 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

betamethasone:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l
Exposure time: 219 d
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1,000

Persistence and degradability

Components:

White mineral oil (petroleum):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 31 %
Exposure time: 28 d

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.12	30.09.2023	808852-00020	Date of first issue: 22.07.2016

clotrimazole:

Stability in water : Hydrolysis: 50 %(242 d)

Gentamicin:Biodegradability : Result: rapidly degradable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 314**Bioaccumulative potential****Components:****Gentamicin:**Partition coefficient: n-
octanol/water : log Pow: < -2**betamethasone:**Partition coefficient: n-
octanol/water : log Pow: 2.11**Mobility in soil**

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(clotrimazole, Gentamicin)
Class : 9
Packing group : III
Labels : 9

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.12	30.09.2023	808852-00020	Date of first issue: 22.07.2016

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
 (clotrimazole, Gentamicin)
 Class : 9
 Packing group : III
 Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 964
 Packing instruction (passenger aircraft) : 964
 Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S.
 (clotrimazole, Gentamicin)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
 Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
 Regulations

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.12	30.09.2023	808852-00020	Date of first issue: 22.07.2016

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date : 30.09.2023

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term
SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AiIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.12	30.09.2023	808852-00020	Date of first issue: 22.07.2016

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN