

Cloxacillin / Ampicillin Formulation

Version 1.3 Revision Date: 30.09.2023 SDS Number: 10843351-00004 Date of last issue: 09.08.2023
Date of first issue: 30.08.2022

SECTION 1. IDENTIFICATION

Product name : Cloxacillin / Ampicillin Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H401 Toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**

Cloxacillin / Ampicillin Formulation

Version 1.3 Revision Date: 30.09.2023 SDS Number: 10843351-00004 Date of last issue: 09.08.2023
 Date of first issue: 30.08.2022

P261 Avoid breathing vapors.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves.
 P284 Wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
 P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 70 -< 90
cloxacillin	61-72-3	>= 10 -< 20
Ampicillin	69-53-4	>= 5 -< 10
Hydroxyaluminum distearate	300-92-5	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 If not breathing, give artificial respiration.
 If breathing is difficult, give oxygen.
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
1.3	30.09.2023	10843351-00004	Date of first issue: 30.08.2022

If swallowed	:	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Chlorine compounds Nitrogen oxides (NO _x) Sulfur compounds Sulfur oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Cloxacillin / Ampicillin Formulation

Version 1.3 Revision Date: 30.09.2023 SDS Number: 10843351-00004 Date of last issue: 09.08.2023
 Date of first issue: 30.08.2022

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
 For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
 Clean up remaining materials from spill with suitable absorbent.
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
 Avoid breathing vapors.
 Do not swallow.
 Avoid contact with eyes.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Keep container tightly closed.
 Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
 Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
 Keep tightly closed.
 Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	CMP (Mist)	5 mg/m ³	AR OEL
		CMP - CPT (Mist)	10 mg/m ³	AR OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
cloxacillin	61-72-3	TWA	100 µg/m ³ (OEB)	Internal

Cloxacillin / Ampicillin Formulation

Version 1.3 Revision Date: 30.09.2023 SDS Number: 10843351-00004 Date of last issue: 09.08.2023
 Date of first issue: 30.08.2022

			2)	
	Further information: RSEN, DSEN			
		Wipe limit	100 µg/100 cm ²	Internal
Ampicillin	69-53-4	TWA	0.6 mg/m ³ (OEB 2)	Internal
	Further information: RSEN			
Hydroxyaluminum distearate	300-92-5	CMP	10 mg/m ³	AR OEL
	Further information: A4 - Not classifiable as a human carcinogen			
		TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	1 mg/m ³ (Aluminum)	ACGIH

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Contaminated work clothing should not be allowed out of the workplace.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures,

Cloxacillin / Ampicillin Formulation

Version 1.3 Revision Date: 30.09.2023 SDS Number: 10843351-00004 Date of last issue: 09.08.2023
Date of first issue: 30.08.2022

industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	cream
Color	:	off-white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive

Cloxacillin / Ampicillin Formulation

Version 1.3 Revision Date: 30.09.2023 SDS Number: 10843351-00004 Date of last issue: 09.08.2023
Date of first issue: 30.08.2022

Oxidizing properties : The substance or mixture is not classified as oxidizing.
Molecular weight : No data available
Particle size : < 30 µm

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : None known.
Conditions to avoid : None known.
Incompatible materials : None.
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

cloxacillin:

Acute oral toxicity : LD50 (Rat): 5.000 mg/kg
LD50 (Mouse): 5.000 mg/kg
Acute toxicity (other routes of administration) : LD50 (Mouse): 1.117 mg/kg
Application Route: Intramuscular
LD50 (Mouse): 916 mg/kg

Cloxacillin / Ampicillin Formulation

Version 1.3 Revision Date: 30.09.2023 SDS Number: 10843351-00004 Date of last issue: 09.08.2023
Date of first issue: 30.08.2022

Application Route: Intravenous

LD50 (Mouse): 1.500 mg/kg
Application Route: Subcutaneous

LD50 (Rat): 1.660 mg/kg
Application Route: Intravenous

LD50 (Rat): 4.200 mg/kg
Application Route: Subcutaneous

Ampicillin:

Acute oral toxicity : LD50 (Rat): 10.000 mg/kg

LD50 (Mouse): 15.200 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 6.200 mg/kg
Application Route: Intravenous

LD50 (Mouse): 4.600 mg/kg
Application Route: Intravenous

Hydroxyaluminum distearate:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5,15 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rabbit
Result : No skin irritation

cloxacillin:

Remarks : Not classified due to lack of data.

Hydroxyaluminum distearate:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431
Remarks : Based on data from similar materials

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439
Remarks : Based on data from similar materials

Cloxacillin / Ampicillin Formulation

Version 1.3 Revision Date: 30.09.2023 SDS Number: 10843351-00004 Date of last issue: 09.08.2023
Date of first issue: 30.08.2022

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rabbit
Result : No eye irritation

cloxacillin:

Remarks : Not classified due to lack of data.

Hydroxylaluminum distearate:

Species : Bovine cornea
Method : OECD Test Guideline 437
Remarks : Based on data from similar materials

Result : No eye irritation

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:**White mineral oil (petroleum):**

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

cloxacillin:

Routes of exposure : Dermal
Assessment : Probability or evidence of skin sensitization in humans
Result : positive

Assessment : Probability of respiratory sensitization in humans based on animal testing
Result : positive

Ampicillin:

Routes of exposure : Inhalation
Result : Sensitizer

Cloxacillin / Ampicillin Formulation

Version 1.3 Revision Date: 30.09.2023 SDS Number: 10843351-00004 Date of last issue: 09.08.2023
Date of first issue: 30.08.2022

Hydroxyaluminum distearate:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative
Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

cloxacillin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Ampicillin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Result: negative

Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
1.3	30.09.2023	10843351-00004	Date of first issue: 30.08.2022

Test Type: Chromosomal aberration
 Test system: Human lymphocytes
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Rat
 Application Route: Oral
 Result: negative

Hydroxyaluminum distearate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative
 Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
 Method: OECD Test Guideline 476
 Result: negative
 Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rat
 Application Route : Ingestion
 Exposure time : 24 Months
 Result : negative

cloxacillin:

Remarks : Not classified due to lack of data.

Ampicillin:

Species : Rat
 Application Route : Oral
 Exposure time : 2 Years
 : 750 mg/kg body weight
 Tumor Type : adrenal, Leukemia, breast tumors

Species : Mouse
 Application Route : Oral
 Exposure time : 2 Years
 : 3.000 mg/kg body weight
 Tumor Type : Lungs
 Remarks : Benign tumor(s)

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Cloxacillin / Ampicillin Formulation

Version 1.3 Revision Date: 30.09.2023 SDS Number: 10843351-00004 Date of last issue: 09.08.2023
Date of first issue: 30.08.2022

Reproductive toxicity

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Skin contact
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

cloxacillin:

Effects on fertility : Test Type: Multi-generation study
Species: Rat
Application Route: Oral
Fertility: NOAEL: 500 mg/kg body weight
Result: No effects on fertility., No effects on reproduction parameters.

Effects on fetal development : Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Result: No malformations were observed.

Test Type: Development
Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: NOAEL: 250 mg/kg body weight
Result: No effects on fetal development.

Ampicillin:

Effects on fertility : Test Type: Fertility
Species: Guinea pig
Target Organs: Uterus (including cervix)

Effects on fetal development : Test Type: Development
Species: Rat
Developmental Toxicity: NOAEL: 250 mg/kg body weight
Result: No effects on fetal development.

Hydroxyaluminum distearate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
1.3	30.09.2023	10843351-00004	Date of first issue: 30.08.2022

Effects on fetal development : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 416
 Result: negative
 Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****White mineral oil (petroleum):**

Species : Rat
 LOAEL : 160 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Species : Rat
 LOAEL : ≥ 1 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 4 Weeks
 Method : OECD Test Guideline 412

cloxacillin:

Species : Rat
 LOAEL : 7.000 mg/kg
 Application Route : Intravenous
 Exposure time : 4 Weeks
 Symptoms : Hypoglycemia

Ampicillin:

Species : Rat
 LOAEL : 3.000 mg/kg
 Application Route : Oral
 Exposure time : 13 Weeks
 Symptoms : Diarrhea

Species : Mouse
 LOAEL : 2.000 mg/kg
 Application Route : Oral
 Exposure time : 13 Weeks
 Symptoms : Diarrhea

Species : Rat
 LOAEL : 750 mg/kg
 Application Route : Oral
 Exposure time : 2 y

Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
1.3	30.09.2023	10843351-00004	Date of first issue: 30.08.2022

Target Organs	:	Thyroid, forestomach
Symptoms	:	Diarrhea, Salivation, decreased activity
Species	:	Mouse
LOAEL	:	2.000 mg/kg
Application Route	:	Oral
Exposure time	:	2 y
Target Organs	:	forestomach
Symptoms	:	Ulceration, Inflammation, fungal infections

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****cloxacillin:**

Inhalation	:	Remarks: May cause sensitization of susceptible persons.
Skin contact	:	Symptoms: Dermatitis Remarks: May irritate skin.
Eye contact	:	Remarks: May irritate eyes.
Ingestion	:	Symptoms: May cause, Gastrointestinal disturbance, Rash Remarks: May cause sensitization of susceptible persons.

Ampicillin:

Inhalation	:	Symptoms: Asthma, Hay fever Remarks: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Ingestion	:	Symptoms: skin rash, Nausea, Diarrhea, Vomiting, colitis, urticaria

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****White mineral oil (petroleum):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 1.000 mg/l Exposure time: 28 d

Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
1.3	30.09.2023	10843351-00004	Date of first issue: 30.08.2022

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.000 mg/l
Exposure time: 21 d

Ampicillin:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 1.000 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae): 190 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 13 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 9 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Hydroxyaluminum distearate:**Ecotoxicology Assessment**

Chronic aquatic toxicity : No toxicity at the limit of solubility.

Persistence and degradability**Components:**

White mineral oil (petroleum):

Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
1.3	30.09.2023	10843351-00004	Date of first issue: 30.08.2022

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 31 %
Exposure time: 28 d

Ampicillin:

Biodegradability : Result: rapidly degradable
Biodegradation: 35 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Hydroxyaluminum distearate:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

cloxacillin:

Partition coefficient: n-octanol/water : log Pow: 2,44

Ampicillin:

Partition coefficient: n-octanol/water : log Pow: -2,0
pH: 7

Hydroxyaluminum distearate:

Partition coefficient: n-octanol/water : log Pow: 15,088
Remarks: Calculation

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
1.3	30.09.2023	10843351-00004	Date of first issue: 30.08.2022

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATIONRevision Date : 30.09.2023
Date format : dd.mm.yyyy**Further information**Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>**Full text of other abbreviations**ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AR OEL : Argentina. Occupational Exposure LimitsACGIH / TWA : 8-hour, time-weighted average
AR OEL / CMP : TLV (Threshold Limit Value)
AR OEL / CMP - CPT : STEL (Short Term Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
1.3	30.09.2023	10843351-00004	Date of first issue: 30.08.2022

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8