

**Cloxacillin / Ampicillin Formulation**

Version 1.4      Revision Date: 05.12.2023      SDS Number: 10843345-00005      Date of last issue: 30.09.2023  
Date of first issue: 30.08.2022

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name : Cloxacillin / Ampicillin Formulation  
Other means of identification : Bovaclox Dry Cow (A004495)

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Sub-stance/Mixture : Veterinary product  
Recommended restrictions on use : Not applicable

**1.3 Details of the supplier of the safety data sheet**

Company : MSD  
20 Spartan Road  
1619 Spartan, South Africa  
Telephone : +27119239300  
E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

**1.4 Emergency telephone number**

+1-908-423-6000

---

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

**2.2 Label elements****Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms : 

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

---

## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.4	05.12.2023	10843345-00005	Date of first issue: 30.08.2022

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P273 Avoid release to the environment.  
P280 Wear protective gloves.

**Response:**

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

cloxacillin  
ampicillin

**2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
cloxacillin	61-72-3 200-514-7	Resp. Sens. 1; H334 Skin Sens. 1; H317	>= 10 - < 20
ampicillin	69-53-4 200-709-7	Resp. Sens. 1; H334 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 <hr/> M-Factor (Acute aquatic toxicity): 1	>= 2,5 - < 10

For explanation of abbreviations see section 16.

## Cloxacillin / Ampicillin Formulation

Version 1.4      Revision Date: 05.12.2023      SDS Number: 10843345-00005      Date of last issue: 30.09.2023  
Date of first issue: 30.08.2022

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
- 

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.4	05.12.2023	10843345-00005	Date of first issue: 30.08.2022

---

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Chlorine compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur compounds  
Sulphur oxides  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.4	05.12.2023	10843345-00005	Date of first issue: 30.08.2022

---

mine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |                         |   |  |
|-------------------------|---|--|
| Technical measures      | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.  |
| Local/Total ventilation | : | Use only with adequate ventilation.  |
| Advice on safe handling | : | Do not get on skin or clothing.<br>Avoid breathing vapours.<br>Do not swallow.<br>Avoid contact with eyes.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.         |

### 7.2 Conditions for safe storage, including any incompatibilities

- |   |   |   |
|---|---|---|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Keep tightly closed.<br>Store in accordance with the particular national regulations. |
| Advice on common storage                      | : | No special restrictions on storage with other products.   |

### 7.3 Specific end use(s)

- |                 |   |                   |
|-----------------|---|-------------------|
| Specific use(s) | : | No data available |
|-----------------|---|-------------------|
- 

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

## Cloxacillin / Ampicillin Formulation

Version 1.4      Revision Date: 05.12.2023      SDS Number: 10843345-00005      Date of last issue: 30.09.2023  
 Date of first issue: 30.08.2022

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
cloxacillin	61-72-3	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
ampicillin	69-53-4	TWA	0.6 mg/m <sup>3</sup> (OEB 2)	Internal
Further information: RSEN				
Hydroxyaluminum distearate	300-92-5	OEL-RL (respirable dust fraction)	2 mg/m <sup>3</sup> (Aluminium)	ZA OEL
Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents				

## 8.2 Exposure controls

**Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

**Personal protective equipment**

- Eye/face protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Hand protection  
 Material : Chemical-resistant gloves
- Skin and body protection : Work uniform or laboratory coat.
- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type (A-P)

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

- Appearance : cream
- Colour : off-white
- Odour : No data available
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available

**Cloxacillin / Ampicillin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.4	05.12.2023	10843345-00005	Date of first issue: 30.08.2022

---

Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

**9.2 Other information**

Flammability (liquids)	:	No data available
Molecular weight	:	No data available
Particle size	:	< 30 µm

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Not classified as a reactivity hazard.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Hazardous reactions	:	None known.
---------------------	---	-------------

**10.4 Conditions to avoid**

## Cloxacillin / Ampicillin Formulation

Version 1.4      Revision Date: 05.12.2023      SDS Number: 10843345-00005      Date of last issue: 30.09.2023  
Date of first issue: 30.08.2022

---

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : None.

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **cloxacillin:**

Acute oral toxicity : LD50 (Rat): 5.000 mg/kg  
LD50 (Mouse): 5.000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 1.117 mg/kg  
Application Route: Intramuscular

LD50 (Mouse): 916 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 1.500 mg/kg  
Application Route: Subcutaneous

LD50 (Rat): 1.660 mg/kg  
Application Route: Intravenous

LD50 (Rat): 4.200 mg/kg  
Application Route: Subcutaneous

##### **ampicillin:**

Acute oral toxicity : LD50 (Rat): 10.000 mg/kg  
LD50 (Mouse): 15.200 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 6.200 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 4.600 mg/kg  
Application Route: Intravenous



**Cloxacillin / Ampicillin Formulation**

Version 1.4      Revision Date: 05.12.2023      SDS Number: 10843345-00005      Date of last issue: 30.09.2023  
Date of first issue: 30.08.2022

---

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****cloxacillin:**

Remarks : Not classified due to lack of data.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****cloxacillin:**

Remarks : Not classified due to lack of data.

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Components:****cloxacillin:**

Exposure routes : Dermal  
Assessment : Probability or evidence of skin sensitisation in humans  
Result : positive

Assessment : Probability of respiratory sensitisation in humans based on animal testing  
Result : positive

**ampicillin:**

Exposure routes : Inhalation  
Result : Sensitiser

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****cloxacillin:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Result: negative  
Remarks: Information given is based on data obtained from

## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.4	05.12.2023	10843345-00005	Date of first issue: 30.08.2022

---

similar substances.

**ampicillin:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative

Test Type: sister chromatid exchange assay  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Application Route: Oral  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****cloxacillin:**

Remarks : Not classified due to lack of data.

**ampicillin:**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
: 750 mg/kg body weight  
Tumor Type : adrenal, Leukaemia, breast tumors

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
: 3.000 mg/kg body weight  
Tumor Type : Lungs  
Remarks : Benign tumor(s)

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

## Cloxacillin / Ampicillin Formulation

Version 1.4      Revision Date: 05.12.2023      SDS Number: 10843345-00005      Date of last issue: 30.09.2023  
 Date of first issue: 30.08.2022

---

### Reproductive toxicity

Not classified based on available information.

### Components:

#### cloxacillin:

Effects on fertility : Test Type: Multi-generation study  
 Species: Rat  
 Application Route: Oral  
 Fertility: NOAEL: 500 mg/kg body weight  
 Result: No effects on fertility, No effects on reproduction parameters

Effects on foetal development : Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 100 mg/kg body weight  
 Result: No malformations were observed.

Test Type: Development  
 Species: Rabbit  
 Application Route: Intramuscular  
 Developmental Toxicity: NOAEL: 250 mg/kg body weight  
 Result: No effects on foetal development

#### ampicillin:

Effects on fertility : Test Type: Fertility  
 Species: Guinea pig  
 Target Organs: Uterus (including cervix)

Effects on foetal development : Test Type: Development  
 Species: Rat  
 Developmental Toxicity: NOAEL: 250 mg/kg body weight  
 Result: No effects on foetal development

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

### Components:

#### cloxacillin:

Species : Rat  
 LOAEL : 7.000 mg/kg  
 Application Route : Intravenous  
 Exposure time : 4 Weeks  
 Symptoms : Hypoglycemia

#### ampicillin:

Species : Rat

## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.4	05.12.2023	10843345-00005	Date of first issue: 30.08.2022

---

LOAEL	:	3.000 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Symptoms	:	Diarrhoea
Species	:	Mouse
LOAEL	:	2.000 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Symptoms	:	Diarrhoea
Species	:	Rat
LOAEL	:	750 mg/kg
Application Route	:	Oral
Exposure time	:	2 yr
Target Organs	:	Thyroid, forestomach
Symptoms	:	Diarrhoea, Salivation, decreased activity
Species	:	Mouse
LOAEL	:	2.000 mg/kg
Application Route	:	Oral
Exposure time	:	2 yr
Target Organs	:	forestomach
Symptoms	:	Ulceration, Inflammation, fungal infections

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****cloxacillin:**

Inhalation	:	Remarks: May cause sensitisation of susceptible persons.
Skin contact	:	Symptoms: Dermatitis Remarks: May irritate skin.
Eye contact	:	Remarks: May irritate eyes.
Ingestion	:	Symptoms: May cause, Gastrointestinal disturbance, Rash Remarks: May cause sensitisation of susceptible persons.

**ampicillin:**

Inhalation	:	Symptoms: Asthma, Hay fever Remarks: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Ingestion	:	Symptoms: skin rash, Nausea, Diarrhoea, Vomiting, colitis, urticaria

**SECTION 12: Ecological information****12.1 Toxicity****Components:****ampicillin:**

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 1.000 mg/l
------------------	---	--

## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.4	05.12.2023	10843345-00005	Date of first issue: 30.08.2022

---

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae): 190 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 13 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 : > 1.000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC : 9 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**12.2 Persistence and degradability****Components:****ampicillin:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 35 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**12.3 Bioaccumulative potential****Components:****cloxacillin:**

## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.4	05.12.2023	10843345-00005	Date of first issue: 30.08.2022

---

Partition coefficient: n-octanol/water : log Pow: 2,44

**ampicillin:**

Partition coefficient: n-octanol/water : log Pow: -2,0  
pH: 7

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

**Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

## SECTION 14: Transport information

### 14.1 UN number

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

**Cloxacillin / Ampicillin Formulation**

Version 1.4      Revision Date: 05.12.2023      SDS Number: 10843345-00005      Date of last issue: 30.09.2023  
Date of first issue: 30.08.2022

---

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA** : Not regulated as a dangerous good

**14.3 Transport hazard class(es)**

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA** : Not regulated as a dangerous good

**14.4 Packing group**

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA (Cargo)** : Not regulated as a dangerous good  
**IATA (Passenger)** : Not regulated as a dangerous good

**14.5 Environmental hazards**

Not regulated as a dangerous good

**14.6 Special precautions for user**

Not applicable

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Remarks : Not applicable for product as supplied.

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**The components of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

**15.2 Chemical safety assessment**

A Chemical Safety Assessment has not been carried out.

---

**SECTION 16: Other information**

## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.4	05.12.2023	10843345-00005	Date of first issue: 30.08.2022

---

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Full text of H-Statements**

H317 : May cause an allergic skin reaction.  
H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H400 : Very toxic to aquatic life.  
H411 : Toxic to aquatic life with long lasting effects.

**Full text of other abbreviations**

Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Resp. Sens. : Respiratory sensitisation  
Skin Sens. : Skin sensitisation  
ZA OEL : South Africa. The Regulations for Hazardous Chemical Agents, Occupational Exposure Limits  
ZA OEL / OEL-RL : Occupational Exposure Limit Restricted limit - 8- hour exposure or equivalent (12 hour shifts)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative



**Cloxacillin / Ampicillin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.4	05.12.2023	10843345-00005	Date of first issue: 30.08.2022

---

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Classification of the mixture:**

Resp. Sens. 1	H334
Skin Sens. 1	H317
Aquatic Chronic 3	H412

**Classification procedure:**

Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN