according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Coccivac B, Coccivac D Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions : No

on use

: Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Piercetown

A86 HD21 Dunboyne, Ireland

Telephone : 908-740-4000

E-mail address of person

responsible for the SDS

EHSDATASTEWARD@msd.com

### 1.4 Emergency telephone number

1-908-423-6000

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H332: Harmful if inhaled. Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Germ cell mutagenicity, Category 1B H340: May cause genetic defects.

Carcinogenicity, Category 1B H350: May cause cancer.

Reproductive toxicity, Category 1B H360FD: May damage fertility. May damage the

unborn child.

Specific target organ toxicity - repeated

exposure, Category 2

H373: May cause damage to organs through pro-

longed or repeated exposure. H400: Very toxic to aquatic life.

Short-term (acute) aquatic hazard, Cate-

gory 1

Long-term (chronic) aquatic hazard, Cat-H411: Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

egory 2

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :





Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breath-

ing difficulties if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn

child.

H373 May cause damage to organs through prolonged

or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor.

P391 Collect spillage.

#### Hazardous components which must be listed on the label:

potassium dichromate

#### Additional Labelling

Restricted to professional users.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **Coccivac B, Coccivac D Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

| Chemical name          | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification   | Concentration<br>(% w/w) |
|------------------------|---|--|--------------------------|
| Eimeria Species (live) | Not Assigned  |  | >= 10 - < 20             |
| potassium dichromate   | 7778-50-9<br>231-906-6<br>024-002-00-6                | Ox. Sol. 2; H272 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1; H317 Muta. 1B; H340 Carc. 1B; H350 Repr. 1B; H360FD STOT RE 1; H372 (Blood) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1  specific concentration limit STOT SE 3; H335 >= 5 % | >= 2.5 - < 3             |

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **Coccivac B, Coccivac D Formulation**

| Version<br>8.0 | Revision Date: 17.06.2025 | SDS Number:<br>1482423-00021 |  |  |
|----------------|---------------------------|------------------------------|--|--|
|                |                           |                              | Acute toxicity esti-<br>mate   |  |
|                |                           |                              | Acute oral toxicity: 90.5 mg/kg Acute inhalation toxicity (dust/mist): 0.094 mg/l Acute dermal toxicity: |  |
|                |                           |                              | 1,100 mg/kg  |  |

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Excessive exposure may aggravate preexisting asthma and

other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

Causes skin irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

May cause an allergic skin reaction.

Causes serious eye irritation.

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause genetic defects.

May cause cancer.

May damage fertility. May damage the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides Metal oxides

Chromium compounds

#### 5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Do not eat, drink or smoke when using this product.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in

accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

#### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational Exposure Limits**

| Components                                   | CAS-No.   | Value type (Form | Control parameters | Basis      |
|--|-----------|------------------|--------------------|------------|
|  |           | of exposure)     |                    |            |
| potassium dichro-                            | 7778-50-9 | OELV - 8 hrs     | 0.005 mg/m3        | IE OEL     |
| mate   |           | (TWA)            | (chromium)         |            |
|  |           | TWA              | 0.005 mg/m3        | 2004/37/EC |
|  |           |                  | (chromium)         |            |
| Further information: Carcinogens or mutagens |           |                  |                    |            |

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

| Substance name       | End Use | Exposure routes | Potential health ef-         | Value      |
|----------------------|---------|-----------------|------------------------------|------------|
|                      |         |                 | fects                        |            |
| potassium dichromate | Workers | Inhalation      | Long-term local ef-<br>fects | 0.01 mg/m3 |
|                      | Workers | Inhalation      | Acute local effects          | 0.01 mg/m3 |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name       | Environmental Compartment | Value          |
|----------------------|---------------------------|----------------|
| potassium dichromate | Fresh water               | 0.00047 mg/l   |
|                      | Intermittent use/release  | 0.00047 mg/l   |
|                      | Sewage treatment plant    | 0.21 mg/l      |
|                      | Fresh water sediment      | 0.15 mg/kg dry |
|                      |                           | weight (d.w.)  |

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

| Marine sediment            | 0.15 mg/kg dry<br>weight (d.w.)  |
|----------------------------|----------------------------------|
| Soil                       | 0.035 mg/kg dry<br>weight (d.w.) |
| Oral (Secondary Poisoning) | 17000000 mg/kg<br>food           |

#### 8.2 Exposure controls

#### **Engineering measures**

Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:

Safety goggles

Equipment should conform to I.S. EN 166

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to I.S. EN 143

Filter type : Particulates type (P)

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : yellow, brown

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **Coccivac B, Coccivac D Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of:

exposure Skin contact

Ingestion Eye contact

Inhalation

#### **Acute toxicity**

Harmful if inhaled.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 3.76 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

#### **Components:**

#### Eimeria Species (live):

Acute oral toxicity : Remarks: No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **Coccivac B, Coccivac D Formulation**

Version Revision Date: SDS Number: Date of last issue: 14.04.2025 8.0 17.06.2025 1482423-00021 Date of first issue: 23.03.2017

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

potassium dichromate:

Acute oral toxicity : LD50 (Rat): 90.5 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.094 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg

Method: Expert judgement

Remarks: Based on national or regional regulation.

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

Eimeria Species (live):

Remarks : No data available

potassium dichromate:

Result : Corrosive after 3 minutes to 1 hour of exposure Remarks : Based on national or regional regulation.

Serious eye damage/eye irritation

Causes serious eye irritation.

**Components:** 

Eimeria Species (live):

Remarks : No data available

potassium dichromate:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 14.04.2025 8.0 17.06.2025 1482423-00021 Date of first issue: 23.03.2017

**Components:** 

**Eimeria Species (live):** 

Remarks : No data available

potassium dichromate:

Exposure routes : Skin contact Result : positive

Remarks : Based on national or regional regulation.

Assessment : Probability or evidence of skin sensitisation in humans

Remarks : Based on national or regional regulation.

Exposure routes : Inhalation Result : positive

Remarks : Based on national or regional regulation.

Assessment : Probability of respiratory sensitisation in humans based on

animal testing

Remarks : Based on national or regional regulation.

Germ cell mutagenicity

May cause genetic defects.

**Components:** 

potassium dichromate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity- As-

sessment

Positive result(s) from in vivo somatic cell mutagenicity tests in

mammals. Evidence that the substance has potential to cause

mutations to germ cells

Remarks: Based on national or regional regulation.

Carcinogenicity

May cause cancer.

**Components:** 

potassium dichromate:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 18 month(s)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

Result : positive

Remarks : Based on data from similar materials

Species : Mouse

Application Route : inhalation (dust/mist/fume)

Exposure time : 18 month(s)
Result : positive

Remarks : Based on data from similar materials

Carcinogenicity - Assess-

ment

Sufficient evidence of carcinogenicity in animal experiments

Remarks: Based on national or regional regulation.

### Reproductive toxicity

May damage fertility. May damage the unborn child.

#### **Components:**

#### potassium dichromate:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: positive

Effects on foetal develop-

ment

: Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertil-

ity, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

Remarks: Based on national or regional regulation.

### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### **Components:**

#### potassium dichromate:

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Blood

Assessment : Shown to produce significant health effects in animals at con-

centrations of 0.02 mg/l/6h/d or less.

#### **Aspiration toxicity**

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 14.04.2025 8.0 17.06.2025 1482423-00021 Date of first issue: 23.03.2017

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

Not classified based on available information.

#### **Product:**

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### **Experience with human exposure**

#### **Components:**

#### potassium dichromate:

Inhalation Target Organs: Bronchia

Symptoms: Asthma, Sensitisation, mutagenic effects

Target Organs: Skin Skin contact

Symptoms: Sensitisation, Corrosion, Burn

: Target Organs: Testis Ingestion

Symptoms: toxic effects for reproduction

#### **SECTION 12: Ecological information**

### 12.1 Toxicity

### **Components:**

#### Eimeria Species (live):

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

Remarks: No data available

plants

Toxicity to microorganisms

Remarks: No data available

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

Remarks: No data available

ic toxicity)

#### potassium dichromate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Ceriodaphnia (water flea)): > 0.01 - 0.1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 14.04.2025 8.0 17.06.2025 1482423-00021 Date of first issue: 23.03.2017

Toxicity to algae/aquatic

plants

: ErC50 (Selenastrum capricornutum (green algae)): 0.659 mg/l

Exposure time: 72 h

EC10 (Selenastrum capricornutum (green algae)): 0.028 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to microorganisms : EC50 (Photobacterium phosphoreum): 20 - 27 mg/l

Exposure time: 30 h

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC: > 0.1 - 1 mg/l

Exposure time: 60 d

Species: Oncorhynchus mykiss (rainbow trout) Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.084 mg/l Exposure time: 7 d

Species: Ceriodaphnia dubia (water flea)

M-Factor (Chronic aquatic

toxicity)

: 1

#### 12.2 Persistence and degradability

#### **Components:**

Eimeria Species (live):

Biodegradability : Remarks: No data available

#### 12.3 Bioaccumulative potential

### **Components:**

Eimeria Species (live):

Bioaccumulation : Remarks: No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

#### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(potassium dichromate)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(potassium dichromate)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(potassium dichromate)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **Coccivac B, Coccivac D Formulation**

Version Revision Date: SDS Number: Date of last issue: 14.04.2025 8.0 17.06.2025 1482423-00021 Date of first issue: 23.03.2017

(potassium dichromate)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(potassium dichromate)

#### 14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

#### 14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

**ADR** 

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

**RID** 

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

#### 14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 28: potassium dichromate

Number on list 29: potassium dichromate

Number on list 30: potassium dichromate

Number on list 47: potassium dichromate

Number on list 72: potassium dichromate

Number on list 75: If you intend to use this product as tattoo ink, please

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 14.04.2025 8.0 17.06.2025 1482423-00021 Date of first issue: 23.03.2017

contact your vendor.

potassium dichromate

potassium dichromate

Not applicable

Not applicable

Not applicable

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EU) No 2024/590 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

E1

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

ENVIRONMENTAL

**HAZARDS** 

Quantity 1

Quantity 2

100 t 200 t

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

#### **Full text of H-Statements**

H272 : May intensify fire; oxidizer.

H301 : Toxic if swallowed.

H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.

H318 : Causes serious eye damage.

H330 : Fatal if inhaled.

H334 : May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

H340 : May cause genetic defects.

H350 : May cause cancer.

H360FD : May damage fertility. May damage the unborn child.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

EUH071 : Corrosive to the respiratory tract.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Carc. : Carcinogenicity
Eye Dam. : Serious eye damage
Muta. : Germ cell mutagenicity

Ox. Sol. : Oxidizing solids
Repr. : Reproductive toxicity
Resp. Sens. : Respiratory sensitisation

Skin Corr. : Skin corrosion Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens

moniture risks related to exposure to cardinogens, muto

or reprotoxic substances at work - Annex III

IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occu-

pational Exposure Limit Values - Code of Practice, Schedule 1

and 2

2004/37/EC / TWA : Long term exposure limit

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships car-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### Coccivac B, Coccivac D Formulation

Version Revision Date: SDS Number: Date of last issue: 14.04.2025 8.0 17.06.2025 1482423-00021 Date of first issue: 23.03.2017

rying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

#### Classification of the mixture:

#### Classification procedure: Acute Tox. 4 H332 Calculation method Skin Irrit. 2 H315 Calculation method Eye Irrit. 2 H319 Calculation method Resp. Sens. 1 Calculation method H334 Skin Sens. 1 H317 Calculation method Muta. 1B H340 Calculation method Carc. 1B H350 Calculation method Repr. 1B H360FD Calculation method STOT RE 2 H373 Calculation method H400 Aquatic Acute 1 Calculation method Aquatic Chronic 2 H411 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Coccivac B, Coccivac D Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.04.2025

 8.0
 17.06.2025
 1482423-00021
 Date of first issue: 23.03.2017

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN