

Version 3.2	Revision Date: 30.09.2023	SDS Numb 10876239-							
SECTION	SECTION 1. PRODUCT AND COMPANY IDENTIFICATION								
Prod	Product name		Coopers Bovilis MH Single Shot RTU / MH + IBR Formulation						
Man	ufacturer or supplier	s details							
	pany	: MSD							
Addr	Address		Rua Coronel Bento Soares, 530 Cruzeiro - Sao Paulo - Brazil CEP 12730-340						
Tele	Telephone		908-740-4000						
Eme	Emergency telephone		1-908-423-6000						
E-ma	E-mail address		EHSDATASTEWARD@msd.com						
Reco	ommended use of the	chemical and	nd restrictions on use						
	ommended use rictions on use		rinary product applicable						

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard				
Skin sensitization	:	Category 1		
Carcinogenicity	:	Category 1B		
GHS label elements in acco	ordai	nce with ABNT NBR 14725 Standard		
Hazard pictograms	:			
Signal Word	:	Danger		
Hazard Statements	:	H317 May cause an allergic skin reaction. H350 May cause cancer.		
Precautionary Statements	:	Prevention: P201 Obtain special instructions before use. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protec- tion/ face protection.		
		Response:		



Version	Revision Date: 30.09.2023	SDS Number:	Date of last issue: 05.04.2023
3.2		10876239-00006	Date of first issue: 24.10.2022

P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

Storage:

P405 Store locked up.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Antigen	Not Assigned		>= 50 -< 70
White mineral oil (petroleum)	8042-47-5		>= 5 -< 10
Formaldehyde	50-00-0	Flammable gases, Category 1 Acute toxicity (Oral), Category 3 Acute toxicity (Inhala- tion), Category 2 Acute toxicity (Der- mal), Category 2 Acute toxicity (Der- mal), Category 3 Skin corrosion, Category 1 Skin sensitization, Sub-category 1 Skin sensitization, Sub-category 1 Germ cell mutagenici- ty, Category 2 Carcinogenicity, Category 1 Specific target organ toxicity - single expo- sure, Category 3 Short-term (acute) aquatic hazard, Category 2	>= 0,25 -< 1
Thiomersal	54-64-8	Acute toxicity (Oral), Category 2 Acute toxicity (Inhala- tion), Category 2 Acute toxicity (Der- mal), Category 1 Reproductive toxicity, Category 1B Specific target organ	>= 0,0025 -< 0,025



Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2023
3.2	30.09.2023	10876239-00006	Date of first issue: 24.10.2022
		ex ne dio Ga Kio Sh aq Ca Lo aq	kicity - repeated posure (Central rvous system, Car- p-vascular system, astrointestinal tract, dney), Category 1 fort-term (acute) uatic hazard, ategory 1 ng-term (chronic) uatic hazard, ategory 1

SECTION 4. FIRST AID MEASURES				
General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. 			
If inhaled	: If inhaled, remove to fresh air. Get medical attention.			
In case of skin contact	 In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. 			
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.			
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.			
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction. May cause cancer.			
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).			
Notes to physician	: Treat symptomatically and supportively.			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod-	:	Carbon oxides



Vers 3.2	sion	Revision Date: 30.09.2023		0S Number: 876239-00006	Date of last issue: 05.04.2023 Date of first issue: 24.10.2022	
	ucts					
	Specific extinguishing meth- ods			Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.		
		l protective equipment fighters	:		e, wear self-contained breathing apparatus. ective equipment.	
SEC	CTION 6	. ACCIDENTAL RELE	AS	E MEASURES		
			ective equipment. ing advice (see section 7) and personal ent recommendations (see section 8).			
	Enviror	nmental precautions	:	Prevent spreading oil barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g., by containment or se of contaminated wash water. should be advised if significant spillages	
	Methods and materials for : containment and cleaning up		:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.		

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Avoid breathing mist or vapors. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed.



Version 3.2	Revision Date: 30.09.2023	SDS Number: 10876239-00006	Date of last issue: 05.04.2023 Date of first issue: 24.10.2022		
Hygiene measures		 environment. If exposure to a flushing system place. When using do Contaminated workplace. Wash contamin The effective of engineering co appropriate de industrial hygie use of adminis Keep in proper 	revent spills, waste and minimize release to the chemical is likely during typical use, provide eye ns and safety showers close to the working o not eat, drink or smoke. work clothing should not be allowed out of the nated clothing before re-use. peration of a facility should include review of ntrols, proper personal protective equipment, gowning and decontamination procedures, ene monitoring, medical surveillance and the trative controls. ly labeled containers.		
Conditions for safe storage Materials to avoid		Store locked u Keep tightly clo Store in accord Do not store w Strong oxidizin Self-reactive st	Store locked up. Keep tightly closed. Store in accordance with the particular national regulations. Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

:

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
White mineral oil (petroleum)	8042-47-5	TWA (Inhalable particulate matter)	5 mg/m³	ACGIH	
Formaldehyde	50-00-0	CEIL	1,6 ppm 2,3 mg/m³	BR OEL	
	Further inform	ation: Degree of	harmfulness: maximum		
		TWA	0,1 ppm	ACGIH	
		STEL	0,3 ppm	ACGIH	
Thiomersal	54-64-8	TWA	0,01 mg/m ³ (Mercury)	ACGIH	
		STEL	0,03 mg/m ³ (Mercury)	ACGIH	

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.



Versio 3.2	-	Revision Date: 30.09.2023	-	S Number: 376239-00006	Date of last issue: 05.04.2023 Date of first issue: 24.10.2022			
				Laboratory opera	tions do not require special containment.			
F	Personal protective equipment							
F	Respirate	ory protection	:		exhaust ventilation is not available or ment demonstrates exposures outside the			
	Filter	type	:	recommended guidelines, use respiratory protection. Combined particulates, inorganic gas/vapor and organic vapor type				
F	Hand pro Mater				nt alouad			
	water	Idi	•	Chemical-resista	nt gioves			
E	Eye protection		:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.				
5	Skin and	body protection	:	Work uniform or I	aboratory coat.			
SECT	TION 9.	PHYSICAL AND CHI	EMIC	CAL PROPERTIE	S			
A	Appeara	nce	:	suspension				
C	Color		:	white to off-white	9			
C	Odor		:	odorless				
C	Odor Thi	eshold	:	No data availabl	e			
p	pН		:	6,0 - 8,0				
Ν	Melting p	ooint/freezing point	:	0°C				
	Initial boi range	ling point and boiling	:	100 °C (1000 hPa)				
F	Flash po	int	:	No data availabl	e			
E	Evaporat	tion rate	:	No data availabl	e			
F	Flammat	oility (solid, gas)	:	Not applicable				
F	Flammat	pility (liquids)	:	No data availabl	e			
	Upper ex flammab	plosion limit / Upper ility limit	:	No data availabl	e			
	Lower ex flammab	plosion limit / Lower ility limit	:	No data availabl	e			

: 2,37 kPa (20 °C)

: No data available

Vapor pressure

Relative vapor density



Versi 3.2	ion	Revision Date: 30.09.2023		S Number: 376239-00006	Date of last issue: 05.04.2023 Date of first issue: 24.10.2022
I	Relative	e density	:	1	
l	Density		:	No data available	9
:	Solubili Wate	ty(ies) er solubility	:	soluble	
	Partition coefficient: n- octanol/water Autoignition temperature		:	Not applicable	
			:	No data available	9
I	Decom	position temperature	:	No data available	9
	Viscosit Visc	ty osity, kinematic	:	No data available	9
l	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance o	r mixture is not classified as oxidizing.
l	Molecul	lar weight	:	No data available	9
	Particle	size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products		None known. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact
		Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 30000 ppm Exposure time: 4 h



Ver 3.2	sion	Revision Date: 30.09.2023		9S Number: 876239-00006	Date of last issue: 05.04.2023 Date of first issue: 24.10.2022
				Test atmosphere: Method: Calculation	
	Acute	dermal toxicity	:	Acute toxicity estine Method: Calculation	mate: > 5.000 mg/kg on method
	Comp	onents:			
	White	mineral oil (petroleun	n):		
	Acute	oral toxicity	:	LD50 (Rat): > 5.0	00 mg/kg
	Acute	inhalation toxicity	:	LC50 (Rat): > 5 m Exposure time: 4 Test atmosphere: Assessment: The tion toxicity	h
	Acute	dermal toxicity	:		2.000 mg/kg substance or mixture has no acute dermal
	Forma	Idehyde:			
	Acute	oral toxicity	:	Acute toxicity esti Method: Expert ju	
	Acute	inhalation toxicity	:	Acute toxicity esti Exposure time: 4 Test atmosphere: Method: Expert ju	h gas
	Acute	dermal toxicity	:	LD50 (Rabbit): 27	′0 mg/kg
	Thiom	ersal:			
	Acute	oral toxicity	:	LD50 (Rat): 75 m	g/kg
				Acute toxicity esti Method: Expert ju Remarks: Based o	
	Acute	inhalation toxicity	:	Acute toxicity estii Exposure time: 4 Test atmosphere: Method: Expert ju Remarks: Based of	h dust/mist
	Acute	dermal toxicity	:	Acute toxicity esti Method: Expert ju Remarks: Based o	

Skin corrosion/irritation

Not classified based on available information.



rsion	Revision Date: 30.09.2023		DS Number: 876239-00006	Date of last issue: 05.04.2023 Date of first issue: 24.10.2022
Com	ponents:			
White	e mineral oil (petrole	um):		
Speci Resu		:	Rabbit No skin irritation	
Form	aldehyde:			
Speci		:	Rabbit	
Metho Resu		:	OECD Test Guid	
Resu	IL	•	Conosive alter 3	minutes to 1 hour of exposure
	us eye damage/eye lassified based on ava			
	ponents:		information.	
	e mineral oil (petrole	um).		
Speci	••	:	Rabbit	
Resu		:	No eye irritation	
Form	aldehyde:			
Speci		:	Rabbit	
Resu	lt	:	Irreversible effec	ts on the eye
Resp	iratory or skin sensi	tizatio	on	
Skin	sensitization			
May o	cause an allergic skin	reaction	on.	
Resp	iratory sensitization			
Not c	lassified based on ava	ailable	information.	
<u>Com</u>	ponents:			
White	e mineral oil (petrole	um):		
Test		:	Buehler Test	
Route	es of exposure	:	Skin contact Guinea pig	
Snooi		:	negative	
Speci Resu	п			
Resu				
Resu	aldehyde:	:	Local lymph node	e assay (LLNA)
Form Test	aldehyde: Type es of exposure	:	Skin contact	e assay (LLNA)
Resul Form Test Route Speci	aldehyde: Type es of exposure ies	:	Skin contact Mouse	
Form Test	a ldehyde: Type es of exposure ies od	:	Skin contact	



sion	Revision Date: 30.09.2023		0S Number: 876239-00006	Date of last issue: 05.04.2023 Date of first issue: 24.10.2022
	cell mutagenicity assified based on ava	ailable	information.	
Comp	oonents:			
White	e mineral oil (petrole	um):		
Genot	toxicity in vitro	:	Test Type: In viti Result: negative	o mammalian cell gene mutation test
Genot	toxicity in vivo	:	cytogenetic assa Species: Mouse Application Rout Method: OECD Result: negative	malian erythrocyte micronucleus test (in vivo y) e: Intraperitoneal injection Fest Guideline 474 on data from similar materials
			Remarks. Dased	
Form	aldehyde:			
Genot	toxicity in vitro	:	Test Type: Bacte Result: positive	erial reverse mutation assay (AMES)
			Test Type: Chro Result: positive	mosome aberration test in vitro
Genot	toxicity in vivo	:	Test Type: Mam cytogenetic assa Species: Rat Application Rout Result: positive	
	cell mutagenicity - ssment	:	Positive result(s) mutagenicity tes	from in vivo mammalian somatic cell ts.
Thion	nersal:			
Genot	toxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)
Genot	toxicity in vivo	:	Test Type: Mam tion test (in vivo) Species: Mouse Application Rout Result: negative	
	nogenicity ause cancer.			
-	oonents:			
White	e mineral oil (petrole	um):		
Speci Applic	••	:	Rat Ingestion 24 Months	



Version 3.2	Revision Date: 30.09.2023		DS Number: 876239-00006	Date of last issue: 05.04.2023 Date of first issue: 24.10.2022
Resu	lt	:	negative	
Spec Appli	cation Route sure time		Rat inhalation (gas) 28 Months positive	
Carci ment	nogenicity - Assess-	:	Sufficient evidence	ce of carcinogenicity in animal experiments
Spec	sure time	:	Rat 1 Years negative	
-	oductive toxicity lassified based on availa	able	information.	
Com	ponents:			
	e mineral oil (petroleun ts on fertility	n): :	Test Type: One-g Species: Rat Application Route Result: negative	generation reproduction toxicity study e: Skin contact
Effec	ts on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	vo-fetal development e: Ingestion
Form	aldehyde:			
	ts on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	yo-fetal development e: inhalation (gas)
Thio	nersal:			
Effec	ts on fetal development	:	Species: Rat Application Route Result: positive Remarks: Based	e: Ingestion on data from similar materials
Repro sessr	oductive toxicity - As- nent	:		f adverse effects on sexual function and development, based on animal experiment
STO	-single exposure			

STOT-single exposure

Not classified based on available information.



sion	Revision Date: 30.09.2023	SDS Number: 10876239-00006	Date of last issue: 05.04.2023 Date of first issue: 24.10.2022
<u>Comp</u>	onents:		
Forma	aldehyde:		
Asses	sment	: May cause re	espiratory irritation.
	-repeated exposure assified based on av		
<u>Comp</u>	onents:		
Forma	aldehyde:		
Routes Assess	s of exposure sment		as) ce or mixture is not classified as specific target at, repeated exposure.
Thiom	nersal:		
Target	t Organs		ous system, Cardio-vascular system, Gastrointe
Asses	sment	tinal tract, Kio : Causes dama exposure.	age to organs through prolonged or repeated
Repea	ated dose toxicity		
<u>Comp</u>	onents:		
White	mineral oil (petrole	eum):	
Specie LOAEI		: Rat : 160 mg/kg	
-	∟ ation Route	: Ingestion	
	ure time	: 90 Days	
Specie	es	: Rat	
LOAE		: >= 1 mg/l	int/mint/fuma)
	ation Route ure time	: inhalation (du : 4 Weeks	isvmisvrume)
Metho		: OECD Test 0	Guideline 412
Forma	aldehyde:		
Specie	•	: Rat	
NOAE		: 6 ppm	
LOAEI Applica	L ation Route	: 10 ppm : inhalation (ga	as)
	ure time	: 28 Days	,
Thiom			
Create	nersal:		
Specie	es	: Rat	
LÖAEI	es	: Rat : >= 0,5 mg/kg : Ingestion	



Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2023
3.2	30.09.2023	10876239-00006	Date of first issue: 24.10.2022

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

White mineral oil (petroleum Toxicity to fish	i): :	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic tox- icity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 1.000 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1.000 mg/l Exposure time: 21 d
Formaldehyde:		
Toxicity to fish	:	LC50 : 6,7 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 5,8 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 4,89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic tox- icity)	:	NOEC (Oryzias latipes (Orange-red killifish)): >= 48 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): >= 6,4 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50: 34,1 mg/l Exposure time: 120 h

SAFETY DATA SHEET



ersion 2	Revision Date: 30.09.2023		S Number: 876239-00006	Date of last issue: 05.04.2023 Date of first issue: 24.10.2022	
Thiom	ersal:				
Toxicity to fish		:	LC50 (Poecilia reticulata (guppy)): > 0,01 - 0,1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials		
Toxicity to daphnia and other aquatic invertebrates		:	EC50 (Daphnia magna (Water flea)): > 0,01 - 0,1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials		
Toxicity to algae/aquatic plants		:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,0 - 0,1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials		
M-Fac icity)	tor (Acute aquatic tox-	:	10		
Toxicit	c invertebrates (Chron-	:	NOEC (Daphnia sp. (Water flea)): > 0,001 - 0,01 mg/l Exposure time: 21 d Remarks: Based on data from similar materials		
	M-Factor (Chronic aquatic toxicity)		10		
Persis	stence and degradabili	ity			
<u>Comp</u>	onents:				
White	mineral oil (petroleum	ı):			
	gradability	:	Result: Not readi Biodegradation: Exposure time: 2	31 %	
Forma	aldehyde:				
	gradability	:		91 %	
Bioac	cumulative potential				
<u>Comp</u>	onents:				
Partitic	aldehyde: on coefficient: n- ol/water	:	log Pow: 0,35 Remarks: Calcula	ation	
	ty in soil a available				
Other	adverse effects				

SAFETY DATA SHEET



Coopers Bovilis MH Single Shot RTU / MH + IBR Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2023
3.2	30.09.2023	10876239-00006	Date of first issue: 24.10.2022

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

ANTT Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture National List of Carcinogenic Agents for Humans - (LINACH)				
Group 1: Carcinogenic to humans Formaldehyde	50-00-0			
Brazil. List of chemicals controlled by the Federal Police	: Not applicable			
The ingredients of this product are reported in the following inventories:				

AICS	•	:	not determined
DSL		:	not determined
IECSC		:	not determined



Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2023
3.2	30.09.2023	10876239-00006	Date of first issue: 24.10.2022

SECTION 16. OTHER INFORMATION

Revision Date	: 30.09.2023
Date format	: dd.mm.yyyy

Further information

Sources of key data used to : compile the Material Safety Data Sheet Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Full text of other abbreviations

ACGIH BR OEL		USA. ACGIH Threshold Limit Values (TLV) Brazil. NR 15 - Unhealthy activities and operations
ACGIH / TWA ACGIH / STEL BR OEL / CEIL	:	8-hour, time-weighted average Short-term exposure limit Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and



Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2023
3.2	30.09.2023	10876239-00006	Date of first issue: 24.10.2022

shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8