

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version 2.1      Revision Date: 2023/09/30      SDS Number: 11153937-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/12/20

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Copper Oxide Solid Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

**Appearance** : powder  
**Colour** : metallic  
grey  
**Odour** : No data available

Very toxic to aquatic life with long lasting effects.

#### GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version 2.1      Revision Date: 2023/09/30      SDS Number: 11153937-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/12/20

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Not classified based on available information.

### Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Copper oxide	1317-38-0	>= 30 -< 50
Diiron trioxide	1309-37-1	>= 1 -< 10
tert-Butyl-4-methoxyphenol	25013-16-5	>= 0.25 -< 1
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 0.1 -< 0.25

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	11153937-00003	Date of first issue: 2022/12/20

---

In case of eye contact	:	Thoroughly clean shoes before reuse. If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for	:	Sweep up or vacuum up spillage and collect in suitable con-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version 2.1      Revision Date: 2023/09/30      SDS Number: 11153937-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/12/20

containment and cleaning up      tainer for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

- Technical measures      :      Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation      :      Use only with adequate ventilation.
- Advice on safe handling      :      Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact      :      Oxidizing agents

#### Storage

- Conditions for safe storage      :      Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid      :      Do not store with the following product types:  
Strong oxidizing agents
- Packaging material      :      Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	------------------------	----------------------------------	-------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version 2.1      Revision Date: 2023/09/30      SDS Number: 11153937-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/12/20

		exposure)	concentration	
Diiron trioxide	1309-37-1	TWA (Respirable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hand protection

Material : Chemical-resistant gloves

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : metallic  
grey

Odour : No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	11153937-00003	Date of first issue: 2022/12/20

---

Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	11153937-00003	Date of first issue: 2022/12/20

Particle size : No data available

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Copper oxide:

Acute oral toxicity : LD50 (Rat): > 2,500 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### Diiron trioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

##### tert-Butyl-4-methoxyphenol:

Acute oral toxicity : LD50 (Rabbit): 2,100 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	11153937-00003	Date of first issue: 2022/12/20

---

### 2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Copper oxide:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Diiron trioxide:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### tert-Butyl-4-methoxyphenol:

Species : Rabbit  
Result : Skin irritation

#### 2,6-Di-tert-butyl-p-cresol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Copper oxide:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

#### Diiron trioxide:

Species : Rabbit  
Result : No eye irritation



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version 2.1      Revision Date: 2023/09/30      SDS Number: 11153937-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/12/20

---

Method : OECD Test Guideline 405

### **tert-Butyl-4-methoxyphenol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on data from similar materials

### **2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **Copper oxide:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

#### **Diiron trioxide:**

Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

#### **tert-Butyl-4-methoxyphenol:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Result : negative

#### **2,6-Di-tert-butyl-p-cresol:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Species : Humans  
Result : negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	11153937-00003	Date of first issue: 2022/12/20

---

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### **Copper oxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

#### **Diiron trioxide:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

#### **tert-Butyl-4-methoxyphenol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

#### **2,6-Di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	11153937-00003	Date of first issue: 2022/12/20

---

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Diiron trioxide:

Species : Rat  
Application Route : Intraperitoneal injection  
Exposure time : 790 - 914 days  
Result : negative

#### tert-Butyl-4-methoxyphenol:

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks  
Result : positive

Species : Hamster, male  
Application Route : Ingestion  
Exposure time : 24 weeks  
Result : positive

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

#### 2,6-Di-tert-butyl-p-cresol:

Species : Rat  
Application Route : Ingestion  
Exposure time : 22 Months  
Result : negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Copper oxide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

#### tert-Butyl-4-methoxyphenol:

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	11153937-00003	Date of first issue: 2022/12/20

---

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: Ingestion  
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### **2,6-Di-tert-butyl-p-cresol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Components:**

#### **2,6-Di-tert-butyl-p-cresol:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### **Repeated dose toxicity**

#### **Components:**

##### **Copper oxide:**

Species : Mouse  
NOAEL : 1000 ppm  
Application Route : Ingestion  
Exposure time : 92 Days  
Remarks : Based on data from similar materials

##### **tert-Butyl-4-methoxyphenol:**

Species : Rat

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	11153937-00003	Date of first issue: 2022/12/20

NOAEL : 50 mg/kg  
LOAEL : 250 mg/kg  
Application Route : Ingestion  
Exposure time : 8 Months

### 2,6-Di-tert-butyl-p-cresol:

Species : Rat  
NOAEL : 25 mg/kg  
Application Route : Ingestion  
Exposure time : 22 Months

### Aspiration toxicity

Not classified based on available information.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Copper oxide:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.01 - 0.1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 10  
Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.001 - 0.01 mg/l  
Exposure time: 32 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): > 0.001 - 0.01 mg/l  
Exposure time: 7 d  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

#### **Diiron trioxide:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 50,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version 2.1      Revision Date: 2023/09/30      SDS Number: 11153937-00003      Date of last issue: 2023/04/04  
Date of first issue: 2022/12/20

---

Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h

### **tert-Butyl-4-methoxyphenol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.56 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.3 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.25 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### **2,6-Di-tert-butyl-p-cresol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l  
Exposure time: 30 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.316 mg/l

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	11153937-00003	Date of first issue: 2022/12/20

aquatic invertebrates (Chronic toxicity) : Exposure time: 21 d  
M-Factor (Chronic aquatic toxicity) : 1  
Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **2,6-Di-tert-butyl-p-cresol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

##### **tert-Butyl-4-methoxyphenol:**

Bioaccumulation : Species: *Oryzias latipes* (Orange-red killifish)  
Bioconcentration factor (BCF): 16 - 21

Partition coefficient: n-octanol/water : log Pow: 2.82  
Method: OECD Test Guideline 117

##### **2,6-Di-tert-butyl-p-cresol:**

Bioaccumulation : Species: *Cyprinus carpio* (Carp)  
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

#### **Mobility in soil**

No data available

#### **Other adverse effects**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	11153937-00003	Date of first issue: 2022/12/20

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Copper oxide, 2,6-Di-tert-butyl-p-cresol)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Copper oxide, 2,6-Di-tert-butyl-p-cresol)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Copper oxide, 2,6-Di-tert-butyl-p-cresol)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### GB 6944/12268

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Copper oxide, 2,6-Di-tert-butyl-p-cresol)  
Class : 9  
Packing group : III  
Labels : 9  
Marine pollutant : no



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	11153937-00003	Date of first issue: 2022/12/20

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

#### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

## 16. OTHER INFORMATION

Revision Date : 2023/09/30

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Copper Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
2.1	2023/09/30	11153937-00003	Date of first issue: 2022/12/20

---

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN