

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	28.09.2024	11153962-00008	Date of first issue: 20.12.2022

### **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	Copper Oxide Solid Formulation
Other means of identification	:	COOPERS PERMATRACE COPPER 10 CAPSULES FOR CALVES AND ADULT CATTLE (47689) COOPERS PERMATRACE COPPER 20 CAPSULES FOR CATTLE (47688) COOPERS PERMATRACE COPPER CAPSULES FOR ADULT SHEEP & GOATS (47637)
1.2 Relevant identified uses of the	e s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Veterinary product
Recommended restrictions on use	:	Not applicable
1.3 Details of the supplier of the s	saf	ety data sheet
Company	:	MSD Walton Manor, Walton MK7 7AJ Milton Keynes - United Kingdom
Telephone	:	+1-908-740-4000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com
1 4 Emergency telephone number	~	

## 1.4 Emergency telephone number

+1-908-423-6000

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK	
SI 2019/720, and UK SI 2020/1567)	

Short-term (acute) aquatic hazard, Cate-	H400: Very toxic to aquatic life.
gory 1 Long-term (chronic) aquatic hazard, Cat-	H410: Very toxic to aquatic life with long lasting effects.
egory 1	enecis.



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	28.09.2024	11153962-00008	Date of first issue: 20.12.2022

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H410	Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention P273	: Avoid release to the environment.
		<b>Response:</b> P391	Collect spillage.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Copper oxide	1317-38-0 215-269-1 029-016-00-6	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 30 - < 50
tert-Butyl-4-methoxyphenol	25013-16-5 246-563-8	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Carc. 2; H351 Repr. 2; H361d	>= 0.25 - < 1





# **Copper Oxide Solid Formulation**

Version 5.0	Revision Date: 28.09.2024	SDS Number: 11153962-00008	Date of last issue: 06.07.2024 Date of first issue: 20.12.2022		
			Aquatic Chronic 2; H411		
2,6-D	i-tert-butyl-p-cresol	128-37-0 204-881-4	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0.1 - < 0.25	
Subs	tances with a workplace	ce exposure limit :	· · · · · · · · · · · · · · · · · · ·		
Calci	um carbonate	471-34-1 207-439-9		>= 1 - < 10	
Diiror	n trioxide	1309-37-1 215-168-2		>= 1 - < 10	

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of



Versie 5.0	ion	Revision Date: 28.09.2024		9S Number: 153962-00008	Date of last issue: 06.07.2024 Date of first issue: 20.12.2022
				the skin. Dust contact with	the eyes can lead to mechanical irritation.
4.3 In	ndicatio	on of any immediate	mec	lical attention and	special treatment needed
7	Treatm	ent	:	Treat symptomation	cally and supportively.
SEC	TION	5: Firefighting meas	sure	es	
5.1 E	xtingu	ishing media			
	-	e extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical	
	Unsuita media	ble extinguishing	:	None known.	
5.2 S	pecial	hazards arising from	the	substance or mix	kture
	Specific fighting	c hazards during fire-	:	Exposure to comb	pustion products may be a hazard to health.
	Hazard ucts	ous combustion prod-	:	Carbon oxides Metal oxides	
5.3 A	dvice	for firefighters			
	Special for firefi	protective equipment ighters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.
	Specific ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do

### **SECTION 6:** Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions	

Environmental precautions	:	Avoid release to the environment.
		Prevent further leakage or spillage if safe to do so.
		Retain and dispose of contaminated wash water.
		If spillage enters rivers or watercourses, inform the Environ-
		ment Agency (emergency telephone number 0800 807060).



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	28.09.2024	11153962-00008	Date of first issue: 20.12.2022

## 6.3 Methods and material for containment and cleaning up

t in suitable con-
ng dust surfaces
imulate on surfac-
Imulate on surfac- if they are re- centration. eleases and dis- rials and items ill need to deter-
rmation regarding
mation regarding

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Use only with adequate ventilation.
Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety
practice, based on the results of the workplace exposure as-
sessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
If exposure to chemical is likely during typical use, provide eye
flushing systems and safety showers close to the working
place. When using do not eat, drink or smoke. Wash contami-
nated clothing before re-use.
The effective operation of a facility should include review of
engineering controls, proper personal protective equipment,
appropriate degowning and decontamination procedures,
industrial hygiene monitoring, medical surveillance and the
use of administrative controls.



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	28.09.2024	11153962-00008	Date of first issue: 20.12.2022

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.
Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents
7.3 Specific end use(s)		

Specific use(s)	: No data available
-----------------	---------------------

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper oxide	1317-38-0	TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
Calcium carbonate	471-34-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
Diiron trioxide	1309-37-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
2,6-Di-tert-butyl-p- cresol	128-37-0	TWA	10 mg/m3	GB EH40

### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Calcium carbonate	Workers	Inhalation	Long-term systemic effects	6.36 mg/m3
	Consumers	Ingestion	Acute systemic ef- fects	6.1 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.06 mg/m3
	Consumers	Ingestion	Long-term systemic effects	6.1 mg/kg bw/day
tert-Butyl-4- methoxyphenol	Workers	Inhalation	Long-term systemic effects	4.93 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.4 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.87 mg/m3

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Copper Oxide Solid Formulation**

ersion D	Revision Date: 28.09.2024		S Number: 53962-00008		f last issue: 06.07.202 f first issue: 20.12.202	
		Consume	rs Skin co	ontact	Long-term systemic effects	c 0.5 mg/kg bw/day
		Consume	rs Ingesti	on	Long-term systemic effects	c 0.5 mg/kg bw/day
2,6-D creso	i-tert-butyl-p- I	Workers	Inhalat	ion	Long-term systemic effects	
		Workers	Derma	I	Long-term systemic effects	c 0.5 mg/kg bw/day
		Consume	rs Inhalat	ion	Long-term systemic effects	
		Consume	rs Derma	I	Long-term systemic effects	c 0.25 mg/kg bw/day
		Consume	rs Ingesti	on	Long-term systemic effects	
Predi	cted No Effect Co	oncentratio	on (PNEC)			
Subst	ance name		Environmenta	al Compartr	ment	Value
Copp	er oxide		Fresh water			7.8 µg/l
			Marine water			5.2 µg/l
			Sewage treatment plant			230 µg/l
			Fresh water sediment			87 mg/kg
			Marine sediment			676 mg/kg
			Soil			65 mg/kg
Calciu	um carbonate		Sewage treatment plant			100 mg/l
tert-B	utyl-4-methoxyphe	enol	Fresh water			0.0124 mg/l
			Freshwater -	0.0156 mg/l		
		Marine water		0.00124 mg/l		
			Marine water - intermittent			0.00156 mg/l
			Fresh water s	sediment		1.78 mg/kg dry weight (d.w.)
			Marine sediment		0.178 mg/kg dry weight (d.w.)	
			Soil			0.348 mg/kg dry weight (d.w.)
2,6-D	i-tert-butyl-p-cresc	bl	Fresh water			0.199 µg/l
Π	z 1		Intermittent use/release			0.02 µg/l
Π			Marine water			0.02 µg/l
			Sewage treatment plant			0.17 mg/l
			Fresh water sediment			0.0996 mg/kg di weight (d.w.)
			Marine sediment			0.00996 mg/kg dry weight (d.w.
			Soil			0.04769 mg/kg dry weight (d.w.

#### 8.2 Exposure controls

#### **Engineering measures**

Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.



# **Copper Oxide Solid Formulation**

Version 5.0	Revision Date: 28.09.2024	SDS Number 11153962-00	
Pers	onal protective equipn	nent	
Eye/t	face protection	If the wor mists or a Wear a fa	ety glasses with side shields or goggles. k environment or activity involves dusty conditions, aerosols, wear the appropriate goggles. aceshield or other full face protection if there is a for direct contact to the face with dusts, mists, or
	d protection aterial	: Chemical	resistant gloves
	and body protection iratory protection	: If adequation sure asset ommende	orm or laboratory coat. The local exhaust ventilation is not available or expo- ssment demonstrates exposures outside the rec- ad guidelines, use respiratory protection. It should conform to BS EN 143
Fi	lter type	: Particulat	es type (P)

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	:	capsule
Colour	:	metallic grey
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available



# **Copper Oxide Solid Formulation**

Version 5.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.07.202411153962-00008Date of first issue: 20.12.2022	
W Partii octar Auto Decc Visco V Explo	bility(ies) /ater solubility tion coefficient: n- hol/water -ignition temperature omposition temperature osity iscosity, kinematic osive properties izing properties	<ul> <li>No data available</li> <li>Not applicable</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not explosive</li> <li>The substance or mixture is not classified as oxidizing.</li> </ul>	
Flam Mole	<b>information</b> mability (liquids) cular weight cle size	<ul> <li>Not applicable</li> <li>No data available</li> <li>No data available</li> </ul>	

## **SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b> Not classified as a reactivity hazar	d.
10.2 Chemical stability	
Stable under normal conditions.	
10.3 Possibility of hazardous reaction	ns
Hazardous reactions :	May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
10.4 Conditions to avoid	
Conditions to avoid :	Heat, flames and sparks. Avoid dust formation.
10.5 Incompatible materials	
Materials to avoid	Oxidizing agents
10.6 Hazardous decomposition prod	lucts

No hazardous decomposition products are known.



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	28.09.2024	11153962-00008	Date of first issue: 20.12.2022

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

#### Acute toxicity

Not classified based on available information.

#### **Components:**

#### Copper oxide:

Acute oral toxicity	:	LD50 (Rat): > 2,500 mg/kg Assessment: The substance or mixture has no acute oral tox- icity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
tert-Butyl-4-methoxyphenol:		
Acute oral toxicity	:	LD50 (Rabbit): 2,100 mg/kg

### Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

#### 2,6-Di-tert-butyl-p-cresol:

_,• _: •••• ••••) p ••••••		
Acute oral toxicity	:	LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
Calcium carbonate:		
Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 420 Assessment: The substance or mixture has no acute oral tox- icity
Acute inhalation toxicity	:	LC50 (Rat): > 3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

Versio 5.0	n Revision Date: 28.09.2024		Date of last issue: 06.07.2024 Date of first issue: 20.12.2022		
		Assessment: The s tion toxicity	substance or mixture has no acute inhala-		
A	cute dermal toxicity	: LD50 (Rat): > 2,000 Method: OECD Tes Assessment: The s toxicity			
יי מ	iiron trioxide:				
	cute oral toxicity	: LD50 (Rat): > 5,00 Method: Directive 6	0 mg/kg 67/548/EEC, Annex V, B.1.		
A	cute inhalation toxicity	Exposure time: 4 h Test atmosphere: c Method: OECD Test	LC50 (Rat): > 5.05 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala-		
_	kin corrosion/irritation ot classified based on a	ailable information.			
<u>C</u>	omponents:				
C	opper oxide:				
M	pecies ethod esult	: Rabbit : OECD Test Guidel : No skin irritation	ine 404		
te	ert-Butyl-4-methoxyph	nol:			
S	pecies esult	: Rabbit : Skin irritation			
2.	6-Di-tert-butyl-p-creso	:			
'	pecies	: Rabbit			
	ethod	: OECD Test Guidel	ine 404		
	esult emarks	<ul><li>No skin irritation</li><li>Based on data fron</li></ul>	n similar materials		
0					
	alcium carbonate: pecies	: Rabbit			
	ethod	: OECD Test Guidel	ine 404		
R	esult	: No skin irritation			
D	iiron trioxide:				
	pecies	: Rabbit			
M	ethod	: OECD Test Guidel	ine 404		
IR	esult	: No skin irritation			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Copper Oxide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	28.09.2024	11153962-00008	Date of first issue: 20.12.2022

## Serious eye damage/eye irritation

Not classified based on available information.

## Components:

#### Copper oxide:

Species Method Result	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### tert-Butyl-4-methoxyphenol:

Species : Result : Remarks :	Rabbit
Result :	Irritation to eyes, reversing within 21 days
Remarks :	Based on data from similar materials

#### 2,6-Di-tert-butyl-p-cresol:

Species Method Result Remarks	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

#### Calcium carbonate:

Species Method Result	: Rabbit	
Method	: OECD Test Guideline 4	05
Result	: No eye irritation	

#### Diiron trioxide:

Species Method Result	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### Copper oxide:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Test Type Exposure routes Species Method Result	: negative

#### tert-Butyl-4-methoxyphenol:

Test	Туре
------	------

: Human repeat insult patch test (HRIPT)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Copper Oxide Solid Formulation**

Version 5.0	Revision Date: 28.09.2024	SDS Num 11153962	
Expo Resu	sure routes It	: Skin co : negativ	
2,6-D	)i-tert-butyl-p-cresol	:	
Test Expo Spec Resu	sure routes ies	: Humar : Skin co : Humar : negativ	ns
Calci	ium carbonate:		
Test Expo Spec Meth Resu	sure routes ies od	: Skin co : Mouse	e ) Test Guideline 429
Not c	n cell mutagenicity classified based on av	ailable informa	ition.
	ponents:		
	per oxide: otoxicity in vitro	Metho Result	ype: Bacterial reverse mutation assay (AMES) d: OECD Test Guideline 471 t: negative rks: Based on data from similar materials
	otoxicity in vivo	cytoge Specie Applica Result	ype: Mammalian erythrocyte micronucleus test (in vivo enetic assay) es: Mouse ation Route: Ingestion t: negative rks: Based on data from similar materials
ll tert-F	Butyl-4-methoxyphe	nol:	
	ptoxicity in vitro	: Test T	ype: Bacterial reverse mutation assay (AMES)
		Metho	ype: In vitro mammalian cell gene mutation test d: OECD Test Guideline 476 :: negative
			ype: Chromosome aberration test in vitro
		thesis	ype: DNA damage and repair, unscheduled DNA syn- in mammalian cells (in vitro)

2,6-Di-tert-butyl-p-cresol:

I

**Result: negative** 

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ersion 0	Revision Date: 28.09.2024	-	S Number: 153962-00008	Date of last issue: 06.07.2024 Date of first issue: 20.12.2022
Geno	toxicity in vitro	:	Test Type: Bact Result: negative	erial reverse mutation assay (AMES)
			Test Type: In vit Result: negative	ro mammalian cell gene mutation test
			Test Type: Chro Result: negative	mosome aberration test in vitro
Geno	toxicity in vivo	:		
Calci	um carbonate:			
Geno	Genotoxicity in vitro	:		erial reverse mutation assay (AMES) Test Guideline 471
				mosome aberration test in vitro Test Guideline 473
				ro mammalian cell gene mutation test Test Guideline 476
Diiro	n trioxide:			
	toxicity in vitro	:	Test Type: Bact Result: negative	erial reverse mutation assay (AMES)
Geno	toxicity in vivo	:	Species: Rat Application Rou	Test Guideline 489
II Carci	inogenicity			
Not c	lassified based on av	vailable i	nformation.	
<u>Com</u>	ponents:			
tert-E	Butyl-4-methoxyphe	nol:		

Species Application Route Exposure time Result	: Rat : Ingestion : 104 weel : positive	
Species Application Route	: Hamster, : Ingestion	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Copper Oxide Solid Formulation**

Revision Date: 28.09.2024			Date of last issue: 06.07.2024 Date of first issue: 20.12.2022
sure time t	:	24 weeks positive	
nogenicity - Assess-	:	Limited evidence	e of carcinogenicity in animal studies
i-tert-butyl-p-cresol:			
es	:	Rat	
	÷		
t	:	negative	
oductive toxicity assified based on ava ponents:	ilable i	nformation.	
er oxide:			
s on fertility	:	Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 416
utyl-4-methoxyphen	ol:		
s on fertility	:	Species: Rat Application Rou	
s on foetal develop-	:		lity/early embryonic development
oductive toxicity - As- nent	:		of adverse effects on development, based on ents.
i-tert-butyl-p-cresol:			
s on fertility	:	Species: Rat Application Rou	
s on foetal develop-	:	Species: Rat Application Rou	
	28.09.2024 sure time t nogenicity - Assess- <b>-tert-butyl-p-cresol:</b> estion Route sure time t <b>oductive toxicity</b> assified based on avain <b>conents:</b> <b>er oxide:</b> s on fertility <b>utyl-4-methoxyphen</b> s on fertility s on foetal develop- eductive toxicity - As- nent <b>-tert-butyl-p-cresol:</b> s on fertility	28.09.202411sure time:t:nogenicity - Assess-:i-tert-butyl-p-cresol:es:sation Route:sure time:t:oductive toxicityassified based on available ionents:er oxide:s on fertilitys on fertilitys on foetal develop-:oductive toxicity - As-:oductive toxicity - As-:::	28.09.2024       11153962-00008         sure time       :       24 weeks         it       ::       positive         nogenicity - Assess-       :       Limited evidence         -tert-butyl-p-cresol:       :       Rat         es       :       Rat         iation Route       :       Ingestion         sure time       :       22 Months         t       :       negative         oductive toxicity       assified based on available information.         ponents:       :       rest Type: Two         son fertility       :       Test Type: One         son fertility       :       Test Type: One         so on fertility       :       Test Type: Ferti         species: Rat       Application Rou         Application Rou       Result: negative         so on foetal develop-       :       Test Type: Ferti         species: Mouse       Application Rou       Result: positive         aductive toxicity - As-       :       Some evidence         nimal experime       :       Test Type: Two         species: Rat       Application Rou       Result: negative         s on foetal develop-       :       Test Type: Two

Calcium carbonate:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Copper Oxide Solid Formulation**

Version 5.0	Revision Date: 28.09.2024		DS Number: 153962-00008	Date of last issue: 06.07.2024 Date of first issue: 20.12.2022
Effect	s on fertility	:	reproduction/deve Species: Rat Application Route	ined repeated dose toxicity study with the elopmental toxicity screening test e: Ingestion rest Guideline 422
Effect: ment	s on foetal develop-	:	Species: Rat Application Route	vo-foetal development e: Ingestion est Guideline 414
	• <b>single exposure</b> assified based on avail	able	information.	
	- repeated exposure assified based on avail	able	information.	
Comp	oonents:			
2,6-Di	-tert-butyl-p-cresol:			
Asses	sment	:	No significant heat tions of 100 mg/k	alth effects observed in animals at concentra- g bw or less.
Repea	ated dose toxicity			
Comp	oonents:			
Сорр	er oxide:			
		::	Mouse 1000 ppm Ingestion 92 Days Based on data fro	om similar materials
tert-B	utyl-4-methoxypheno	I:		
	EL		Rat 50 mg/kg 250 mg/kg Ingestion 8 Months	
2,6-Di	-tert-butyl-p-cresol:			
Specie NOAE	es EL	:	Rat 25 mg/kg	

opeoies	
NOAEL	: 25 mg/kg
NOAEL Application Route	: Ingestion
Exposure time	: 22 Months

#### Calcium carbonate:



# **Copper Oxide Solid Formulation**

Version 5.0	Revision Date: 28.09.2024		DS Number: 153962-00008	Date of last issue: 06.07.2024 Date of first issue: 20.12.2022
Specie NOAEI Applica Exposu Method	L ation Route ure time		Rat > 1,000 mg/kg Ingestion 28 Days OECD Test Guide	eline 422
Diiron	trioxide:			
Specie NOAEI Applica Exposu Method	L ation Route ure time	:	Rat >= 1,000 mg/kg Ingestion 90 Days OECD Test Guide	eline 408

## Aspiration toxicity

Not classified based on available information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Components:

Copper oxide:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0.01 - 0.1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
M-Factor (Acute aquatic tox- icity)	:	100
Toxicity to fish (Chronic tox- icity)	:	NOEC: > 0.001 - 0.01 mg/l Exposure time: 32 d Species: Oncorhynchus mykiss (rainbow trout) Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC: > 0.001 - 0.01 mg/l Exposure time: 7 d Species: Ceriodaphnia dubia (water flea) Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	:	10
Ecotoxicology Assessment		
Acute aquatic toxicity	:	M-factor: 100

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

ersion .0	Revision Date: 28.09.2024		0S Number: 153962-00008	Date of last issue: 06.07.2024 Date of first issue: 20.12.2022
Chron	ic aquatic toxicity	:	M-factor: 100	
tert-B	utyl-4-methoxyphenol	:		
Toxici	ty to fish	:	LC50 (Danio rerio Exposure time: 96 Method: OECD To	
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2.3 mg/l Exposure time: 48 h Method: OECD Test Guideline 202	
Toxici plants	ty to algae/aquatic	:	ErC50 (Pseudokir mg/l Exposure time: 72 Method: OECD To	
			NOEC (Pseudokin mg/l Exposure time: 72 Method: OECD To	
2.6-Di	-tert-butyl-p-cresol:			
	ty to fish	:	Exposure time: 96	o (zebra fish)): > 0.57 mg/l 5 h 67/548/EEC, Annex V, C.1.
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
Toxici plants	ty to algae/aquatic	:	ErC50 (Pseudokir mg/l Exposure time: 72 Method: OECD To	
			NOEC (Pseudokin mg/l Exposure time: 72 Method: OECD Te	
M-Fac icity)	ctor (Acute aquatic tox-	:	1	
Toxici	ty to microorganisms	:	EC50 : > 10,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209	
Toxici icity)	ty to fish (Chronic tox-	:	NOEC: 0.053 mg/ Exposure time: 30 Species: Oryzias Method: OECD To	) d latipes (Japanese medaka)



Version 5.0	Revision Date: 28.09.2024		DS Number: 153962-00008	Date of last issue: 06.07.2024 Date of first issue: 20.12.2022		
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)			NOEC: 0.316 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)			
M-Fac toxicit	ctor (Chronic aquatic y)	:	1	1		
Calciu	um carbonate:					
Toxici	ty to fish	:	<ul> <li>LL50 (Oncorhynchus mykiss (rainbow trout)): &gt; 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203</li> </ul>			
	ty to daphnia and other c invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202			
Toxici plants	ty to algae/aquatic	:	mg/l Exposure time: 72	Vater Accommodated Fraction		
			mg/l Exposure time: 72	Vater Accommodated Fraction		
Toxici	ty to microorganisms	:	NOEC : 1,000 mg Exposure time: 3 Method: OECD Te	h		
			EC50 : > 1,000 m Exposure time: 3 Method: OECD Te	ĥ		
Diiror	n trioxide:					
	ty to fish	:	LL50 (Danio rerio Exposure time: 96	(zebra fish)): > 10,000 mg/l 5 h		
	ty to daphnia and other c invertebrates	:	: EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202			
Toxici plants	ty to algae/aquatic	:	EL50 (Raphidocel mg/l Exposure time: 72 Method: OECD Te			
			NOELR (Raphido >= 20 mg/l	celis subcapitata (freshwater green alga)):		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

# **Copper Oxide Solid Formulation**

Version 5.0	Revision Date: 28.09.2024		OS Number: 153962-00008	Date of last issue: 06.07.2024 Date of first issue: 20.12.2022
			Exposure time: 7 Method: OECD 1	2 h Test Guideline 201
Тох	xicity to microorganisms		Exposure time: 3 Method: ISO 819	
aqu	icity to daphnia and other atic invertebrates (Chron- xicity)	:	•	•

## 12.2 Persistence and degradability

#### **Components:**

## 2,6-Di-tert-butyl-p-cresol:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 4.5 % Exposure time: 28 d Method: OECD Test Guideline 301C

## 12.3 Bioaccumulative potential

#### Components:

tert-Butyl-4-methoxyphenol:		
Bioaccumulation	:	Species: Oryzias latipes (Orange-red killifish) Bioconcentration factor (BCF): 16 - 21
Partition coefficient: n- octanol/water	:	log Pow: 2.82 Method: OECD Test Guideline 117
2,6-Di-tert-butyl-p-cresol:		
Bioaccumulation	:	Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n- octanol/water	:	log Pow: 5.1	
octanol/water			

#### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

# **Copper Oxide Solid Formulation**

5.0 28.09.2024 11153962-00008 Date of first issue: 20.12.2022	Version 5.0	Revision Date: 28.09.2024	SDS Number: 11153962-00008	Date of last issue: 06.07.2024 Date of first issue: 20.12.2022
---	----------------	---------------------------	-------------------------------	---

### 12.6 Other adverse effects

## Product:

Endocrine disrupting poten-	:	This substance/mixture does not contain components consid- ered to have endocrine disrupting properties for environment
		according to UK REACH Article 57(f).

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.	
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.	

### **SECTION 14: Transport information**

## 14.1 UN number

ADN	:	UN 3077
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
ΙΑΤΑ	:	UN 3077
14.2 UN proper shipping name		
ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper oxide, 2,6-Di-tert-butyl-p-cresol)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper oxide, 2,6-Di-tert-butyl-p-cresol)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper oxide, 2,6-Di-tert-butyl-p-cresol)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper oxide, 2,6-Di-tert-butyl-p-cresol)
ΙΑΤΑ	:	Environmentally hazardous substance, solid, n.o.s. (Copper oxide, 2,6-Di-tert-butyl-p-cresol)

## 14.3 Transport hazard class(es)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 5.0	Revision Date: 28.09.2024		9S Number: 153962-00008	Date of last issue: 06.07.2024 Date of first issue: 20.12.2022
			Class	Subsidiary risks
AD	NI.		9	Subsidially lisks
AL		÷	9	
RI		:	9	
	DG	:	9	
IA <sup>-</sup>		•	9	
	cking group	•	9	
Cla Ha	N cking group assification Code zard Identification Number bels	: :	III M7 90 9	
Cla Ha La	<b>PR</b> cking group assification Code zard Identification Number bels nnel restriction code		III M7 90 9 (-)	
Cla Ha	D cking group assification Code zard Identification Number bels	:	III M7 90 9	
Pa La	<b>DG</b> cking group bels nS Code	:	III 9 F-A, S-F	
Pa	<b>FA (Cargo)</b> cking instruction (cargo craft)	:	956	
Pa Pa	cking instruction (LQ) cking group bels	: : :	Y956 III Miscellaneous	
Pa ge	<b>FA (Passenger)</b> cking instruction (passen- r aircraft)	:	956	
Pa Pa	cking instruction (LQ) cking group bels	:	Y956 III Miscellaneous	
14.5 Er	vironmental hazards			
AC En	N vironmentally hazardous	:	yes	
<b>AD</b> En	<b>PR</b> vironmentally hazardous	:	yes	



# **Copper Oxide Solid Formulation**

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.07.2024
5.0		11153962-00008	Date of first issue: 20.12.2022

### RID

Environmentally hazardous	:	yes
IMDG Marine pollutant	:	yes
IATA (Passenger) Environmentally hazardous	:	yes
IATA (Cargo)		

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks

: Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Ar	nnex 17)	:	Not applicable	
UK REACH Candidate list of subs concern (SVHC) for Authorisation	, ,	:	Not applicable	
The Persistent Órganic Pollutants Regulation (EU) 2019/1021 as an ain)	Regulations (retained	:	Not applicable	
Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable	
UK REACH List of substances su (Annex XIV)	bject to authorisation	:	Not applicable	
GB Export and import of hazardou Informed Consent (PIC) Regulation		:	Not applicable	
Control of Major Accident Hazard	s Regulations 2015 (CO	MA	H)	
			Quantity 1	Quantity 2
E1	ENVIRONMENTAL		100 t	200 t
	HAZARDS			

#### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.



# **Copper Oxide Solid Formulation**

Version 5.0	Revision Date: 28.09.2024	SDS Number: 11153962-00008	Date of last issue: 06.07.2024 Date of first issue: 20.12.2022		
	• •	•	the following inventories:		
AICS	5	: not determined			
DSL		: not determined			
IECS	SC	: not determined			
A Chemic	mical safety assessm al Safety Assessment N 16: Other informa	has not been carried ou	ıt.		
Other information : Items where changes have been ma		anges have been made to the previous version n the body of this document by two vertical			
Full	text of H-Statements				
H315	5	: Causes skin irrit			
H319		: Causes serious eye irritation.			
H351		: Suspected of causing cancer.			
H361d			: Suspected of damaging the unborn child.		
H400 H410			: Very toxic to aquatic life.		
H411		<ul><li>Very toxic to aquatic life with long lasting effects.</li><li>Toxic to aquatic life with long lasting effects.</li></ul>			
Full text of other abbreviations					
Aquatic Acute : Short-term (acute) aquatic hazard					
Aquatic Chronic			nic) aquatic hazard		
	Carc. : Carcinogenicity				
Eye I		: Eye irritation			
	Repr. : Reproductive toxicity		kicity		
Skin Irrit. GB EH40		: Skin irritation	- Workplace Exposure Limite		
-	EH40 / TWA		- Workplace Exposure Limits sure limit (8-hour TWA reference period)		
GB EH40 / STEL			sure limit (15-minute reference period)		
ADN - European Agreement concerning the International Carriage of Dangerous Goods by					
	Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization;



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	28.09.2024	11153962-00008	Date of first issue: 20.12.2022

KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Classification of the mi	Classification procedure:	
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN