according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 5.0
 28.09.2024
 11153948-00008
 Date of first issue: 20.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Copper Oxide Solid Formulation

Other means of identification : COOPERS PERMATRACE COPPER 10 CAPSULES FOR

CALVES AND ADULT CATTLE (47689)

COOPERS PERMATRACE COPPER 20 CAPSULES FOR

CATTLE (47688)

COOPERS PERMATRACE COPPER CAPSULES FOR

ADULT SHEEP & GOATS (47637)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Kilsheelan

Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

1-908-423-6000

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate-

H400: Very toxic to aquatic life.

gory 1

Long-term (chronic) aquatic hazard, Cat-

H410: Very toxic to aquatic life with long lasting

egory 1 effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 11153948-00008 Date of first issue: 20.12.2022

Hazard pictograms :

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Copper oxide	1317-38-0 215-269-1 029-016-00-6	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10	>= 30 - < 50
tert-Butyl-4-methoxyphenol	25013-16-5	Skin Irrit. 2; H315	>= 0.25 - < 1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	28.09.2024	11153948-00008	Date of first issue: 20.12.2022

	246-563-8	Eye Irrit. 2; H319 Carc. 2; H351 Repr. 2; H361d Aquatic Chronic 2; H411	
2,6-Di-tert-butyl-p-cresol	128-37-0 204-881-4	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0.1 - < 0.25

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 5.0
 28.09.2024
 11153948-00008
 Date of first issue: 20.12.2022

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides Metal oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 5.0
 28.09.2024
 11153948-00008
 Date of first issue: 20.12.2022

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres. Use only with adequate ventilation.

Local/Total ventilation : Use or Advice on safe handling : Do not

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store in accordance with the particular national regulations.

5/22

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 5.0
 28.09.2024
 11153948-00008
 Date of first issue: 20.12.2022

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) : No data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Diiron trioxide	1309-37-1	OELV - 8 hrs (TWA) (Fumes)	5 mg/m3 (Iron)	IE OEL
		OELV - 8 hrs (TWA) (Respira- ble dust)	4 mg/m3	IE OEL
		OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m3	IE OEL
		OELV - 15 min (STEL) (Fumes)	10 mg/m3 (Iron)	IE OEL
2,6-Di-tert-butyl-p- cresol	128-37-0	OELV - 8 hrs (TWA)	2 mg/m3	IE OEL

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Calcium carbonate	Workers	Inhalation	Long-term systemic effects	6.36 mg/m3
	Consumers	Ingestion	Acute systemic effects	6.1 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.06 mg/m3
	Consumers	Ingestion	Long-term systemic effects	6.1 mg/kg bw/day
tert-Butyl-4- methoxyphenol	Workers	Inhalation	Long-term systemic effects	4.93 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.4 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.87 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.5 mg/kg bw/day
2,6-Di-tert-butyl-p-	Workers	Inhalation	Long-term systemic	3.5 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 5.0
 28.09.2024
 11153948-00008
 Date of first issue: 20.12.2022

cresol			effects	
	Workers	Dermal	Long-term systemic effects	0.5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.86 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.25 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.25 mg/kg bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Copper oxide	Fresh water	7.8 μg/l
	Marine water	5.2 μg/l
	Sewage treatment plant	230 μg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg
Calcium carbonate	Sewage treatment plant	100 mg/l
tert-Butyl-4-methoxyphenol	Fresh water	0.0124 mg/l
	Freshwater - intermittent	0.0156 mg/l
	Marine water	0.00124 mg/l
	Marine water - intermittent	0.00156 mg/l
	Fresh water sediment	1.78 mg/kg dry weight (d.w.)
	Marine sediment	0.178 mg/kg dry weight (d.w.)
	Soil	0.348 mg/kg dry weight (d.w.)
2,6-Di-tert-butyl-p-cresol	Fresh water	0.199 µg/l
•	Intermittent use/release	0.02 µg/l
	Marine water	0.02 µg/l
	Sewage treatment plant	0.17 mg/l
	Fresh water sediment	0.0996 mg/kg dry weight (d.w.)
	Marine sediment	0.00996 mg/kg dry weight (d.w.)
	Soil	0.04769 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	8.33 mg/kg food

#### 8.2 Exposure controls

### **Engineering measures**

Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 11153948-00008 Date of first issue: 20.12.2022

potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Skin and body protection

: Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to I.S. EN 143

Filter type : Particulates type (P)

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : capsule

Colour : metallic

grey

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 11153948-00008 Date of first issue: 20.12.2022

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Vapour pressure : Not applicable

Relative density : No data available

Density : No data available

Relative vapour density : Not applicable

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

Molecular weight : No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 5.0
 28.09.2024
 11153948-00008
 Date of first issue: 20.12.2022

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

**Acute toxicity** 

Not classified based on available information.

**Components:** 

Copper oxide:

Acute oral toxicity : LD50 (Rat): > 2,500 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

tert-Butyl-4-methoxyphenol:

Acute oral toxicity : LD50 (Rabbit): 2,100 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Copper oxide:

Species : Rabbit

Method : OECD Test Guideline 404

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 11153948-00008 Date of first issue: 20.12.2022

Result : No skin irritation

tert-Butyl-4-methoxyphenol:

Species : Rabbit Result : Skin irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

Copper oxide:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

tert-Butyl-4-methoxyphenol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days
Remarks : Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Components:** 

Copper oxide:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 5.0
 28.09.2024
 11153948-00008
 Date of first issue: 20.12.2022

tert-Butyl-4-methoxyphenol:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact Result : negative

2,6-Di-tert-butyl-p-cresol:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact Species : Humans Result : negative

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Copper oxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

tert-Butyl-4-methoxyphenol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 11153948-00008 Date of first issue: 20.12.2022

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### tert-Butyl-4-methoxyphenol:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : positive

Species : Hamster, male
Application Route : Ingestion
Exposure time : 24 weeks
Result : positive

Carcinogenicity - Assess-

men

: Limited evidence of carcinogenicity in animal studies

#### 2,6-Di-tert-butyl-p-cresol:

Species: RatApplication Route: IngestionExposure time: 22 MonthsResult: negative

## Reproductive toxicity

Not classified based on available information.

## **Components:**

### Copper oxide:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Remarks: Based on data from similar materials

#### tert-Butyl-4-methoxyphenol:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 11153948-00008 Date of first issue: 20.12.2022

Result: negative

Effects on foetal develop-

mant

ment

Test Type: Fertility/early embryonic development

Species: Mouse

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

**Application Route: Ingestion** 

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Components:** 

2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

**Components:** 

Copper oxide:

Species : Mouse

NOAEL : 1000 ppm

Application Route : Ingestion

Exposure time : 92 Days

Remarks : Based on data from similar materials

tert-Butyl-4-methoxyphenol:

Species : Rat

NOAEL : 50 mg/kg

LOAEL : 250 mg/kg

Application Route : Ingestion

Exposure time : 8 Months

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 11153948-00008 Date of first issue: 20.12.2022 5.0

2,6-Di-tert-butyl-p-cresol:

Species Rat NOAEL 25 mg/kg Application Route : Ingestion Exposure time 22 Months

**Aspiration toxicity** 

Not classified based on available information.

11.2 Information on other hazards

**Endocrine disrupting properties** 

**Product:** 

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**SECTION 12: Ecological information** 

12.1 Toxicity

**Components:** Copper oxide:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 0.01 - 0.1

mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox- :

icity)

100

Toxicity to fish (Chronic tox-:

icity)

NOEC: > 0.001 - 0.01 mg/l

Exposure time: 32 d

Species: Oncorhynchus mykiss (rainbow trout) Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0.001 - 0.01 mg/l

Exposure time: 7 d

Species: Ceriodaphnia dubia (water flea) Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

: 10

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 11153948-00008 Date of first issue: 20.12.2022

**Ecotoxicology Assessment** 

Acute aquatic toxicity : M-factor: 100

Chronic aquatic toxicity : M-factor: 10

tert-Butyl-4-methoxyphenol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.56 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.3 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.9

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.25

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

2,6-Di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.48 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

: 1

Toxicity to microorganisms : EC50 : > 10,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox- : NOEC: 0.053 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 11153948-00008 Date of first issue: 20.12.2022

icity) Exposure time: 30 d

Species: Oryzias latipes (Japanese medaka)

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.316 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic :

toxicity)

## 12.2 Persistence and degradability

## **Components:**

#### 2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 4.5 % Exposure time: 28 d

Method: OECD Test Guideline 301C

#### 12.3 Bioaccumulative potential

#### **Components:**

#### tert-Butyl-4-methoxyphenol:

Bioaccumulation : Species: Oryzias latipes (Orange-red killifish)

Bioconcentration factor (BCF): 16 - 21

Partition coefficient: n- : log Pow: 2.82

octanol/water Method: OECD Test Guideline 117

2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n- : log Pow: 5.1

octanol/water

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 5.0
 28.09.2024
 11153948-00008
 Date of first issue: 20.12.2022

#### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Copper oxide, 2,6-Di-tert-butyl-p-cresol)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Copper oxide, 2,6-Di-tert-butyl-p-cresol)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

 $N \cap S$ 

(Copper oxide, 2,6-Di-tert-butyl-p-cresol)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 11153948-00008 Date of first issue: 20.12.2022

(Copper oxide, 2,6-Di-tert-butyl-p-cresol)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Copper oxide, 2,6-Di-tert-butyl-p-cresol)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**ADR** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Copper Oxide Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 11153948-00008 Date of first issue: 20.12.2022

**ADN** 

Environmentally hazardous : yes

**ADR** 

Environmentally hazardous : yes

rid

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

Not applicable

REACH - Restrictions on the manufacture, placing on :

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) on substances that deplete the ozone : Not applicable

laver

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

Regulation (EU) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2
E1 ENVIRONMENTAL 100 t 200 t

**HAZARDS** 

#### The components of this product are reported in the following inventories:

AICS : not determined

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Copper Oxide Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 5.0
 28.09.2024
 11153948-00008
 Date of first issue: 20.12.2022

DSL : not determined

IECSC : not determined

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

#### **Full text of H-Statements**

H315 : Causes skin irritation.

H319 : Causes serious eye irritation. H351 : Suspected of causing cancer.

H361d : Suspected of damaging the unborn child.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Carc. : Carcinogenicity
Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation

IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occu-

pational Exposure Limit Values - Code of Practice, Schedule 1

and 2

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min : Occupational exposure limit value (15-minute reference peri-

(STEL) od

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **Copper Oxide Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 5.0 28.09.2024 11153948-00008 Date of first issue: 20.12.2022

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

H400 Aquatic Acute 1 Calculation method Aquatic Chronic 1 H410 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN