

SAFETY DATA SHEET

according to the Globally Harmonized System



Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Cypermethrin Liquid Formulation

Other means of identification : VANQUISH LONG WOOL SPRAY-ON LICE TREATMENT AND BLOWFLY STRIKE PREVENTIVE FOR LONG WOOLLED SHEEP AND UNSHORN LAMBS (38354)

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Skin sensitisation : Category 1

Carcinogenicity : Category 1B

Reproductive toxicity : Category 2


Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : H317 May cause an allergic skin reaction.
H350 May cause cancer.
H361f Suspected of damaging fertility.
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**
P203 Obtain, read and follow all safety instructions before use.
P261 Avoid breathing mist or vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**
P302 + P352 IF ON SKIN: Wash with plenty of water.
P318 IF exposed or concerned, get medical advice.
P333 + P317 If skin irritation or rash occurs: Get medical help.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
- Storage:**
P405 Store locked up.
- Disposal:**
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|------------|-----------------------|
| Cypermethrin | 52315-07-8 | >= 5 - < 10 |
| Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether | 37251-69-7 | >= 1 - < 2.5 |
| Formaldehyde | 50-00-0 | >= 0.2 - < 0.25 |

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

SAFETY DATA SHEET

according to the Globally Harmonized System



Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

- vice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
May cause cancer.
Suspected of damaging fertility.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.

SAFETY DATA SHEET

according to the Globally Harmonized System



Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|--------------|------------|-------------------------------|--|----------|
| Cypermethrin | 52315-07-8 | TWA | 50 µg/m3 (OEB 3) | Internal |

Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

| | | | | |
|--------------|--|------------|--------------------------------|----------|
| | Further information: DSEN, Skin | | | |
| | | Wipe limit | 100 µg/100 cm ² | Internal |
| Formaldehyde | 50-00-0 | STEL | 2 ppm 3 mg/m ³ | IN OEL |
| | Further information: Suspected human carcinogens | | | |
| | | TWA | 1 ppm 1.5 mg/m ³ | IN OEL |
| | Further information: Suspected human carcinogens | | | |
| | | TWA | 0.1 ppm | ACGIH |
| | | STEL | 0.3 ppm | ACGIH |

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and inorganic gas/vapour type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Colour : pink

Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

red

Odour : No data available

Odour Threshold : No data available

pH : 3.0 - 6.0

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.02

Density : No data available

Solubility(ies)
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Can react with strong oxidizing agents.
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 30000 ppm
Exposure time: 4 h
Test atmosphere: gas
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Cypermethrin:

Acute oral toxicity : LD50 (Rat, female): 367 mg/kg
LD50 (Rat, male): 891 mg/kg

Acute dermal toxicity : LD50 (Rat): > 4,800 mg/kg
LD50 (Rabbit): > 2,400 mg/kg

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Acute oral toxicity : LD50 (Rat): > 4,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

SAFETY DATA SHEET

according to the Globally Harmonized System



Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

Formaldehyde:

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg
Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 100 ppm
Exposure time: 4 h
Test atmosphere: gas
Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Cypermethrin:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Formaldehyde:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Cypermethrin:

Species : Rabbit
Method : Draize Test
Result : No eye irritation

Formaldehyde:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Cypermethrin:

Test Type : Magnusson-Kligman-Test

SAFETY DATA SHEET

according to the Globally Harmonized System



Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

Species : Guinea pig
Assessment : Did not cause sensitisation on laboratory animals.
Result : Not a skin sensitizer.

Formaldehyde:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Cypermethrin:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Result: negative

Test Type: Microbial mutagenesis assay (Ames test)
Result: negative

Test Type: sister chromatid exchange assay
Test system: Human lymphocytes
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Rat
Application Route: Oral
Result: positive

Test Type: In vivo micronucleus test
Species: Rat
Application Route: Dermal
Result: positive

Test Type: In vivo micronucleus test
Species: Rat
Application Route: Intraperitoneal injection
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Formaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: positive

SAFETY DATA SHEET

according to the Globally Harmonized System



Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

Test Type: Chromosome aberration test in vitro
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Inhalation
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

May cause cancer.

Components:

Formaldehyde:

Species : Rat
Application Route : inhalation (gas)
Exposure time : 28 Months
Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Suspected of damaging fertility.

Components:

Cypermethrin:

Effects on fertility : Test Type: Fertility
Species: Rat, male
Application Route: Oral
Fertility: LOAEL: 68 mg/kg body weight
Symptoms: Effects on fertility, male reproductive effects, Testicular effects

Test Type: Fertility
Species: Rat, male
Application Route: Oral
Fertility: NOAEL: 6.25 mg/kg body weight
Target Organs: male reproductive organs, Testis

Effects on foetal development : Test Type: Three-generation reproduction toxicity study
Species: Mouse
Application Route: Oral
General Toxicity Maternal: NOAEL: 5 mg/kg body weight
Symptoms: No effects on foetal development, No effect on reproduction capacity, Reduced body weight

Test Type: Reproduction/Developmental toxicity screening test

SAFETY DATA SHEET

according to the Globally Harmonized System



Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

Species: Rabbit
Application Route: Oral
Teratogenicity: NOAEL: 30 mg/kg body weight
Symptoms: No effects on foetal development

Test Type: Reproduction/Developmental toxicity screening test

Species: Rat
Application Route: Oral
Teratogenicity: NOAEL: 17.5 mg/kg body weight
Symptoms: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

Formaldehyde:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: inhalation (gas)
Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Cypermethrin:

Target Organs : Nervous system
Assessment : May cause damage to organs.

Formaldehyde:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

Formaldehyde:

Exposure routes : inhalation (gas)
Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Cypermethrin:

Species : Rat
NOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 3 Months

SAFETY DATA SHEET

according to the Globally Harmonized System



Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

Target Organs : Central nervous system

Species : Rabbit
NOAEL : 12.5 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Central nervous system

Species : Dog
NOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 1 yr
Symptoms : anxiety, central nervous system effects

Species : Rabbit
NOAEL : 20 mg/kg
Application Route : Dermal
Exposure time : 3 Weeks
Target Organs : male reproductive organs
Symptoms : reduced body weight gain, reduced food consumption

Formaldehyde:

Species : Rat
NOAEL : 6 ppm
LOAEL : 10 ppm
Application Route : inhalation (gas)
Exposure time : 28 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Cypermethrin:

General Information : Target Organs: Nervous system
Symptoms: muscle weakness, central nervous system effects
Remarks: Based on Human Evidence
The most common side effects are:
Remarks: paraesthesias

Further information

Components:

Cypermethrin:

Remarks : Dermal absorption possible

SAFETY DATA SHEET

according to the Globally Harmonized System



Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cypermethrin:

- Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0.39 µg/l
Exposure time: 96 h
- EC50 (Cyprinodon variegatus (sheepshead minnow)): 0.95 µg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0036 µg/l
Exposure time: 48 h
- EC50 (Americamysis): 0.00475 µg/l
Exposure time: 48 h
- M-Factor (Acute aquatic toxicity) : 100,000
- Toxicity to fish (Chronic toxicity) : NOEC: 0.14 µg/l
Exposure time: 30 d
Species: Pimephales promelas (fathead minnow)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.000781 µg/l
Exposure time: 28 d
Species: Mysidopsis bahia (opossum shrimp)
- M-Factor (Chronic aquatic toxicity) : 100,000

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

- Toxicity to fish : LC50: 82 mg/l
Exposure time: 96 h

Formaldehyde:

- Toxicity to fish : LC50: 6.7 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 5.8 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 4.89 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50: 34.1 mg/l

SAFETY DATA SHEET

according to the Globally Harmonized System



Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

Exposure time: 120 h

Toxicity to fish (Chronic toxicity) : NOEC: ≥ 48 mg/l
Exposure time: 28 d
Species: *Oryzias latipes* (Orange-red killifish)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: ≥ 6.4 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Method: OECD Test Guideline 211

Persistence and degradability

Components:

Cypermethrin:

Stability in water : Degradation half life (DT50): 17 d

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: < 70 %
Exposure time: 28 d

Formaldehyde:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 91 %
Exposure time: 14 d
Method: OECD Test Guideline 301C
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Cypermethrin:

Bioaccumulation : Bioconcentration factor (BCF): 488

Partition coefficient: n-octanol/water : log Pow: 6.6

Formaldehyde:

Partition coefficient: n-octanol/water : log Pow: 0.35
Remarks: Calculation

Mobility in soil

Components:

Cypermethrin:

Distribution among environmental compartments : log Koc: 5.58

Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

Stability in soil :

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Cypermethrin)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Cypermethrin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Cypermethrin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

SAFETY DATA SHEET

according to the Globally Harmonized System



Cypermethrin Liquid Formulation

Version 1.5 Revision Date: 21.11.2023 SDS Number: 10849852-00006 Date of last issue: 30.09.2023
Date of first issue: 12.09.2022

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

16. OTHER INFORMATION

Revision Date : 21.11.2023

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)
IN OEL / STEL : Short-term exposure Limit STEL (15 min)

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

SAFETY DATA SHEET

according to the Globally Harmonized System



Cypermethrin Liquid Formulation

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 30.09.2023 |
| 1.5 | 21.11.2023 | 10849852-00006 | Date of first issue: 12.09.2022 |

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN