

## Cypermethrin Liquid Formulation

Version 4.0      Revision Date: 2023/11/21      SDS Number: 10849853-00007      Date of last issue: 2023/09/30  
Date of first issue: 2022/09/12

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Cypermethrin Liquid Formulation  
Other means of identification : VANQUISH LONG WOOL SPRAY-ON LICE TREATMENT AND BLOWFLY STRIKE PREVENTIVE FOR LONG WOOLLED SHEEP AND UNSHORN LAMBS (38354)

#### Supplier's company name, address and phone number

Company name of supplier : MSD  
Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.  
Menuuma factory  
Telephone : 048-588-8411  
E-mail address : EHSDATASTEWARD@msd.com  
Emergency telephone number : +1-908-423-6000

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Skin sensitisation : Category 1  
Carcinogenicity : Category 1B  
Reproductive toxicity : Category 2  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :   

Signal word : Danger

## Cypermethrin Liquid Formulation

Version 4.0      Revision Date: 2023/11/21      SDS Number: 10849853-00007      Date of last issue: 2023/09/30  
 Date of first issue: 2022/09/12

**Hazard statements** : H317 May cause an allergic skin reaction.  
 H350 May cause cancer.  
 H361f Suspected of damaging fertility.  
 H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** : **Prevention:**  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P261 Avoid breathing mist or vapours.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P391 Collect spillage.

**Storage:**  
 P405 Store locked up.

**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Propylene glycol	57-55-6	> 0 - < 10	2-234
Cypermethrin	52315-07-8	5.19	
Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether	37251-69-7	>= 1 - < 2.5	
Formaldehyde	50-00-0	0.24	2-482
Dipropylene glycol	25265-71-8	>= 0.1 - < 1	2-413

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

### 4. FIRST AID MEASURES

- |   |   |   |
|---|---|---|
| General advice  | : | In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.  |
| If inhaled  | : | If inhaled, remove to fresh air.<br>Get medical attention.  |
| In case of skin contact                                     | : | In case of contact, immediately flush skin with soap and plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse. |
| In case of eye contact                                      | : | Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.  |
| If swallowed  | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.<br>Never give anything by mouth to an unconscious person.   |
| Most important symptoms and effects, both acute and delayed | : | May cause an allergic skin reaction.<br>May cause cancer.<br>Suspected of damaging fertility.   |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).   |
| Notes to physician  | : | Treat symptomatically and supportively.   |
- 

### 5. FIREFIGHTING MEASURES

- |   |   |   |
|---|---|---|
| Suitable extinguishing media                  | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                | : | None known.   |
| Specific hazards during fire-fighting         | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                 | : | Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )   |
| Specific extinguishing methods                | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

## Cypermethrin Liquid Formulation

Version 4.0      Revision Date: 2023/11/21      SDS Number: 10849853-00007      Date of last issue: 2023/09/30  
 Date of first issue: 2022/09/12

When using do not eat, drink or smoke.  
 Contaminated work clothing should not be allowed out of the workplace.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**Storage**

- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
Cypermethrin	52315-07-8	TWA	50 µg/m <sup>3</sup> (OEB 3)	Internal
		Further information: DSEN, Skin		
Formaldehyde	50-00-0	Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
		ACL	0.1 ppm	JP OEL ISHL
		OEL-M	0.1 ppm 0.12 mg/m <sup>3</sup>	JP OEL JSOH
Further information: Airway sensitizing agent; Group 2 substances which probably induce allergic reactions in humans., Skin sensitizing agent; Group 1 substances which induce allergic reactions in humans, Group 2A: probably carcinogenic to humans				
		OEL-C	0.2 ppm 0.24 mg/m <sup>3</sup>	JP OEL JSOH
Further information: Airway sensitizing agent; Group 2 substances which probably induce allergic reactions in humans., Skin sensitizing agent; Group 1 substances which induce allergic reactions in humans, Group 2A: probably carcinogenic to humans				
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

### Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Combined particulates and inorganic gas/vapour type
Hand protection	:	
Material	:	Chemical-resistant gloves
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	suspension
Colour	:	pink red
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Lower explosion limit and upper explosion limit / flammability limit	:	
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

pH	:	3.0 - 6.0
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density and / or relative density		
Relative density	:	1.02
Density	:	No data available
Relative vapour density	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion
--	---	---

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20000 ppm Exposure time: 4 h Test atmosphere: gas Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

**Components:****Propylene glycol:**

Acute oral toxicity	:	LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 44.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**Cypermethrin:**

Acute oral toxicity	:	LD50 (Rat, female): 367 mg/kg LD50 (Rat, male): 891 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 4,800 mg/kg LD50 (Rabbit): > 2,400 mg/kg

**Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:**

Acute oral toxicity	:	LD50 (Rat): > 4,000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg

**Formaldehyde:**

Acute oral toxicity	:	Acute toxicity estimate: 100 mg/kg Method: Expert judgement
Acute inhalation toxicity	:	Acute toxicity estimate: 100 ppm



## Cypermethrin Liquid Formulation

Version 4.0      Revision Date: 2023/11/21      SDS Number: 10849853-00007      Date of last issue: 2023/09/30  
Date of first issue: 2022/09/12

---

Exposure time: 4 h  
Test atmosphere: gas  
Method: Expert judgement  
Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

**Dipropylene glycol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 2.34 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Propylene glycol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Cypermethrin:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

**Formaldehyde:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes to 1 hour of exposure

**Dipropylene glycol:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Propylene glycol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

### Cypermethrin:

Species	: Rabbit
Result	: No eye irritation
Method	: Draize Test

### Formaldehyde:

Species	: Rabbit
Result	: Irreversible effects on the eye

### Dipropylene glycol:

Species	: Rabbit
Result	: No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Propylene glycol:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

#### Cypermethrin:

Test Type	: Magnusson-Kligman-Test
Species	: Guinea pig
Assessment	: Did not cause sensitisation on laboratory animals.
Result	: Not a skin sensitizer.

#### Formaldehyde:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: positive

Assessment	: Probability or evidence of high skin sensitisation rate in humans
------------	---

#### Dipropylene glycol:

Test Type	: Buehler Test
Exposure routes	: Skin contact

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

Species	: Guinea pig
Result	: negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Propylene glycol:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

	: Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
--	---

Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative
----------------------	--

**Cypermethrin:**

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Result: negative
-----------------------	--

	: Test Type: Microbial mutagenesis assay (Ames test) Result: negative
--	--

	: Test Type: sister chromatid exchange assay Test system: Human lymphocytes Result: negative
--	--

Genotoxicity in vivo	: Test Type: In vivo micronucleus test Species: Rat Application Route: Oral Result: positive
----------------------	---

	: Test Type: In vivo micronucleus test Species: Rat Application Route: Dermal Result: positive
--	---

	: Test Type: In vivo micronucleus test Species: Rat Application Route: Intraperitoneal injection Result: negative
--	--

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

||

**Formaldehyde:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: positive
	:	Test Type: Chromosome aberration test in vitro Result: positive
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Inhalation Result: positive
Germ cell mutagenicity - Assessment	:	Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

**Dipropylene glycol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative

**Carcinogenicity**

May cause cancer.

**Components:****Propylene glycol:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

**Formaldehyde:**

Species	:	Rat
Application Route	:	inhalation (gas)
Exposure time	:	28 Months
Result	:	positive

Carcinogenicity - Assess-	:	Sufficient evidence of carcinogenicity in animal experiments
---------------------------	---	--

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

## ||ment

**Dipropylene glycol:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	104 weeks
Result	:	negative

**Reproductive toxicity**

Suspected of damaging fertility.

**Components:****Propylene glycol:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative

**Cypermethrin:**

Effects on fertility	:	Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: LOAEL: 68 mg/kg body weight Symptoms: Effects on fertility, male reproductive effects, Testicular effects  Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: NOAEL: 6.25 mg/kg body weight Target Organs: male reproductive organs, Testis
Effects on foetal development	:	Test Type: Three-generation reproduction toxicity study Species: Mouse Application Route: Oral General Toxicity Maternal: NOAEL: 5 mg/kg body weight Symptoms: No effects on foetal development, No effect on reproduction capacity, Reduced body weight  Test Type: Reproduction/Developmental toxicity screening test Species: Rabbit Application Route: Oral Teratogenicity: NOAEL: 30 mg/kg body weight Symptoms: No effects on foetal development

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

		Test Type: Reproduction/Developmental toxicity screening test
		Species: Rat
		Application Route: Oral
		Teratogenicity: NOAEL: 17.5 mg/kg body weight
		Symptoms: No effects on foetal development
	Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**Formaldehyde:**

		Effects on foetal development	: Test Type: Embryo-foetal development
			Species: Rat
			Application Route: inhalation (gas)
			Result: negative

**Dipropylene glycol:**

		Effects on fertility	: Test Type: Two-generation reproduction toxicity study
			Species: Mouse
			Application Route: Ingestion
			Result: negative
	Effects on foetal development	: Test Type: Embryo-foetal development	
			Species: Rabbit
			Application Route: Ingestion
			Result: negative

**STOT - single exposure**

Not classified based on available information.

**Components:****Cypermethrin:**

		Target Organs	: Nervous system
		Assessment	: May cause damage to organs.

**Formaldehyde:**

		Assessment	: May cause respiratory irritation.
--	--	------------	-------------------------------------

**STOT - repeated exposure**

Not classified based on available information.

**Components:****Formaldehyde:**

		Exposure routes	: inhalation (gas)
		Assessment	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Cypermethrin Liquid Formulation**

Version 4.0      Revision Date: 2023/11/21      SDS Number: 10849853-00007      Date of last issue: 2023/09/30  
Date of first issue: 2022/09/12

---

**Repeated dose toxicity****Components:****Propylene glycol:**

Species : Rat, male  
NOAEL : >= 1,700 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

**Cypermethrin:**

Species : Rat  
NOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Central nervous system

Species : Rabbit  
NOAEL : 12.5 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Central nervous system

Species : Dog  
NOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 1 yr  
Symptoms : anxiety, central nervous system effects

Species : Rabbit  
NOAEL : 20 mg/kg  
Application Route : Dermal  
Exposure time : 3 Weeks  
Target Organs : male reproductive organs  
Symptoms : reduced body weight gain, reduced food consumption

**Formaldehyde:**

Species : Rat  
NOAEL : 6 ppm  
LOAEL : 10 ppm  
Application Route : inhalation (gas)  
Exposure time : 28 Days

**Dipropylene glycol:**

Species : Rat  
NOAEL : 470 mg/kg  
Application Route : Ingestion  
Exposure time : 105 Weeks

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Cypermethrin:**

General Information	: Target Organs: Nervous system Symptoms: muscle weakness, central nervous system effects Remarks: Based on Human Evidence The most common side effects are:  Remarks: paraesthesias
---------------------	---

**Further information****Components:****Cypermethrin:**

Remarks	: Dermal absorption possible
---------	------------------------------

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Propylene glycol:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	: NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

**Cypermethrin:**

Toxicity to fish	: EC50 (Oncorhynchus mykiss (rainbow trout)): 0.39 µg/l Exposure time: 96 h  EC50 (Cyprinodon variegatus (sheepshead minnow)): 0.95 µg/l
------------------	---



## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

	Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.0036 µg/l Exposure time: 48 h
	EC50 (Americamysis): 0.00475 µg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	: 100,000
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.14 µg/l Exposure time: 30 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Mysidopsis bahia (opossum shrimp)): 0.000781 µg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	: 100,000

**Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:**

Toxicity to fish	: LC50 : 82 mg/l Exposure time: 96 h
------------------	---

**Formaldehyde:**

Toxicity to fish	: LC50 : 6.7 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): 5.8 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 4.89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Orange-red killifish)): >= 48 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): >= 6.4 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC50: 34.1 mg/l Exposure time: 120 h

**Dipropylene glycol:**

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
------------------	---

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): >= 1,000 mg/l Exposure time: 18 h

**Persistence and degradability****Components:****Propylene glycol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 98.3 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---	---

**Cypermethrin:**

Stability in water	:	Degradation half life (DT50): 17 d
--------------------	---	------------------------------------

**Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: < 70 % Exposure time: 28 d
------------------	---	---

**Formaldehyde:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 91 % Exposure time: 14 d Method: OECD Test Guideline 301C Remarks: Based on data from similar materials
------------------	---	--

**Dipropylene glycol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 84.4 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---	---

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

**Bioaccumulative potential****Components:****Propylene glycol:**

Partition coefficient: n-octanol/water : log Pow: -1.07  
Method: Regulation (EC) No. 440/2008, Annex, A.8

**Cypermethrin:**

Bioaccumulation : Bioconcentration factor (BCF): 488

Partition coefficient: n-octanol/water : log Pow: 6.6

**Formaldehyde:**

Partition coefficient: n-octanol/water : log Pow: 0.35  
Remarks: Calculation

**Dipropylene glycol:**

Partition coefficient: n-octanol/water : log Pow: -0.462

**Mobility in soil****Components:****Cypermethrin:**

Distribution among environmental compartments : log Koc: 5.58  
Stability in soil :

**Hazardous to the ozone layer**

Not applicable

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3082

---

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Cypermethrin)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Cypermethrin)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Cypermethrin)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

Refer to section 15 for specific national regulation.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**ERG Code** : 171

**15. REGULATORY INFORMATION****Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

## Cypermethrin Liquid Formulation

Version 4.0      Revision Date: 2023/11/21      SDS Number: 10849853-00007      Date of last issue: 2023/09/30  
 Date of first issue: 2022/09/12

**Chemical Substance Control Law**

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106
Formaldehyde	25
1,1'-Oxydi(propan-2-ol)	240

**Industrial Safety and Health Law****Harmful Substances Prohibited from Manufacture**

Not applicable

**Harmful Substances Required Permission for Manufacture**

Not applicable

**Substances Prevented From Impairment of Health**

Not applicable

**Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity**

Not applicable

**Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity**

Not applicable

**Substances Subject to be Notified Names**

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
propane-1,2-diol	>0 - <10	From April 1st, 2025
alpha-cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	>0 - <10	From April 1st, 2025
Formaldehyde	>0 - <10	-

**Substances Subject to be Indicated Names**

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
propane-1,2-diol	From April 1st, 2025
alpha-cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	From April 1st, 2025
formaldehyde	-

**Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)**

Not applicable

**Ordinance on Prevention of Hazards Due to Specified Chemical Substances**

Not applicable

**Ordinance on Prevention of Lead Poisoning**

Not applicable

## Cypermethrin Liquid Formulation

Version 4.0      Revision Date: 2023/11/21      SDS Number: 10849853-00007      Date of last issue: 2023/09/30  
Date of first issue: 2022/09/12

**Ordinance on Prevention of Tetraalkyl Lead Poisoning**

Not applicable

**Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

**Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)**

Not applicable

**Poisonous and Deleterious Substances Control Law**

Deleterious substance

Chemical name	Cabinet Order Number
Preparations containing a mixture of equal amount of (S)-alpha-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane-carboxylate and (R)-alpha-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane carboxylate	32

**Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof****Specified Class I Designated Chemical Substances**

Chemical name	Administration number	Concentration (%)
Formaldehyde	411	0.24

**Class II Designated Chemical Substances**

Chemical name	Administration number	Concentration (%)
alpha-Cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	775	5.2

**High Pressure Gas Safety Act**

Not applicable

**Explosive Control Law**

Not applicable

**Vessel Safety Law**

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

**Aviation Law**

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

**Marine Pollution and Sea Disaster Prevention etc Law**

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

**Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)  
Not applicable

**Waste Disposal and Public Cleansing Law**

Industrial waste

**The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

---

**16. OTHER INFORMATION****Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
JP OEL ISHL	:	Japan. Administrative Control Levels
JP OEL JSOH	:	Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
JP OEL ISHL / ACL	:	Administrative Control level
JP OEL JSOH / OEL-M	:	Occupational Exposure Limit-Mean
JP OEL JSOH / OEL-C	:	Occupational Exposure Limit-Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-

**Cypermethrin Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/21	10849853-00007	Date of first issue: 2022/09/12

---

ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN