

Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Section 1: Identification

Product identifier : Cypermethrin Liquid Formulation

Other means of identifica-

tion

: VANQUISH LONG WOOL SPRAY-ON LICE TREATMENT AND BLOWFLY STRIKE PREVENTIVE FOR LONG

WOOLLED SHEEP AND UNSHORN LAMBS (38354)

Vanquish (A005997)

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive

Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Skin sensitisation : Category 1

Carcinogenicity : Category 1B

Reproductive toxicity : Category 2

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS Label elements, including precautionary statements

Hazard pictograms :







Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H350 May cause cancer.

H361f Suspected of damaging fertility.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cypermethrin	52315-07-8	>= 3 -< 10
Oxirane, 2-methyl-, polymer with oxirane,	37251-69-7	>= 1 -< 2.5
mono(nonylphenyl) ether		
Polyoxyethylene Nonylphenyl Ether, Branched,	68412-53-3	>= 0.25 -< 1
Phosphate		
Formaldehyde	50-00-0	>= 0.2 -< 1



Cypermethrin Liquid Formulation

Date of last issue: 26.06.2024 Version Revision Date: SDS Number: 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Section 4: First-aid measures

Description of necessary first-aid measures

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Risks May cause an allergic skin reaction.

May cause cancer.

Suspected of damaging fertility.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-

Exposure to combustion products may be a hazard to health.

fighting

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)



Cypermethrin Liquid Formulation

Date of last issue: 26.06.2024 Version Revision Date: SDS Number: 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Special protective actions for fire-fighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Precautions for safe handling

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation If sufficient ventilation is unavailable, use with local exhaust

ventilation.



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eves.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type	Control parame-	Basis		
		(Form of exposure)	ters / Permissible concentration			
Cypermethrin	52315-07-8	TWA	50 μg/m3 (OEB 3)	Internal		
	Further inform	Further information: DSEN, Skin				
		Wipe limit	100 μg/100 cm2	Internal		
Formaldehyde	50-00-0	PEL (short	0.3 ppm	SG OEL		
		term)	0.37 mg/m3			
		TWA	0.1 ppm	ACGIH		
		STEL	0.3 ppm	ACGIH		



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Appropriate engineering

control measures

Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type Hand protection

and protection

Material : Chemical-resistant gloves

Section 9: Physical and chemical properties

Appearance : suspension

Colour : pink

red

Odour : No data available

Odour Threshold : No data available

pH : 3.0 - 6.0

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper : No data available



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

flammability limit

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.02

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- :

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

Section 11: Toxicological information

Information on likely routes of:

exposure

Inhalation
Skin contact
Ingestion

Ingestion Eye contact



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20000 ppm

Exposure time: 4 h
Test atmosphere: gas
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Cypermethrin:

Acute oral toxicity : LD50 (Rat, female): 367 mg/kg

LD50 (Rat, male): 891 mg/kg

Acute dermal toxicity : LD50 (Rat): > 4,800 mg/kg

LD50 (Rabbit): > 2,400 mg/kg

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Acute oral toxicity : LD50 (Rat): > 4,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Acute oral toxicity : LD50 (Rat): 4,450 mg/kg

Method: OECD Test Guideline 401

Formaldehyde:

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg

Method: Expert judgement

Remarks: Based on national or regional regulation.

Acute inhalation toxicity : Acute toxicity estimate (Rat): 100 ppm

Exposure time: 4 h
Test atmosphere: gas
Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

Skin corrosion/irritation

Not classified based on available information.



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Components:

Cypermethrin:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Species : Rabbit Result : Skin irritation

Formaldehyde:

Result : Corrosive after 3 minutes to 1 hour of exposure Remarks : Based on national or regional regulation.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Cypermethrin:

Species : Rabbit

Result : No eye irritation

Method : Draize Test

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Species : Rabbit

Result : Irreversible effects on the eye

Method : Draize Test

Formaldehyde:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Cypermethrin:

Test Type : Magnusson-Kligman-Test

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Result : Not a skin sensitizer.



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Exposure routes : Skin contact Species : Humans Result : negative

Formaldehyde:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact
Species : Humans
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in hu-

mans

Germ cell mutagenicity

Not classified based on available information.

Components:

Cypermethrin:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Result: negative

Test Type: Microbial mutagenesis assay (Ames test)

Result: negative

Test Type: sister chromatid exchange assay

Test system: Human lymphocytes

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Rat

Application Route: Oral

Result: positive

Test Type: In vivo micronucleus test

Species: Rat

Application Route: Dermal

Result: positive

Test Type: In vivo micronucleus test

Species: Rat

Application Route: Intraperitoneal injection

Result: negative

Germ cell mutagenicity -

Assessment

: Weight of evidence does not support classification as a germ

cell mutagen.



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Formaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay

Species: Mouse

Application Route: Inhalation

Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Carcinogenicity

May cause cancer.

Components:

Formaldehyde:

Species : Rat

Application Route : inhalation (gas)
Exposure time : 28 Months
Result : positive

Carcinogenicity - Assess-

ment

: Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Suspected of damaging fertility.

Components:

Cypermethrin:

Effects on fertility : Test Type: Fertility

Species: Rat, male Application Route: Oral

Fertility: LOAEL: 68 mg/kg body weight

Symptoms: Effects on fertility, male reproductive effects, Tes-

ticular effects

Test Type: Fertility Species: Rat, male Application Route: Oral

Fertility: NOAEL: 6.25 mg/kg body weight

Target Organs: male reproductive organs, Testis

Effects on foetal develop-

ment

Test Type: Three-generation reproduction toxicity study

Species: Mouse



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Application Route: Oral

General Toxicity Maternal: NOAEL: 5 mg/kg body weight Symptoms: No effects on foetal development, No effect on

reproduction capacity, Reduced body weight

Test Type: Reproduction/Developmental toxicity screening

test

Species: Rabbit Application Route: Oral

Teratogenicity: NOAEL: 30 mg/kg body weight Symptoms: No effects on foetal development

Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Oral

Teratogenicity: NOAEL: 17.5 mg/kg body weight Symptoms: No effects on foetal development

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

Formaldehyde:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (gas)

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Cypermethrin:

Target Organs : Nervous system

Assessment : May cause damage to organs.

Formaldehyde:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Cypermethrin:

Species : Rat NOAEL : 5 mg/kg



Cypermethrin Liquid Formulation

Version SDS Number: Date of last issue: 26.06.2024 Revision Date: 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Application Route : Oral Exposure time : 3 Months

Target Organs : Central nervous system

Species Rabbit NOAEL 12.5 mg/kg Application Route : Oral Exposure time 3 Months

Target Organs : Central nervous system

Species Dog NOAEL 1 mg/kg Application Route Oral Exposure time 1 yr

Symptoms anxiety, central nervous system effects

Species
NOAEL
Application Route
Consure time

Consure time

Consure time

Consure time

Consure time

Consum time

Consum

Symptoms reduced body weight gain, reduced food consumption

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Cypermethrin:

General Information : Target Organs: Nervous system

Symptoms: muscle weakness, central nervous system effects

Remarks: Based on Human Evidence The most common side effects are:

Remarks: paraesthesias

Further information

Components:

Cypermethrin:

Remarks Dermal absorption possible

Section 12: Ecological information

Toxicity

Components:

Cypermethrin:

Toxicity to fish EC50 (Oncorhynchus mykiss (rainbow trout)): 0.39 μg/l



Cypermethrin Liquid Formulation

Version SDS Number: Date of last issue: 26.06.2024 Revision Date: 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Exposure time: 96 h

EC50 (Cyprinodon variegatus (sheepshead minnow)): 0.95

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0036 μg/l

Exposure time: 48 h

EC50 (Americamysis): 0.00475 µg/l

Exposure time: 48 h

M-Factor (Acute aquatic tox- :

Toxicity to fish (Chronic tox-

icity)

100,000

NOEC (Pimephales promelas (fathead minnow)): 0.14 µg/l

Exposure time: 30 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

NOEC (Mysidopsis bahia (opossum shrimp)): 0.000781 µg/l

Exposure time: 28 d

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

: 100,000

LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Toxicity to fish

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l

Exposure time: 48 h Method: ISO 6341

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1

mq/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

1

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l

Exposure time: 100 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01

mg/l



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

ic toxicity) Exposure time: 28 d

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms : EC10 (activated sludge): > 1 mg/l

10

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l

Exposure time: 48 h Method: ISO 6341

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox- :

city

. 1

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l

Exposure time: 100 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01

ma/l

Exposure time: 28 d

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

Toxicity to microorganisms

toxicity)

'

10

EC10 (activated sludge): > 1 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Formaldehyde:



Cypermethrin Liquid Formulation

Version SDS Number: Date of last issue: 26.06.2024 Revision Date: 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Toxicity to fish : LC50 (Morone saxatilis (striped bass)): 6.7 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia pulex (Water flea)): 5.8 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Desmodesmus subspicatus (green algae)): 4.89 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.04 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

: EC50 (activated sludge): 19 mg/l Toxicity to microorganisms

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

Cypermethrin:

Stability in water Degradation half life (DT50): 17 d

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Biodegradability Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Biodegradability Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Formaldehyde:

Biodegradability Result: Readily biodegradable.

Biodegradation: 99 % Exposure time: 28 d

Method: OECD Test Guideline 301A

Bioaccumulative potential

Components:

Cypermethrin:

Bioaccumulation Bioconcentration factor (BCF): 488

Partition coefficient: n-

octanol/water

log Pow: 6.6

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Partition coefficient: n- : log Pow: < 4

octanol/water Remarks: Calculation

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Partition coefficient: n- : log Pow: > 4

octanol/water Remarks: Expert judgement

Formaldehyde:

Partition coefficient: n- : log Pow: 0.35

octanol/water Remarks: Calculation

Mobility in soil

Components:

Cypermethrin:

Distribution among environ-

mental compartments

Stability in soil

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

: log Koc: 5.58

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3082

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cypermethrin)

Transport hazard class(es) : 9
Packing group : III
Labels : 9
Environmental hazards : yes

IATA-DGR

UN/ID No. : UN 3082

UN proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Cypermethrin)



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Transport hazard class(es) : 9
Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Cypermethrin)

Transport hazard class(es) : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

Nonylphenol and nonylphenol eth-

oxylates

Fire Safety (Petroleum and Flammable Materials) : Not applicable

Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

Revision Date : 28.09.2024

Further information

Sources of key data used to compile the Safety Data

compile the Safety Data
Sheet

cy, http://echa.europa.eu/

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SG OEL : Singapore. Workplace Safety and Health (General Provisions)

Regulations - First Schedule Permissible Exposure Limits of

Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 6.0 28.09.2024 10849161-00010 Date of first issue: 12.09.2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN