

Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 28.09.2024 10849159-00011 Date of first issue: 12.09.2022 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Cypermethrin Liquid Formulation

Other means of identification: VANQUISH LONG WOOL SPRAY-ON LICE TREATMENT

> AND BLOWFLY STRIKE PREVENTIVE FOR LONG WOOLLED SHEEP AND UNSHORN LAMBS (38354)

Vanquish (A005997)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Veterinary product

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

MSD Company

20 Spartan Road

1619 Spartan, South Africa

Telephone +27119239300

E-mail address of person responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Carcinogenicity, Category 1B H350: May cause cancer.

Reproductive toxicity, Category 2 H361f: Suspected of damaging fertility.

Short-term (acute) aquatic hazard, Cate-H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-H410: Very toxic to aquatic life with long lasting

egory 1

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Cypermethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.06.2024

 5.0
 28.09.2024
 10849159-00011
 Date of first issue: 12.09.2022

Hazard pictograms :







Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H350 May cause cancer.

H361f Suspected of damaging fertility.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P201 Obtain special instructions before use.P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention. P391 Collect spillage.

Hazardous components which must be listed on the label:

Cypermethrin Formaldehyde

Additional Labelling

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Cypermethrin	52315-07-8 257-842-9 607-421-00-4	Acute Tox. 4; H302 Repr. 2; H361f STOT SE 2; H371 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 3 - < 10



Cypermethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.06.2024

 5.0
 28.09.2024
 10849159-00011
 Date of first issue: 12.09.2022

		H410	
		M-Factor (Acute aquatic toxicity): 100.000 M-Factor (Chronic aquatic toxicity): 100.000	
Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether	37251-69-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ——— M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 1 - < 2,5
Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate	68412-53-3	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 0,25 - < 1
Formaldehyde	50-00-0 200-001-8 605-001-00-5 01-2119488953-20	Flam. Gas 1B; H221 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Muta. 2; H341 Carc. 1B; H350 STOT SE 3; H335	>= 0,2 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

May cause cancer.

Suspected of damaging fertility.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.



Cypermethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.06.2024

 5.0
 28.09.2024
 10849159-00011
 Date of first issue: 12.09.2022

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Cypermethrin	52315-07-8	TWA	50 μg/m3 (OEB 3)	Internal
	Further inform	nation: DSEN, Skin		
		Wipe limit	100 μg/100 cm2	Internal
Formaldehyde	50-00-0	OEL- ML	0,2 ppm	ZA OEL
	Further information: Occupational Exposure Limits - Maximum Limits For Hazardous Chemical Agents, dermal sensitisation, potential to produce dermal sensitisation, respiratory sensitisation, potential to produce respiratory sensitisation, denotes carcinogenicity, which is based on GHS categorisation, including category 1A, 1B			
		OEL - ML STEL/C	0,6 ppm	ZA OEL



Cypermethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.06.2024

 5.0
 28.09.2024
 10849159-00011
 Date of first issue: 12.09.2022

	Further information: Occupational Exposure Limits - Maximum Limits For Hazardous Chemical Agents, dermal sensitisation, potential to produce dermal sensitisation, respiratory sensitisation, potential to produce respiratory sensitisation, denotes carcinogenicity, which is based on GHS categorisation, including category 1A, 1B			
		TWA	0,3 ppm 0,37 mg/m3	2004/37/EC
		STEL	0,6 ppm 0,74 mg/m3	2004/37/EC

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Inhalation	Long-term local effects	10 mg/m3
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
Formaldehyde	Workers	Inhalation	Long-term systemic effects	9 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0,375 mg/m3
	Workers	Inhalation	Acute local effects	0,75 mg/m3
	Workers	Skin contact	Long-term systemic effects	240 mg/kg bw/day
	Workers	Skin contact	Long-term local ef- fects	0,037 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	3,2 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0,1 mg/m3
	Consumers	Skin contact	Long-term systemic effects	102 mg/kg bw/day
	Consumers	Skin contact	Long-term local ef- fects	0,012 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	4,1 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry
		weight (d.w.)
	Marine sediment	57,2 mg/kg dry
		weight (d.w.)
	Soil	50 mg/kg dry
		weight (d.w.)



Cypermethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.06.2024

 5.0
 28.09.2024
 10849159-00011
 Date of first issue: 12.09.2022

Formaldehyde	Fresh water	0,44 mg/l
	Freshwater - intermittent	4,44 mg/l
	Marine water	0,44 mg/l
	Sewage treatment plant	0,19 mg/l
	Fresh water sediment	2,3 mg/kg dry weight (d.w.)
	Marine sediment	2,3 mg/kg dry weight (d.w.)
	Soil	0,2 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : suspension

Colour : pink

red

Odour : No data available
Odour Threshold : No data available

pH : 3,0 - 6,0

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1,02

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n- : Not applicable

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : No data available

Molecular weight : No data available

Particle size : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20000 ppm

Exposure time: 4 h
Test atmosphere: gas
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Components:

Cypermethrin:

Acute oral toxicity : LD50 (Rat, female): 367 mg/kg

LD50 (Rat, male): 891 mg/kg

Acute dermal toxicity : LD50 (Rat): > 4.800 mg/kg

LD50 (Rabbit): > 2.400 mg/kg

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Acute oral toxicity : LD50 (Rat): > 4.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Acute oral toxicity : LD50 (Rat): 4.450 mg/kg

Method: OECD Test Guideline 401

Formaldehyde:



Cypermethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.06.2024

 5.0
 28.09.2024
 10849159-00011
 Date of first issue: 12.09.2022

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg

Method: Expert judgement

Remarks: Based on national or regional regulation.

Acute inhalation toxicity : Acute toxicity estimate (Rat): 100 ppm

Exposure time: 4 h
Test atmosphere: gas
Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Cypermethrin:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Species : Rabbit Result : Skin irritation

Formaldehyde:

Result : Corrosive after 3 minutes to 1 hour of exposure Remarks : Based on national or regional regulation.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Cypermethrin:

Species : Rabbit
Method : Draize Test
Result : No eye irritation

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Species : Rabbit Method : Draize Test

Result : Irreversible effects on the eye

Formaldehyde:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Cypermethrin:

Test Type : Magnusson-Kligman-Test

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Result : Not a skin sensitizer.

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Exposure routes : Skin contact Species : Humans Result : negative

Formaldehyde:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact
Species : Humans
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in hu-

mans

Germ cell mutagenicity

Not classified based on available information.

Components:

Cypermethrin:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Result: negative

Test Type: Microbial mutagenesis assay (Ames test)

Result: negative

Test Type: sister chromatid exchange assay

Test system: Human lymphocytes

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Rat

Application Route: Oral

Result: positive

Test Type: In vivo micronucleus test

Species: Rat



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

Application Route: Dermal

Result: positive

Test Type: In vivo micronucleus test

Species: Rat

Application Route: Intraperitoneal injection

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Formaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay

Species: Mouse

Application Route: Inhalation

Result: positive

Germ cell mutagenicity- As-

sessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Carcinogenicity

May cause cancer.

Components:

Formaldehyde:

Species : Rat

Application Route : inhalation (gas)
Exposure time : 28 Months
Result : positive

Carcinogenicity - Assess-

ment

: Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Suspected of damaging fertility.

Components:

Cypermethrin:

Effects on fertility : Test Type: Fertility

Species: Rat, male Application Route: Oral

Fertility: LOAEL: 68 mg/kg body weight

Symptoms: Effects on fertility, male reproductive effects, Tes-

ticular effects



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

Test Type: Fertility Species: Rat, male Application Route: Oral

Fertility: NOAEL: 6,25 mg/kg body weight Target Organs: male reproductive organs, Testis

Effects on foetal develop-

ment

Test Type: Three-generation reproduction toxicity study

Species: Mouse Application Route: Oral

General Toxicity Maternal: NOAEL: 5 mg/kg body weight Symptoms: No effects on foetal development, No effect on

reproduction capacity, Reduced body weight

Test Type: Reproduction/Developmental toxicity screening

test

Species: Rabbit Application Route: Oral

Teratogenicity: NOAEL: 30 mg/kg body weight Symptoms: No effects on foetal development

Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Oral

Teratogenicity: NOAEL: 17,5 mg/kg body weight Symptoms: No effects on foetal development

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

Formaldehyde:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (gas)

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Cypermethrin:

Target Organs : Nervous system

Assessment : May cause damage to organs.

Formaldehyde:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

Repeated dose toxicity

Components:

Cypermethrin:

Species: RatNOAEL: 5 mg/kgApplication Route: OralExposure time: 3 Months

Target Organs : Central nervous system

Species: RabbitNOAEL: 12,5 mg/kgApplication Route: OralExposure time: 3 Months

Target Organs : Central nervous system

Species : Dog
NOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 1 yr

Symptoms : anxiety, central nervous system effects

Species: RabbitNOAEL: 20 mg/kgApplication Route: DermalExposure time: 3 Weeks

Target Organs : male reproductive organs

Symptoms : reduced body weight gain, reduced food consumption

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Cypermethrin:

General Information : Target Organs: Nervous system

Symptoms: muscle weakness, central nervous system effects

Remarks: Based on Human Evidence The most common side effects are:

Remarks: paraesthesias

Further information

Components:

Cypermethrin:

Remarks : Dermal absorption possible



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

SECTION 12: Ecological information

12.1 Toxicity

Components:

Cypermethrin:

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0,39 μg/l

Exposure time: 96 h

EC50 (Cyprinodon variegatus (sheepshead minnow)): 0,95

μg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0036 μg/l

Exposure time: 48 h

EC50 (Americamysis): 0,00475 µg/l

Exposure time: 48 h

M-Factor (Acute aquatic tox- :

icity)

100.000

Toxicity to fish (Chronic tox-:

icity)

NOEC: 0,14 µg/l

Exposure time: 30 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,000781 µg/l Exposure time: 28 d

Species: Mysidopsis bahia (opossum shrimp)

M-Factor (Chronic aquatic

toxicity)

100.000

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l

Exposure time: 48 h Method: ISO 6341

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

M-Factor (Acute aquatic tox-

city

Toxicity to microorganisms : EC10 (activated sludge): > 1 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC: > 0,1 - 1 mg/l Exposure time: 100 d

Species: Oryzias latipes (Japanese medaka) Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0,001 - 0,01 mg/l Exposure time: 28 d

Species: Mysidopsis bahia (opossum shrimp)
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l

Exposure time: 48 h Method: ISO 6341

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1

mg/l

10

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox- :

icity)

: 1

Toxicity to microorganisms : EC10 (activated sludge): > 1 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

city)

NOEC: > 0,1 - 1 mg/l

Exposure time: 100 d

Species: Oryzias latipes (Japanese medaka)



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0,001 - 0,01 mg/l

Exposure time: 28 d

Species: Mysidopsis bahia (opossum shrimp) Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

: 10

Formaldehyde:

Toxicity to fish : LC50 (Morone saxatilis (striped bass)): 6,7 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 5,8 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 4,89 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): 19 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 1,04 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

12.2 Persistence and degradability

Components:

Cypermethrin:

Stability in water : Degradation half life (DT50): 17 d

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Formaldehyde:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 99 % Exposure time: 28 d

Method: OECD Test Guideline 301A



Cypermethrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.06.2024

 5.0
 28.09.2024
 10849159-00011
 Date of first issue: 12.09.2022

12.3 Bioaccumulative potential

Components:

Cypermethrin:

Bioaccumulation : Bioconcentration factor (BCF): 488

Partition coefficient: n-

octanol/water

log Pow: 6,6

Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:

Partition coefficient: n- : log Pow: < 4

octanol/water Remarks: Calculation

Polyoxyethylene Nonylphenyl Ether, Branched, Phosphate:

Partition coefficient: n- : log Pow: > 4

octanol/water Remarks: Expert judgement

Formaldehyde:

Partition coefficient: n- : log Pow: 0,35

octanol/water Remarks: Calculation

12.4 Mobility in soil

Components:

Cypermethrin:

Distribution among environ- :

mental compartments

log Koc: 5,58

Stability in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cypermethrin)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(Cypermethrin)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cypermethrin)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cypermethrin)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Cypermethrin)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III Classification Code : M6



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

Hazard Identification Number : 90 Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H221 : Flammable gas.
H301 : Toxic if swallowed.
H302 : Harmful if swallowed.
H311 : Toxic in contact with skin.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.

H330 : Fatal if inhaled.

H335 : May cause respiratory irritation. H341 : Suspected of causing genetic defects.

H350 : May cause cancer.

H361f : Suspected of damaging fertility.
H371 : May cause damage to organs.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Carc. : Carcinogenicity
Eye Dam. : Serious eye damage
Flam. Gas : Flammable gases
Muta. : Germ cell mutagenicity
Repr. : Reproductive toxicity

Skin Corr. : Skin corrosion



Cypermethrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 26.06.2024 5.0 28.09.2024 10849159-00011 Date of first issue: 12.09.2022

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

ZA OEL : South Africa. The Regulations for Hazardous Chemical

Agents, Occupational Exposure Limits

2004/37/EC / STEL : Short term exposure limit 2004/37/EC / TWA : Long term exposure limit

ZA OEL / OEL- ML : Occupational Exposure Limit Maximum limit - 8- hour expo-

sure or equivalent (12 hour shifts).

ZA OEL / OEL - ML STEL/C : Occupational Exposure Limit Maximum limit - Short term oc-

cupational exposure limits / ceiling limits

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:



Cypermethrin Liquid Formulation

Version 5.0	Revision Date: 28.09.2024	SDS Number: 10849159-00011	Date of last issue: 26.06.2024 Date of first issue: 12.09.2022	
Skin S	ens. 1	H317	Calculation method	
Carc. 1	IB	H350	Calculation method	
Repr. 2	2	H361f	Calculation method	
Aquation	c Acute 1	H400	Calculation method	
Aquation	c Chronic 1	H410	Calculation method	

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN