

## Cypermethrin Liquid Formulation

Version 3.3      Revision Date: 21.11.2023      SDS Number: 10849159-00007      Date of last issue: 30.09.2023  
Date of first issue: 12.09.2022

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Cypermethrin Liquid Formulation

Other means of identification : VANQUISH LONG WOOL SPRAY-ON LICE TREATMENT AND BLOWFLY STRIKE PREVENTIVE FOR LONG WOOLLED SHEEP AND UNSHORN LAMBS (38354)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
20 Spartan Road  
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 1B	H350: May cause cancer.
Reproductive toxicity, Category 2	H361f: Suspected of damaging fertility.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.  
H350 May cause cancer.  
H361f Suspected of damaging fertility.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P391 Collect spillage.

Hazardous components which must be listed on the label:

Cypermethrin  
Formaldehyde

**Additional Labelling**

Restricted to professional users.

**2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Cypermethrin	52315-07-8 257-842-9 607-421-00-4	Acute Tox. 4; H302 Repr. 2; H361f STOT SE 2; H371 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100.000	>= 3 - < 10

## Cypermethrin Liquid Formulation

Version 3.3      Revision Date: 21.11.2023      SDS Number: 10849159-00007      Date of last issue: 30.09.2023  
 Date of first issue: 12.09.2022

		M-Factor (Chronic aquatic toxicity): 100.000	
Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether	37251-69-7	Aquatic Chronic 3; H412	>= 1 - < 2,5
Formaldehyde	50-00-0 200-001-8 605-001-00-5 01-2119488953-20	Flam. Gas 1B; H221 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Muta. 2; H341 Carc. 1B; H350 STOT SE 3; H335	>= 0,2 - < 1

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

---

Risks : May cause an allergic skin reaction.  
May cause cancer.  
Suspected of damaging fertility.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

---

cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
 For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.  
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
 Do not breathe mist or vapours.  
 Do not swallow.  
 Avoid contact with eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

## Cypermethrin Liquid Formulation

Version 3.3      Revision Date: 21.11.2023      SDS Number: 10849159-00007      Date of last issue: 30.09.2023  
 Date of first issue: 12.09.2022

Advice on common storage : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Explosives  
 Gases

**7.3 Specific end use(s)**

Specific use(s) : No data available

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Cypermethrin	52315-07-8	TWA	50 µg/m <sup>3</sup> (OEB 3)	Internal
		Further information: DSEN, Skin		
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Formaldehyde	50-00-0	OEL- ML	0,2 ppm	ZA OEL
		Further information: Occupational Exposure Limits - Maximum Limits For Hazardous Chemical Agents, dermal sensitisation, potential to produce dermal sensitisation, respiratory sensitisation, potential to produce respiratory sensitisation, denotes carcinogenicity, which is based on GHS categorisation, including category 1A, 1B		
		OEL - ML STEL/C	0,6 ppm	ZA OEL
		Further information: Occupational Exposure Limits - Maximum Limits For Hazardous Chemical Agents, dermal sensitisation, potential to produce dermal sensitisation, respiratory sensitisation, potential to produce respiratory sensitisation, denotes carcinogenicity, which is based on GHS categorisation, including category 1A, 1B		
		TWA	0,3 ppm 0,37 mg/m <sup>3</sup>	2004/37/EC
		STEL	0,6 ppm 0,74 mg/m <sup>3</sup>	2004/37/EC

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	168 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	50 mg/m <sup>3</sup>
Formaldehyde	Workers	Inhalation	Long-term systemic	9 mg/m <sup>3</sup>

## Cypermethrin Liquid Formulation

Version 3.3      Revision Date: 21.11.2023      SDS Number: 10849159-00007      Date of last issue: 30.09.2023  
 Date of first issue: 12.09.2022

			effects	
	Workers	Inhalation	Long-term local effects	0,375 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	0,75 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	240 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0,037 mg/cm <sup>2</sup>
	Consumers	Inhalation	Long-term systemic effects	3,2 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	0,1 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	102 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0,012 mg/cm <sup>2</sup>
	Consumers	Ingestion	Long-term systemic effects	4,1 mg/kg bw/day

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

Substance name	Environmental Compartment	Value	
Propylene glycol	Fresh water	260 mg/l	
	Freshwater - intermittent	183 mg/l	
	Marine water	26 mg/l	
	Sewage treatment plant	20000 mg/l	
	Fresh water sediment	572 mg/kg dry weight (d.w.)	
	Marine sediment	57,2 mg/kg dry weight (d.w.)	
	Soil	50 mg/kg dry weight (d.w.)	
	Formaldehyde	Fresh water	0,44 mg/l
		Freshwater - intermittent	4,44 mg/l
Marine water		0,44 mg/l	
Sewage treatment plant		0,19 mg/l	
Fresh water sediment		2,3 mg/kg dry weight (d.w.)	
Marine sediment		2,3 mg/kg dry weight (d.w.)	
	Soil	0,2 mg/kg dry weight (d.w.)	

**8.2 Exposure controls****Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

**Personal protective equipment**

Eye/face protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

---

		Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Skin and body protection	:	Work uniform or laboratory coat.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Combined particulates and inorganic gas/vapour type (B-P)

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	:	suspension
Colour	:	pink red
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	3,0 - 6,0
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1,02
Density	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available



## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

---

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Flammability (liquids) : No data available

Molecular weight : No data available

Particle size : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

---

## Cypermethrin Liquid Formulation

Version 3.3      Revision Date: 21.11.2023      SDS Number: 10849159-00007      Date of last issue: 30.09.2023  
Date of first issue: 12.09.2022

---

Acute inhalation toxicity : Acute toxicity estimate: > 20000 ppm  
Exposure time: 4 h  
Test atmosphere: gas  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

**Components:****Cypermethrin:**

Acute oral toxicity : LD50 (Rat, female): 367 mg/kg

LD50 (Rat, male): 891 mg/kg

Acute dermal toxicity : LD50 (Rat): > 4.800 mg/kg

LD50 (Rabbit): > 2.400 mg/kg

**Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:**

Acute oral toxicity : LD50 (Rat): > 4.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

**Formaldehyde:**

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 100 ppm  
Exposure time: 4 h  
Test atmosphere: gas  
Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Cypermethrin:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

**Formaldehyde:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes to 1 hour of exposure

## Cypermethrin Liquid Formulation

Version 3.3      Revision Date: 21.11.2023      SDS Number: 10849159-00007      Date of last issue: 30.09.2023  
Date of first issue: 12.09.2022

---

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### **Cypermethrin:**

Species : Rabbit  
Method : Draize Test  
Result : No eye irritation

##### **Formaldehyde:**

Species : Rabbit  
Result : Irreversible effects on the eye

### Respiratory or skin sensitisation

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Components:

##### **Cypermethrin:**

Test Type : Magnusson-Kligman-Test  
Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Result : Not a skin sensitizer.

##### **Formaldehyde:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in humans

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **Cypermethrin:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Result: negative

Test Type: Microbial mutagenesis assay (Ames test)  
Result: negative

Test Type: sister chromatid exchange assay

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

---

Test system: Human lymphocytes  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Rat  
Application Route: Oral  
Result: positive

Test Type: In vivo micronucleus test  
Species: Rat  
Application Route: Dermal  
Result: positive

Test Type: In vivo micronucleus test  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Formaldehyde:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: positive

Test Type: Chromosome aberration test in vitro  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Inhalation  
Result: positive

Germ cell mutagenicity- Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

**Carcinogenicity**

May cause cancer.

**Components:****Formaldehyde:**

Species : Rat  
Application Route : inhalation (gas)  
Exposure time : 28 Months  
Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

**Reproductive toxicity**

Suspected of damaging fertility.

## Cypermethrin Liquid Formulation

Version 3.3      Revision Date: 21.11.2023      SDS Number: 10849159-00007      Date of last issue: 30.09.2023  
 Date of first issue: 12.09.2022

### Components:

#### **Cypermethrin:**

Effects on fertility : Test Type: Fertility  
 Species: Rat, male  
 Application Route: Oral  
 Fertility: LOAEL: 68 mg/kg body weight  
 Symptoms: Effects on fertility, male reproductive effects, Testicular effects

Test Type: Fertility  
 Species: Rat, male  
 Application Route: Oral  
 Fertility: NOAEL: 6,25 mg/kg body weight  
 Target Organs: male reproductive organs, Testis

Effects on foetal development : Test Type: Three-generation reproduction toxicity study  
 Species: Mouse  
 Application Route: Oral  
 General Toxicity Maternal: NOAEL: 5 mg/kg body weight  
 Symptoms: No effects on foetal development, No effect on reproduction capacity, Reduced body weight

Test Type: Reproduction/Developmental toxicity screening test  
 Species: Rabbit  
 Application Route: Oral  
 Teratogenicity: NOAEL: 30 mg/kg body weight  
 Symptoms: No effects on foetal development

Test Type: Reproduction/Developmental toxicity screening test  
 Species: Rat  
 Application Route: Oral  
 Teratogenicity: NOAEL: 17,5 mg/kg body weight  
 Symptoms: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

#### **Formaldehyde:**

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: inhalation (gas)  
 Result: negative

#### **STOT - single exposure**

Not classified based on available information.

### Components:

#### **Cypermethrin:**

Target Organs : Nervous system  
 Assessment : May cause damage to organs.



## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

---

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Cypermethrin:

General Information : Target Organs: Nervous system  
 Symptoms: muscle weakness, central nervous system effects  
 Remarks: Based on Human Evidence  
 The most common side effects are:  
 Remarks: paraesthesias

### Further information

#### Components:

#### Cypermethrin:

Remarks : Dermal absorption possible

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### Cypermethrin:

Toxicity to fish  Toxicity to daphnia and other aquatic invertebrates  M-Factor (Acute aquatic toxicity)  Toxicity to fish (Chronic toxicity)  Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)  M-Factor (Chronic aquatic toxicity)	: EC50 (Oncorhynchus mykiss (rainbow trout)): 0,39 µg/l Exposure time: 96 h  EC50 (Cyprinodon variegatus (sheepshead minnow)): 0,95 µg/l Exposure time: 96 h  : EC50 (Daphnia magna (Water flea)): 0,0036 µg/l Exposure time: 48 h  EC50 (Americamysis): 0,00475 µg/l Exposure time: 48 h  : 100.000  : NOEC: 0,14 µg/l Exposure time: 30 d Species: Pimephales promelas (fathead minnow)  : NOEC: 0,000781 µg/l Exposure time: 28 d Species: Mysidopsis bahia (opossum shrimp)  : 100.000
--	--

**Cypermethrin Liquid Formulation**

Version 3.3      Revision Date: 21.11.2023      SDS Number: 10849159-00007      Date of last issue: 30.09.2023  
Date of first issue: 12.09.2022

---

**Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:**

Toxicity to fish : LC50 : 82 mg/l  
Exposure time: 96 h

**Formaldehyde:**

Toxicity to fish : LC50 : 6,7 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 5,8 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 4,89 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : 34,1 mg/l  
Exposure time: 120 h

Toxicity to fish (Chronic toxicity) : NOEC:  $\geq$  48 mg/l  
Exposure time: 28 d  
Species: Oryzias latipes (Orange-red killifish)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC:  $\geq$  6,4 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

**12.2 Persistence and degradability****Components:****Cypermethrin:**

Stability in water : Degradation half life (DT50): 17 d

**Oxirane, 2-methyl-, polymer with oxirane, mono(nonylphenyl) ether:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: < 70 %  
Exposure time: 28 d

**Formaldehyde:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 91 %  
Exposure time: 14 d  
Method: OECD Test Guideline 301C  
Remarks: Based on data from similar materials



## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

---

### 12.3 Bioaccumulative potential

**Components:**

**Cypermethrin:**

Bioaccumulation : Bioconcentration factor (BCF): 488

Partition coefficient: n-octanol/water : log Pow: 6,6

**Formaldehyde:**

Partition coefficient: n-octanol/water : log Pow: 0,35  
Remarks: Calculation

### 12.4 Mobility in soil

**Components:**

**Cypermethrin:**

Distribution among environmental compartments : log Koc: 5,58

Stability in soil :

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

**Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

---

### SECTION 14: Transport information

#### 14.1 UN number

<b>ADN</b>	:	UN 3082
<b>ADR</b>	:	UN 3082
<b>RID</b>	:	UN 3082
<b>IMDG</b>	:	UN 3082
<b>IATA</b>	:	UN 3082

#### 14.2 UN proper shipping name

<b>ADN</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cypermethrin)
<b>ADR</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cypermethrin)
<b>RID</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cypermethrin)
<b>IMDG</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cypermethrin)
<b>IATA</b>	:	Environmentally hazardous substance, liquid, n.o.s. (Cypermethrin)

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	:	9
<b>ADR</b>	:	9
<b>RID</b>	:	9
<b>IMDG</b>	:	9
<b>IATA</b>	:	9

#### 14.4 Packing group

<b>ADN</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>ADR</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

---

**RID**

Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9

**IMDG**

Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F

**IATA (Cargo)**

Packing instruction (cargo aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

**IATA (Passenger)**

Packing instruction (passenger aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

**14.5 Environmental hazards****ADN**

Environmentally hazardous	:	yes
---------------------------	---	-----

**ADR**

Environmentally hazardous	:	yes
---------------------------	---	-----

**RID**

Environmentally hazardous	:	yes
---------------------------	---	-----

**IMDG**

Marine pollutant	:	yes
------------------	---	-----

**IATA (Passenger)**

Environmentally hazardous	:	yes
---------------------------	---	-----

**IATA (Cargo)**

Environmentally hazardous	:	yes
---------------------------	---	-----

**14.6 Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Remarks	:	Not applicable for product as supplied.
---------	---	---

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

---

### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

### SECTION 16: Other information

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
-------------------	---	--

#### Full text of H-Statements

H221	:	Flammable gas.
H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H335	:	May cause respiratory irritation.
H341	:	Suspected of causing genetic defects.
H350	:	May cause cancer.
H361f	:	Suspected of damaging fertility.
H371	:	May cause damage to organs.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	:	Carcinogenicity
Eye Dam.	:	Serious eye damage
Flam. Gas	:	Flammable gases
Muta.	:	Germ cell mutagenicity
Repr.	:	Reproductive toxicity
Skin Corr.	:	Skin corrosion
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
ZA OEL	:	South Africa. The Regulations for Hazardous Chemical Agents, Occupational Exposure Limits
2004/37/EC / STEL	:	Short term exposure limit
2004/37/EC / TWA	:	Long term exposure limit
ZA OEL / OEL- ML	:	Occupational Exposure Limit Maximum limit - 8- hour expo-

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

sure or equivalent (12 hour shifts).  
 ZA OEL / OEL - ML STEL/C : Occupational Exposure Limit Maximum limit - Short term occupational exposure limits / ceiling limits

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Classification of the mixture:**

Skin Sens. 1	H317
Carc. 1B	H350
Repr. 2	H361f
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

**Classification procedure:**

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for

## Cypermethrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.3	21.11.2023	10849159-00007	Date of first issue: 12.09.2022

---

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN