

against

Deltamethrin (1.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.6	03.11.2023	10215313-00007	Date of first issue: 10.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Deltamethrin (1.05%) Formulation
1.2 Relevant identified uses of th Use of the Sub- stance/Mixture		Substance or mixture and uses advised Veterinary product
Recommended restrictions on use	:	Not applicable
1.3 Details of the supplier of the Company	saf :	ety data sheet MSD Kilsheelan Clonmel Tipperary, IE
Telephone	:	353-51-601000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 Specific target organ toxicity - repeated exposure, Category 2 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1 H317: May cause an allergic skin reaction. H373: May cause damage to organs through prolonged or repeated exposure. H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word



Version 1.6	Revision Date: 03.11.2023	DS Number: 0215313-00007	Date of last issue: 30.09.2023 Date of first issue: 10.11.2021
Hazar	d statements	H373 May cause repeated exposure	e an allergic skin reaction. e damage to organs through prolonged or e. to aquatic life with long lasting effects.
Preca	utionary statements		ase to the environment. ective gloves.
		P333 + P313 If s advice/ attention.	al advice/ attention if you feel unwell. skin irritation or rash occurs: Get medical ske off contaminated clothing and wash it illage.

Hazardous components which must be listed on the label: deltamethrin (ISO)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
deltamethrin (ISO)	52918-63-5 258-256-6	Acute Tox. 3; H301 Acute Tox. 3; H331	>= 1 - < 2,5

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin (1.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.6	03.11.2023	10215313-00007	Date of first issue: 10.11.2021
		607-319-00	P-X Eye Irrit. 2; H319 Skin Sens. 1A; H317 Repr. 2; H361fd STOT SE 3; H335 STOT RE 1; H372 (Central nervous system) STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1.000.000 M-Factor (Chronic aquatic toxicity): 1.000.000

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.



Versi 1.6	ion	Revision Date: 03.11.2023		OS Number: 215313-00007	Date of last issue: 30.09.2023 Date of first issue: 10.11.2021
If swallowed		:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.		
4.2 N	lost im	portant symptoms a	nd e	effects, both acut	e and delayed
I	Risks		:		ergic skin reaction. ge to organs through prolonged or repeated
				the skin.	t can cause mechanical irritation or drying of the eyes can lead to mechanical irritation.
					tains a pyrethroid. hing should not be confused with carbamate ate poisoning.
4.3 Ir	ndicati	on of any immediate	me	dical attention an	d special treatment needed
	Treatm	•	:		ically and supportively.
SEC		5: Firefighting mea	sur	es	
5.1 E	xtingu	ishing media			
ę	Suitabl	e extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (Dry chemical	
	Unsuita media	able extinguishing	:	None known.	
5.2 S	pecial	hazards arising from	h the	e substance or mi	ixture
\$		c hazards during fire-	:	Vapours may for	m explosive mixtures with air. bustion products may be a hazard to health.
	Hazard ucts	ous combustion prod-	:	Carbon oxides Nitrogen oxides (Bromine compou	
5.3 A	dvice	for firefighters			
		protective equipment	:		e, wear self-contained breathing apparatus.

for firefighters		Use personal protective equipment.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.6	03.11.2023	10215313-00007	Date of first issue: 10.11.2021

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

-	Prevent further leakage or spillage if safe to de	D SO.
	Prevent spreading over a wide area (e.g. by c	ontainment or oil
	barriers).	
	Retain and dispose of contaminated wash was	ter.
	Local authorities should be advised if significa	nt spillages
	cannot be contained.	

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	 Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe mist or vapours.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin (1.05%) Formulation

Versi 1.6	ion	Revision Date: 03.11.2023	-	OS Number: 215313-00007	Date of last issue: 30.09.2023 Date of first issue: 10.11.2021
Hygiene measures		:	Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and sa practice, based on the results of the workplace exposure a sessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to environment. If exposure to chemical is likely during typical use, provide flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminar work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipmer appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the		
7.2 C	Conditi	ons for safe storage,	inc	luding any incom	patibilities
		ements for storage and containers	:	Keep in properly the particular nati	labelled containers. Store in accordance with onal regulations.
	Advice	on common storage	:	Strong oxidizing a	stances and mixtures

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m3 (OEB 3)	Internal
	Further information: DSEN, Skin			
		Wipe limit	100 μg/100 cm²	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin (1.05%) Formulation

Ver 1.6	sion Revision Date: 03.11.2023	SDS Num 10215313		e of last issue: 30.09.2023 e of first issue: 10.11.2021	
	Substance name	End Use	Exposure route	es Potential health ef- fects	Value
	Glycerides, mixed decanoyl and oc- tanoyl	Workers	Inhalation	Long-term systemic effects	177,79 mg/m3
		Workers		Long-term systemic effects	25,21 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic	43,84 mg/m3

		effects	bw/day
Consumers	Inhalation	Long-term systemic	43,84 mg/m3
		effects	
Consumers	Skin contact	Long-term systemic	12,61 mg/kg
		effects	bw/day
Consumers	Ingestion	Long-term systemic	12,61 mg/kg
	-	effects	bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Glycerides, mixed decanoyl and	Oral (Secondary Poisoning)	0,03 mg/kg food
octanoyl		

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.	
Hand protection			
Material	:	Chemical-resistant gloves	
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.	
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to NS EN 14387	
Filter type	:	Combined particulates and organic vapour type (A-P)	



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.6	03.11.2023	10215313-00007	Date of first issue: 10.11.2021

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	Colorless to pale yellow
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	> 150 °C
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.
Flammability (liquids)	:	Ignitable (see flash point)
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 93 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	Not applicable
Vapour pressure	:	No data available
Relative density	:	0,945 - 0,955 (20 °C)
Density	:	No data available



Version 1.6	Revision Date: 03.11.2023		S Number: 215313-00007	Date of last issue: 30.09.2023 Date of first issue: 10.11.2021		
Relative vapour density Particle characteristics Particle size		:	No data availableNot applicable			
	nformation	:	Not explosive			
Oxidiz	ing properties	:	The substance o	r mixture is not classified as oxidizing.		
Evapo	oration rate	:	No data available	e		
Molec	ular weight	:	No data available	e		

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Vapours may form explosive mixture with air.
	May form explosive dust-air mixture during processing, han-
	dling or other means.
	Can react with strong oxidizing agents.
10.4 Conditions to avoid	

10.4 Conditions to avoid

Conditions to avoid

: Heat, flames and sparks. Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Eye contact

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion

Acute toxicity

Not classified based on available information.



Vers 1.6	sion	Revision Date: 03.11.2023		OS Number: 215313-00007	Date of last issue: 30.09.2023 Date of first issue: 10.11.2021
	Produc Acute of	<u>t:</u> ral toxicity	:	Acute toxicity esti Method: Calculati	mate: > 2.000 mg/kg on method
	Acute in	halation toxicity	:	Acute toxicity esti Exposure time: 4 Test atmosphere: Method: Calculati	h dust/mist
	<u>Compo</u>	nents:			
	deltame	ethrin (ISO):			
	Acute o	ral toxicity	:	LD50 (Rat): 66,7	mg/kg
				LD50 (Rat): 9 - 13	39 mg/kg
				LD50 (Mouse): 19) - 34 mg/kg
	Acute in	halation toxicity	:	LC50 (Rat): 0,8 m Exposure time: 2 Test atmosphere:	ĥ
	Acute d	ermal toxicity	:	LD50 (Rabbit): 2.0	000 mg/kg
				LD50 (Rat): > 800) mg/kg
	Acute to adminis	oxicity (other routes of tration)	:	LD50 (Rat): 2,5 m Application Route	
				LD50 (Mouse): 10 Application Route	
	Skin co	rrosion/irritation			

Not classified based on available information.

Components:

deltamethrin (ISO):

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

deltamethrin (ISO):

Species	:	Rabbit
Result	:	Moderate eye irritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin (1.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.6	03.11.2023	10215313-00007	Date of first issue: 10.11.2021

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

deltamethrin (ISO):

Test Type Exposure routes Species Result	:	Maximisation Test Dermal Guinea pig negative
Test Type Exposure routes Species Result	:	Human repeat insult patch test (HRIPT) Dermal Humans positive

Germ cell mutagenicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Result: negative		
	Test Type: DNA Repair Test system: Escherichia coli Result: negative		
	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative		
	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg Result: positive		
Genotoxicity in vivo :	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative		
	Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin (1.05%) Formulation

Version 1.6	Revision Date: 03.11.2023	SDS Numbe 10215313-00	
		Species: Cell type	: Bone marrow on Route: Oral
	inogenicity lassified based on ava	lable informatio	on.
<u>Com</u>	ponents:		
Spec Appli Expo NOA LOAE Resu Targe Spec Appli	cation Route sure time EL EL It et Organs ies cation Route	: oral (feed : 104 weel : 8 mg/kg : 4 mg/kg : positive : Lymph n : Rat, male : oral (feed	ks body weight body weight odes e and female
Expo Resu	sure time It	: 2 Years : negative	
	cation Route sure time EL	: oral (feed : 2 Years	body weight
-	oductive toxicity lassified based on ava	lable informatio	on.
	ponents:		
delta	methrin (ISO):		
Effec	ts on fertility	Species: Application Early Em weight Sympton Remarks	e: Three-generation reproduction toxicity study Rat on Route: oral (feed) abryonic Development: NOAEL: 50 mg/kg body ns: No effects on fertility, Embryo-foetal toxicity s: Significant toxicity observed in testing e: Two-generation reproduction toxicity study

Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight Symptoms: No effects on fertility, Embryo-foetal toxicity according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin (1.05%) Formulation

Version 1.6	Revision Date: 03.11.2023	SDS Number: 10215313-00007	Date of last issue: 30.09.2023 Date of first issue: 10.11.2021
			male ute: Oral L: 1 mg/kg body weight rects on fertility
Effec ment	ts on foetal develop-	Developmenta Result: Skeleta Remarks: Mate Test Type: De	ee ute: oral (gavage) I Toxicity: LOAEL: 1 mg/kg body weight al malformations ernal toxicity observed. velopment
			emale I Toxicity: NOAEL: 10 mg/kg body weight effects on foetal development
		Developmenta	
Repro sessr	oductive toxicity - As- nent		e of adverse effects on sexual function and on development, based on animal experiments.
	- single exposure lassified based on avail	able information.	
Com	ponents:		
delta	methrin (ISO):		
Asse	ssment	: May cause res	piratory irritation.
	- repeated exposure cause damage to organ	s through prolonged	or repeated exposure.
<u>Com</u>	ponents:		
Expo Targe	methrin (ISO): sure routes et Organs ssment		is system, Immune system ge to organs through prolonged or repeated
Targe	sure routes et Organs ssment	 inhalation (dus Central nervou Causes damager exposure. 	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin (1.05%) Formulation

Versior 1.6	n Revision Date: 03.11.2023	SDS Number: 10215313-00007	Date of last issue: 30.09.2023 Date of first issue: 10.11.2021
Re	epeated dose toxicity		
<u>Cc</u>	omponents:		
de	Itamethrin (ISO):		
NC LC Ap Ex Ta	Decies DAEL DAEL oplication Route posure time trget Organs ymptoms	 Rat, male and fer 1 mg/kg 2,5 mg/kg Oral 13 Weeks Nervous system hyperexcitability 	nale
LĊ Ap Ex	pecies DAEL oplication Route posure time rmptoms	: Rat : 3 mg/m3 : inhalation (dust/m : 2 wk / 5 d/wk / 6 h : Local irritation, re	
NC LC Ap Ex Ta	Decies DAEL DAEL oplication Route sposure time trget Organs ymptoms	 Dog 0,1 mg/kg 1 mg/kg Oral 13 Weeks Nervous system Dilatation of the p tion 	upil, Vomiting, Tremors, Diarrhoea, Saliva-
NC LC Ap Ex	Decies DAEL DAEL Oplication Route Sposure time Irget Organs	: Rat : 14 mg/kg : 54 mg/kg : Oral : 91 d : Nervous system	
LC Ap Ex Ta	pecies DAEL oplication Route posure time urget Organs ymptoms	: Mouse : 6 mg/kg : Oral : 12 Weeks : Immune system : immune system e	ffects
As	spiration toxicity		

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin (1.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.6	03.11.2023	10215313-00007	Date of first issue: 10.11.2021
		(EU) 2017/2100	or Commission Regulation (EU) 2018/605 at

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure				
Components:				
deltamethrin (ISO):				
Inhalation	 Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching 			
Skin contact	: Symptoms: Skin irritation, Erythema, pruritis, Headache, Nau- sea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions			
Ingestion	: Symptoms: muscle pain, Small pupils			

SECTION 12: Ecological information

12.1 Toxicity

deltamethrin (ISO):		
Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): 0,00048 mg/l Exposure time: 96 h
		LC50 (Oncorhynchus mykiss (rainbow trout)): 0,00039 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Mysidopsis bahia (opossum shrimp)): 0,0037 µg/l Exposure time: 48 h
		EC50 (Daphnia magna (Water flea)): 0,0035 mg/l Exposure time: 48 h
		LC50 (Gammarus fasciatus (freshwater shrimp)): 0,0003 µg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic tox- icity)	:	1.000.000
Toxicity to fish (Chronic tox- icity)	:	NOEC: 0,000022 mg/l Exposure time: 36 d Species: Pimephales promelas (fathead minnow)
		NOEC: 0,000017 mg/l



Versi 1.6	ion	Revision Date: 03.11.2023		OS Number: 215313-00007	Date of last issue: 30.09.2023 Date of first issue: 10.11.2021
				Exposure time: 20 Species: Pimepha	60 d ales promelas (fathead minnow)
a		 to daphnia and other invertebrates (Chron- ity) 		Exposure time: 2	
	M-Fact toxicity	or (Chronic aquatic)	:	1.000.000	
12.2	Persis	tence and degradabil	ity		
<u>(</u>	Compo	onents:			
		ethrin (ISO): y in water	:	Hydrolysis: 0 %(3	30 d)
12.3	Bioaco	cumulative potential			
		onents:			
c	deltam	ethrin (ISO):			
E	Bioacci	umulation	:		s macrochirus (Bluegill sunfish) factor (BCF): 1.800
	Partitio octanol	n coefficient: n- /water	:	: log Pow: 4,6	
12.4	Mobilit	y in soil			
<u>(</u>	Compo	onents:			
Γ	Distribu	ethrin (ISO): ution among environ- compartments	:	log Koc: 7,2	
12.5	Result	s of PBT and vPvB as	sse	ssment	
	Produc Assess		:	to be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6	Endoc	rine disrupting prope	ertie	S	
Ē	Produc	<u>>t:</u>			
ļ	Assess	ment	:	ered to have ende REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.



Commission Regulation (EU) 2020/878

Deltamethrin (1.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.6	03.11.2023	10215313-00007	Date of first issue: 10.11.2021

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations			
13.1 Waste treatment methods			
Product :	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.		
Contaminated packaging :	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.		

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3082	
ADR	:	UN 3082	
RID	:	UN 3082	
IMDG	:	UN 3082	
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADN	:	ENVIRONMENTALLY N.O.S. (deltamethrin (ISO))	Y HAZARDOUS SUBSTANCE, LIQUID,
ADR	:	ENVIRONMENTALLY N.O.S. (deltamethrin (ISO))	Y HAZARDOUS SUBSTANCE, LIQUID,
RID	:	ENVIRONMENTALLY N.O.S. (deltamethrin (ISO))	Y HAZARDOUS SUBSTANCE, LIQUID,
IMDG	:	ENVIRONMENTALLY N.O.S. (deltamethrin (ISO))	Y HAZARDOUS SUBSTANCE, LIQUID,
ΙΑΤΑ	:	Environmentally haza (deltamethrin (ISO))	ardous substance, liquid, n.o.s.
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADN	:	9	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Deltamethrin (1.05%) Formulation

Vers 1.6	ion	Revision Date: 03.11.2023		0S Number: 215313-00007	Date of last issue: 30.09.2023 Date of first issue: 10.11.2021
	ADR		:	9	
	RID		:	9	
	IMDG		:	9	
	ΙΑΤΑ		:	9	
14.4	Packin	g group			
		g group cation Code Identification Number	:	III M6 90 9	
	Hazard Labels	g group cation Code Identification Number restriction code	:	III M6 90 9 (-)	
		g group cation Code Identification Number	:	III M6 90 9	
	IMDG Packing Labels EmS C		:	III 9 F-A, S-F	
	aircraft	g instruction (cargo) g instruction (LQ)	:	964 Y964 III Miscellaneous	
	IATA (I	Passenger) g instruction (passen- graft)	:	964	
	Packing Packing Labels	g instruction (LQ)	:	Y964 III Miscellaneous	
14.5	Enviro	nmental hazards			
	ADN Enviror	mentally hazardous	:	yes	
	ADR Enviror	mentally hazardous	:	yes	
	RID Enviror	mentally hazardous	:	yes	

Commission Regulation (EU) 2020/878



Deltamethrin (1.05%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.6	03.11.2023	10215313-00007	Date of first issue: 10.11.2021

IMDG

Marine pollutant:yesIATA (Passenger):yesEnvironmentally hazardous:yesIATA (Cargo):yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

6		
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliam major-accident hazards involving dangerous substances.		t and of the Council on the control of
,		Quantity 1 Quantity 2

		Quantity i	Quantity Z
E1	ENVIRONMENTAL	100 t	200 t
	HAZARDS		

Other regulations:



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.6	03.11.2023	10215313-00007	Date of first issue: 10.11.2021

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information	
Other information :	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements	
H301 :	Toxic if swallowed.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H331 :	Toxic if inhaled.
H335 :	May cause respiratory irritation.
H361fd :	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372 :	Causes damage to organs through prolonged or repeated exposure if inhaled.
H372 :	Causes damage to organs through prolonged or repeated exposure if swallowed.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	S
Acute Tox.	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Eye Irrit.	Eye irritation
Repr. :	Reproductive toxicity
Skin Sens.	Skin sensitisation
STOT RE :	Specific target organ toxicity - repeated exposure
STOT SE :	Specific target organ toxicity - single exposure
Waterways; ADR - Agreement	ncerning the International Carriage of Dangerous Goods by Inland concerning the International Carriage of Dangerous Goods by ry of Industrial Chemicals; ASTM - American Society for the Test-

Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration as-



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
1.6	03.11.2023	10215313-00007	Date of first issue: 10.11.2021

sociated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to :	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Skin Sens. 1	H317
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure: Calculation method Calculation method Calculation method

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN