

Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

Section 1: Identification

Product identifier Deltamethrin (1.05%) Formulation

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

Manufacturer or supplier's details

: MSD Company

50 Tuas West Drive Address

Singapore - Singapore 638408

Telephone +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Skin sensitisation Category 1

Specific target organ toxicity - :

repeated exposure (Oral)

Category 2 (Central nervous system, Immune system)

repeated exposure (Inhala-

tion)

Specific target organ toxicity - : Category 2 (Central nervous system)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS Label elements, including precautionary statements

Hazard pictograms



Signal word

Hazard statements H317 May cause an allergic skin reaction.



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

H373 May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if

swallowed.

H373 May cause damage to organs (Central nervous system)

through prolonged or repeated exposure if inhaled. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P260 Do not breathe mist or vapours.

P272 Contaminated work clothing should not be allowed out of

the workplace

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P314 Get medical advice/ attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
deltamethrin (ISO)	52918-63-5	>= 1 -< 2.5

Section 4: First-aid measures

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

May cause damage to organs through prolonged or repeated

exposure if inhaled.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

This product contains a pyrethroid.

Pyrethroid poisoning should not be confused with carbamate

or organophosphate poisoning.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Bromine compounds

Special protective actions for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

for firefighters

Specific extinguishing meth-

ods

Use personal protective equipment.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type	Control parame-	Basis	
		(Form of	ters / Permissible		
		exposure)	concentration		
deltamethrin (ISO)	52918-63-5	TWA	15 μg/m3 (OEB 3)	Internal	
	Further information: DSEN, Skin				
		Wipe limit	100 μg/100 cm ²	Internal	

Appropriate engineering control measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-



Deltamethrin (1.05%) Formulation

SDS Number: Date of last issue: 03.11.2023 Version Revision Date: 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin protection Work uniform or laboratory coat.

> Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type Hand protection

> Material Chemical-resistant gloves

Remarks Consider double gloving.

Section 9: Physical and chemical properties

Appearance liquid

Colour Colorless to pale yellow

Odour No data available

Odour Threshold No data available

No data available pН

Melting point/freezing point No data available

Initial boiling point and boiling : > 150 °C

range

: > 93 °C Flash point



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Ignitable (see flash point)

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 0.945 - 0.955 (20 °C)

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- : Va

tions

Vapours may form explosive mixture with air.

May form explosive dust-air mixture during processing, han-

dling or other means.



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents

No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of:

exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

deltamethrin (ISO):

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg

LD50 (Rat): 9 - 139 mg/kg

LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg

LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Rat): 2.5 mg/kg

Application Route: Intravenous

LD50 (Mouse): 10 mg/kg

Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

Components:

deltamethrin (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

deltamethrin (ISO):

Species : Rabbit

Result : Moderate eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

deltamethrin (ISO):

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig Result : negative

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Dermal Species : Humans Result : positive

Germ cell mutagenicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair Test system: Escherichia coli

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: negative



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Concentration: LOAEL: 20 mg/kg

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral Result: negative

Test Type: dominant lethal test

Species: Mouse Application Route: Oral Result: negative

Test Type: sister chromatid exchange assay

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Species : Mouse, male and female

Application Route : oral (feed) Exposure time : 104 weeks

NOAEL : 8 mg/kg body weight LOAEL : 4 mg/kg body weight

Result : positive Target Organs : Lymph nodes

Species : Rat, male and female

Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Species : Dog, male and female

Application Route : oral (feed) Exposure time : 2 Years

NOAEL : 1 mg/kg body weight

Result : negative

Reproductive toxicity

Not classified based on available information.



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

Components:

deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: oral (feed)

Early Embryonic Development: NOAEL: 50 mg/kg body

weight

Symptoms: No effects on fertility, Embryo-foetal toxicity

Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: LOAEL: 84 - 149 mg/kg body

weight

Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility Species: Rat, male Application Route: Oral

Fertility: LOAEL: 1 mg/kg body weight

Symptoms: Effects on fertility Target Organs: Testes

Effects on foetal develop-

ment

Test Type: Development

Species: Mouse

Application Route: oral (gavage)

Developmental Toxicity: LOAEL: 1 mg/kg body weight

Result: Skeletal malformations
Remarks: Maternal toxicity observed.

Test Type: Development Species: Rat, female

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Symptoms: No effects on foetal development

Test Type: Development Species: Rabbit, female

Application Route: oral (gavage)

Developmental Toxicity: NOAEL: 16 mg/kg body weight

Symptoms: No effects on foetal development

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, and/or on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

Components:

deltamethrin (ISO):

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

Components:

deltamethrin (ISO):

Exposure routes : Ingestion

Target Organs : Central nervous system, Immune system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

deltamethrin (ISO):

Species : Rat, male and female

NOAEL : 1 mg/kg
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Nervous system
Symptoms : hyperexcitability

Species : Rat LOAEL : 3 mg/m3

Application Route : inhalation (dust/mist/fume)
Exposure time : 2 wk / 5 d/wk / 6 h/d

Symptoms : Local irritation, respiratory tract irritation

Species : Dog
NOAEL : 0.1 mg/kg
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Nervous system

Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Saliva-

tion



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023
1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

Species : Rat
NOAEL : 14 mg/kg
LOAEL : 54 mg/kg
Application Route : Oral
Exposure time : 91 d

Target Organs : Nervous system

Species : Mouse
LOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 12 Weeks
Target Organs : Immune system

Symptoms : immune system effects

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

deltamethrin (ISO):

Inhalation : Symptoms: respiratory tract irritation, Dizziness, Sweating,

Headache, Nausea, Vomiting, anorexia, Fatigue, tingling,

Palpitation, Blurred vision, muscle twitching

Skin contact : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nau-

sea, Vomiting, Dizziness, tingling, Sweating, muscle twitching,

Blurred vision, Fatigue, anorexia, Allergic reactions

Ingestion : Symptoms: muscle pain, Small pupils

Section 12: Ecological information

Toxicity

Components:

deltamethrin (ISO):

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048

ma/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 μg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 0.0035 mg/l

Exposure time: 48 h

LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l

Exposure time: 96 h



Deltamethrin (1.05%) Formulation

Date of last issue: 03.11.2023 Version **Revision Date:** SDS Number: 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

M-Factor (Acute aquatic tox-

icity)

1,000,000

icity)

Toxicity to fish (Chronic tox-

Exposure time: 36 d

NOEC (Pimephales promelas (fathead minnow)): 0.000017

NOEC (Pimephales promelas (fathead minnow)): 0.000022

mg/l

Exposure time: 260 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

NOEC (Daphnia magna (Water flea)): 0.0041 µg/l

Exposure time: 21 d

1,000,000

Persistence and degradability

Components:

deltamethrin (ISO):

Stability in water Hydrolysis: 0 %(30 d)

Bioaccumulative potential

Components:

deltamethrin (ISO):

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1,800

Partition coefficient: n-

octanol/water

log Pow: 4.6

Mobility in soil

Components:

deltamethrin (ISO):

Distribution among environ-

mental compartments

log Koc: 7.2

Other adverse effects

No data available



Deltamethrin (1.05%) Formulation

Date of last issue: 03.11.2023 Version Revision Date: SDS Number: 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

Section 13: Disposal considerations

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste han-Contaminated packaging

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, UN proper shipping name

N.O.S.

(deltamethrin (ISO))

Transport hazard class(es) Ш Packing group Labels 9 Environmental hazards yes

IATA-DGR

UN/ID No. UN 3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(deltamethrin (ISO))

Transport hazard class(es) 9 Packing group Ш

Labels Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-964

ger aircraft)

Environmentally hazardous yes

IMDG-Code

UN 3082 UN number

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(deltamethrin (ISO))

Transport hazard class(es) 9 Ш Packing group Labels 9 **EmS Code** F-A, S-F Marine pollutant yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Not applicable

Internal technical data, data from raw material SDSs, OECD

eChem Portal search results and European Chemicals Agen-

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable

Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 06.04.2024

Further information

Sources of key data used to compile the Safety Data

Sheet

Data format : dd mm y

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-

cy, http://echa.europa.eu/



Deltamethrin (1.05%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 1.7 06.04.2024 10215156-00008 Date of first issue: 10.11.2021

ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN