

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	28.09.2024	10863970-00009	Date of first issue: 11.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	Deltamethrin (1.47%) Formulation
Product code	:	Butox pour-on aqueous
Other means of identification	:	Blaze (A008214) COOPERS EASY-DOSE POUR-ON CATTLE LICE AND FLY TREATMENT (54096)
1.2 Relevant identified uses of the	he s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Veterinary product
Recommended restrictions on use	:	Not applicable
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	MSD Walton Manor, Walton MK7 7AJ Milton Keynes - United Kingdom
Telephone	:	+1-908-740-4000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin sensitisation, Category 1H317: MCarcinogenicity, Category 1BH350: MSpecific target organ toxicity - repeatedH373: Mexposure, Category 2longed cShort-term (acute) aquatic hazard, Cate-H400: Vgory 1Long-term (chronic) aquatic hazard, Cat-H410: Vegory 1effects.

H317: May cause an allergic skin reaction.H350: May cause cancer.H373: May cause damage to organs through prolonged or repeated exposure.H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	28.09.2024	10863970-00009	Date of first issue: 11.10.2022

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :			
Signal word :	Dar	nger	
Hazard statements :	H31 H35 H37 H41	 May cause cancer. May cause damage to organs through prolonged or repeated exposure. 	
Precautionary statements :	Pre P20 P27 P28	3 Avoid release to the environment.	
	P30	 sponse: 8 + P313 IF exposed or concerned: Get medical advice/ attention. 3 + P313 If skin irritation or rash occurs: Get medical advice/ attention. Ol Collect spillage. 	1

Hazardous components which must be listed on the label: deltamethrin (ISO) Formaldehyde 1,2-Benzisothiazol-3(2H)-one Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
---------------	-------------------	----------------	--------------------------

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin (1.47%) Formulation

Version 6.0	Revision Date: 28.09.2024		last issue: 06.04.2024 first issue: 11.10.2022	
		Index-No. Registration number		
deltar	nethrin (ISO)	52918-63-5 258-256-6 607-319-00-X	Acute Tox. 3; H301 Acute Tox. 3; H331 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Repr. 2; H361fd STOT SE 3; H335 STOT RE 1; H372 (Central nervous system) STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1,000,000	>= 1 - < 2.5
			M-Factor (Chronic aquatic toxicity): 1,000,000	
Nonyl	phenol, ethoxylated	9016-45-9	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 0.1 - < 0.25
Forma	aldehyde	50-00-0 200-001-8 605-001-00-5 01-2119488953-20	Flam. Gas 1B; H221 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Muta. 2; H341 Carc. 1B; H350 STOT SE 3; H335	>= 0.2 - < 1

specific concentra-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin (1.47%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Nur 1086397			ast issue: 06.04.2024 first issue: 11.10.2022	
					tion limit Skin Corr. 1B; H314 >= 25 % Skin Irrit. 2; H315 5 - < 25 % Eye Irrit. 2; H319 5 - < 25 % STOT SE 3; H335 >= 5 % Skin Sens. 1A; H317 >= 0.2 %	
1,2-В	enzisothiazol-3(2H)-one		2634-33-5 220-120-9 613-088-00-6	5	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentra- tion limit Skin Sens. 1A; H317 >= 0.036 %	>= 0.0025 - < 0.025

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures						
General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. 					
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).					



Version 6.0	Revision Date: 28.09.2024		DS Number: 863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
lf inha	aled	:	If inhaled, remove Get medical atter	
In cas	se of skin contact	:	of water. Remove contami Get medical atter Wash clothing be	
In cas	se of eye contact	:		vater as a precaution. ntion if irritation develops and persists.
lf swa	llowed	:	Get medical atter	NOT induce vomiting. ntion. roughly with water.
4.2 Most i	mportant symptoms a	nd e	effects, both acut	e and delayed
Risks		:	May cause an all May cause cance	ergic skin reaction.
				tains a pyrethroid. hing should not be confused with carbamate ate poisoning.
4.3 Indica	tion of any immediate	me	dical attention and	d special treatment needed
Treat	•	:		ically and supportively.
SECTION	15: Firefighting meas	sur	es	
5.1 Exting	uishing media			
-	ole extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (Dry chemical	
Unsui media	itable extinguishing a	:	: None known.	
5.2 Snecia	al hazards arising from	the	substance or mi	xture
-	fic hazards during fire-	:		bustion products may be a hazard to health.
Hazai ucts	rdous combustion prod-	:	Carbon oxides Nitrogen oxides (Bromine compou	



Version 6.0	Revision Date: 28.09.2024		DS Number: 863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022	
5.3 Advice	for firefighters				
Special protective equipment for firefighters		:	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.		
Specif ods	ic extinguishing meth-	:	cumstances and to Use water spray to	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions		
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or barriers). Retain and dispose of contaminated wash water. If spillage enters rivers or watercourses, inform the Environ-	ron-
ment Agency (emergency telephone number 0800 807060).	60).

6.3 Methods and material for containment and cleaning up

:

Methods for cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent.
		Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures

See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin (1.47%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.04.202410863970-00009Date of first issue: 11.10.2022					
Loca	al/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.					
Adv	ice on safe handling	 Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and sa practice, based on the results of the workplace exposure a sessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to environment. 					
Hyg	iene measures	 If exposure to chemical is likely during typical use, provide ey flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. 					
7.2 Cond	litions for safe storage,	including any incompatibilities					
	uirements for storage is and containers	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.					
Adv	ice on common storage	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases					
7.3 Spec	ific end use(s)						
-	cific use(s)	: No data available					

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m3 (OEB 3)	Internal			
	Further inform	Further information: DSEN, Skin					
		Wipe limit	100 µg/100 cm²	Internal			
Formaldehyde	50-00-0	TWA	2 ppm	GB EH40			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin (1.47%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 10863970-00009	Date of last issue: 06.04.2 Date of first issue: 11.10.2				
	Further inforr age.		2.5 mg/m3 mation: Capable of causing cancer and/or heritable				
		STEL	2 ppm 2.5 mg/m3	GB EH40			
	Furth age.	er information: Capable	of causing cancer and/or he	eritable genetic dam-			
		TWA	0.3 ppm 0.37 mg/m3	2004/37/EC			
	Furth	er information: Dermal	sensitisation, Carcinogens of	r mutagens			
		STEL	0.6 ppm 0.74 mg/m3	2004/37/EC			
	Furth	Further information: Dermal sensitisation, Carcinogens or mutagens					

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Formaldehyde	Workers	Inhalation	Long-term systemic effects	9 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0.375 mg/m3
	Workers	Inhalation	Acute local effects	0.75 mg/m3
	Workers	Skin contact	Long-term systemic effects	240 mg/kg bw/day
	Workers	Skin contact	Long-term local ef- fects	0.037 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	3.2 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0.1 mg/m3
	Consumers	Skin contact	Long-term systemic effects	102 mg/kg bw/day
	Consumers	Skin contact	Long-term local ef- fects	0.012 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	4.1 mg/kg bw/day
1,2-Benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.966 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.345 mg/kg bw/day

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Formaldehyde	Fresh water	0.44 mg/l
	Freshwater - intermittent	4.44 mg/l
	Marine water	0.44 mg/l
	Sewage treatment plant	0.19 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin (1.47%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 10863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022	_
		Fresh water s	ediment 2.3 mg/kg dry weight (d.w.)	
		Marine sedim	ent 2.3 mg/kg dry weight (d.w.)	
		Soil	0.2 mg/kg dry weight (d.w.)	
1,2-E	Benzisothiazol-3(2H)-oi	ne Fresh water	11 µg/l	
		Intermittent us	se/release 0.403 µg/l	
		Marine water	1.1 μg/l	
		Intermittent us	se/release 0.0403 µg/l	
		Sewage treat	ment plant 1.03 mg/l	
		Fresh water s	ediment 0.0499 mg/kg weight (d.w.)	dry
		Marine sedim	ent 0.00499 mg/kg dry weight (d.w	
		Soil	3 mg/kg dry weight (d.w.)	,

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection Filter type	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387 Combined particulates and organic vapour type (A-P)



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	28.09.2024	10863970-00009	Date of first issue: 11.10.2022

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1	Information on basic physical	an	
	Appearance Colour	-	liquid, suspension white
	Odour	:	No data available
	Odour Threshold	:	No data available
	рН	:	No data available
	Melting point/freezing point	:	No data available
	Initial boiling point and boiling range	:	No data available
	Flash point	:	No data available
	Evaporation rate	:	No data available
	Flammability (solid, gas)	:	Not applicable
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Vapour pressure	:	No data available
	Relative vapour density	:	No data available
	Relative density	:	No data available
	Density	:	No data available
	Solubility(ies)		
	Water solubility	:	No data available
	Partition coefficient: n- octanol/water	:	Not applicable
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	Viscosity Viscosity, kinematic		No data available
	viscosity, kinematic	·	
	Explosive properties	:	Not explosive
	Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
9.2	Other information		
	Flammability (liquids)	:	No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.0	Revision Date: 28.09.2024		9S Number: 863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022						
Molecular weight :			No data available							
Partic	le size	:	Not applicable							
SECTION	SECTION 10: Stability and reactivity									
10.1 Reac Not c	tivity lassified as a reactivity	/ haza	rd.							
	nical stability e under normal conditi	ions.								
10.3 Poss	ibility of hazardous r	reaction	ons							
Haza	rdous reactions	:	Can react with s	trong oxidizing agents.						
10.4 Cond	litions to avoid									
Cond	itions to avoid	:	None known.							
10.5 Incor	npatible materials									
Mater	ials to avoid	:	Oxidizing agents	6						
10 6 Haza	rdous decompositio	n proe	lucts							
	azardous decompositio	-								
SECTION	I 11: Toxicological	infor	mation							
11 1 Infor	mation on toxicologi	cal of	forts							
	nation on likely routes		Inhalation							
expos	•	01 .	Skin contact							
			Ingestion							
			Eye contact							
	e toxicity									
Not c	lassified based on ava	ilable	information.							
Prod	uct:									
Acute	oral toxicity	:	Acute toxicity est Method: Calculat	imate: > 2,000 mg/kg ion method						
Acute	inhalation toxicity	:	Acute toxicity est Exposure time: 4 Test atmosphere Method: Calculat	h : vapour						
Acute	e dermal toxicity	:	Acute toxicity est Method: Calculat	imate: > 2,000 mg/kg ion method						

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.0	Revision Date: 28.09.2024		9S Number: 863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
<u>Com</u>	ponents:			
delta	methrin (ISO):			
Acute	e oral toxicity	:	LD50 (Rat): 66.7	mg/kg
			LD50 (Rat): 9 - 1	39 mg/kg
			LD50 (Mouse): 1	9 - 34 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 0.8 r Exposure time: 2 Test atmosphere	h
Acute	e dermal toxicity	:	LD50 (Rabbit): 2	,000 mg/kg
			LD50 (Rat): > 80	0 mg/kg
	e toxicity (other routes of nistration)	:	LD50 (Rat): 2.5 r Application Route	
			LD50 (Mouse): 1 Application Route	
Nony Acute	Iphenol, ethoxylated: e oral toxicity	:	LD50 (Rat): 500	- 2,000 mg/kg
	aldehyde:			
Acute	e oral toxicity	:	Method: Expert ju	imate: 100 mg/kg udgement on national or regional regulation.
Acute	inhalation toxicity	:	Acute toxicity est Exposure time: 4 Test atmosphere	
			Method: Expert ju	
Acute	e dermal toxicity	:	LD50 (Rabbit): 2	70 mg/kg
П 1,2-В	enzisothiazol-3(2H)-on	e:		
Acute	e oral toxicity	:	LD50 (Rat, male) Method: OECD T	: 450 mg/kg ēst Guideline 401
Acute	inhalation toxicity	:	LC50 (Rat, male) Exposure time: 4 Test atmosphere Method: OECD T	h
Acute	e dermal toxicity	:		000 mg/kg Test Guideline 402 e substance or mixture has no acute dermal



Version 6.0	Revision Date: 28.09.2024		DS Number:)863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
	corrosion/irritation	ailable	information.	
<u>Com</u>	ponents:			
delta	methrin (ISO):			
Spec Resu		:	Rabbit No skin irritation	
Nony	/Iphenol, ethoxylated	l:		
Spec Meth Resu	od		Rabbit OECD Test Guide No skin irritation	eline 404
Form	naldehyde:			
Resu Rema		:		minutes to 1 hour of exposure I or regional regulation.
1,2-B	enzisothiazol-3(2H)-	one:		
Resu	lt	:	Skin irritation	
Serio	ous eye damage/eye i	irritat	ion	
Not c	lassified based on ava	ailable	information.	
<u>Com</u>	ponents:			
	methrin (ISO):			
Spec Resu		:	Rabbit Moderate eye irrit	ation
Nony	/Iphenol, ethoxylated	l:		
Spec	ies	:	Rabbit	
Meth Resu		:	OECD Test Guide	
Form	aldehyde:			
Resu Rema		:	Irreversible effect Based on skin co	
	enzisothiazol-3(2H)-	one:		
Spec Resu		:	Rabbit Irreversible effect	s on the eye

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin (1.47%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 10863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022				
Resp	iratory or skin sens	itisation					
•	sensitisation ause an allergic skin	reaction.					
•	Respiratory sensitisation Not classified based on available information.						
Comp	oonents:						
delta	methrin (ISO):						
Test T Expos	Гуре sure routes	: Maximisation T : Dermal	est				

Exposure routes	: Dermai
Species	: Guinea pig
Result	: negative
Test Type Exposure routes Species Result	 Human repeat insult patch test (HRIPT) Dermal Humans positive

Nonylphenol, ethoxylated:

Formaldehyde:

Test Type Exposure routes Species Result	 Human repeat insult patch test (HRIPT) Skin contact Humans positive
Assessment	: Probability or evidence of high skin sensitisation rate in hu- mans

1,2-Benzisothiazol-3(2H)-one:

Test Type Exposure routes Species Method Result	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	positive
Assessment	:	Probability or evidence of high skin sensitisation rate in hu- mans

Germ cell mutagenicity

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.0	Revision Date: 28.09.2024	SDS Number: 10863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
Com	oonents:		
	methrin (ISO): toxicity in vitro	: Test Type: Bacteri Result: negative	ial reverse mutation assay (AMES)
		Test Type: DNA R Test system: Esch Result: negative	
			osomal aberration ese hamster ovary cells
			mammalian cell gene mutation test ese hamster lung cells AEL: 20 mg/kg
Geno	toxicity in vivo	: Test Type: Micron Species: Mouse Application Route: Result: negative	
		Test Type: domina Species: Mouse Application Route: Result: negative	
		Test Type: sister of Species: Mouse Cell type: Bone ma Application Route: Result: negative	
II Nony	Iphenol, ethoxylated:		
Geno	toxicity in vitro	Result: negative	ial reverse mutation assay (AMES) on data from similar materials
Form	aldehyde:		
Geno	toxicity in vitro	: Test Type: Bacteri Result: positive	ial reverse mutation assay (AMES)
		Test Type: In vitro Result: positive	mammalian cell gene mutation test
		Test Type: Chrom Result: positive	osome aberration test in vitro
Geno	toxicity in vivo	: Test Type: In vivo Species: Mouse	mammalian alkaline comet assay

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.0	Revision Date: 28.09.2024		S Number: 363970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022	
			Application Route Result: positive	: Inhalation	
	Germ cell mutagenicity- As- sessment		Positive result(s) from in vivo mammalian somatic cell muta- genicity tests.		
1,2-B	enzisothiazol-3(2H)-or	ne:			
	Genotoxicity in vitro		: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative		
			Test Type: In vitro Method: OECD T Result: negative	o mammalian cell gene mutation test est Guideline 476	
			Test Type: Chron Method: OECD T Result: positive	nosome aberration test in vitro est Guideline 473	
Geno	Genotoxicity in vivo		Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: Ingestion Method: OECD Test Guideline 486 Result: negative		
II Carci	nogenicity				
	ause cancer.				
Comp	oonents:				
delta	nethrin (ISO):				
Speci Applic Expos NOAE LOAE Resul	es cation Route sure time EL L		Mouse, male and oral (feed) 104 weeks 8 mg/kg body wei 4 mg/kg body wei positive Lymph nodes	ght	
Speci Applic Expos Resul	ation Route	 Rat, male and female oral (feed) 2 Years negative 		nale	
	cation Route sure time EL	 Dog, male and female oral (feed) 2 Years 1 mg/kg body weight negative 			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.0	Revision Date: 28.09.2024	SDS Number: 10863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022		
Form	aldehyde:				
	cation Route sure time	: Rat : inhalation (ga : 28 Months : positive	inhalation (gas) 28 Months		
Carcii ment	nogenicity - Assess-	: Sufficient evic	Sufficient evidence of carcinogenicity in animal experiments		
-	oductive toxicity lassified based on avail	able information.			
Comp	oonents:				
	methrin (ISO): ts on fertility	Species: Rat Application Ro Early Embryo weight	ree-generation reproduction toxicity study oute: oral (feed) nic Development: NOAEL: 50 mg/kg body o effects on fertility, Embryo-foetal toxicity		
		Test Type: Tw Species: Rat Application Ro Early Embryo weight	nificant toxicity observed in testing vo-generation reproduction toxicity study oute: Oral nic Development: LOAEL: 84 - 149 mg/kg body o effects on fertility, Embryo-foetal toxicity		
			male oute: Oral EL: 1 mg/kg body weight fects on fertility		
Effect ment	ts on foetal develop-	Developmenta Result: Skelet			
		Developmenta			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.0	Revision Date: 28.09.2024		DS Number: 863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022	
Repro sessr	oductive toxicity - As- nent	:		f adverse effects on sexual function and development, based on animal experiments.	
Form	aldehyde:				
Effec	Effects on foetal develop- ment		Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (gas) Result: negative		
1,2-B	enzisothiazol-3(2H)-o	ne:			
	Effects on fertility		Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Method: OPPTS 870.3800 Result: negative		
STO	Г - single exposure				
Not c	lassified based on avai	lable	information.		
Com	ponents:				
delta	methrin (ISO):				
	ssment	:	May cause respiratory irritation.		
Form	aldehyde:				
	ssment	:	May cause respir	atory irritation.	
May	Γ - repeated exposure cause damage to organ ponents:		ough prolonged or	repeated exposure.	
delta	methrin (ISO):				
Expo Targe	sure routes et Organs ssment	:		system, Immune system to organs through prolonged or repeated	
Targe	sure routes et Organs ssment	 inhalation (dust/mist/fume) Central nervous system Causes damage to organs through prolon exposure. 		system	
1 2-R	enzisothiazol-3(2H)-o	ne:			
	ssment	:	No significant heat tions of 100 mg/k	alth effects observed in animals at concentra- g bw or less.	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin (1.47%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 10863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
Repe	ated dose toxicity		
Comp	oonents:		
deltar	nethrin (ISO):		
Expos	EL L cation Route sure time t Organs	 Rat, male and fer 1 mg/kg 2.5 mg/kg Oral 13 Weeks Nervous system hyperexcitability 	male
	L ation Route sure time	: Rat : 3 mg/m3 : inhalation (dust/r : 2 wk / 5 d/wk / 6 : Local irritation, re	
Expos	EL L cation Route sure time t Organs	 Dog 0.1 mg/kg 1 mg/kg Oral 13 Weeks Nervous system Dilatation of the ption 	oupil, Vomiting, Tremors, Diarrhoea, Saliva-
Expos	EL	: Rat : 14 mg/kg : 54 mg/kg : Oral : 91 d : Nervous system	
Expos	L ation Route sure time t Organs	: Mouse : 6 mg/kg : Oral : 12 Weeks : Immune system : immune system	effects
Specie NOAE LOAE Applic	EL L cation Route sure time	: Dog : 5 mg/kg : 20 mg/kg : Ingestion : 90 Days	EEC, Annex, B.27

Aspiration toxicity

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	28.09.2024	10863970-00009	Date of first issue: 11.10.2022

Experience with human exposure

Components:

deltamethrin (ISO):	
Inhalation	 Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	: Symptoms: Skin irritation, Erythema, pruritis, Headache, Nau- sea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	: Symptoms: muscle pain, Small pupils

SECTION 12: Ecological information

12.1 Toxicity

Components:

deltamethrin (ISO):		
Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l Exposure time: 96 h
		LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 μg/l Exposure time: 48 h
		EC50 (Daphnia magna (Water flea)): 0.0035 mg/l Exposure time: 48 h
		LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 μg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic tox- icity)	:	1,000,000
Toxicity to fish (Chronic tox- icity)	:	NOEC: 0.000022 mg/l Exposure time: 36 d Species: Pimephales promelas (fathead minnow)
		NOEC: 0.000017 mg/l Exposure time: 260 d Species: Pimephales promelas (fathead minnow)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.0	Revision Date: 28.09.2024		9S Number: 863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
aquati	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		Exposure time: 21	
M-Fac toxicity	tor (Chronic aquatic	:	1,000,000	
Nonvl	phenol, ethoxylated:			
	ty to fish	:	Exposure time: 96	s promelas (fathead minnow)): > 0.1 - 1 mg/l 5 h on data from similar materials
	ty to daphnia and other c invertebrates	:	Exposure time: 48	nia dubia (water flea)): > 0.1 - 1 mg/l 5 h on data from similar materials
Toxicit plants	ty to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD Te	
			Exposure time: 72 Method: OECD Te	
M-Fac icity)	tor (Acute aquatic tox-	:	1	
Toxicit icity)	ty to fish (Chronic tox-	:		
	ty to daphnia and other c invertebrates (Chron- city)	:	Exposure time: 28 Species: Mysidop	
M-Fac toxicity	tor (Chronic aquatic	:	10	
Forma	aldehyde:			
	ty to fish	:	LC50 (Morone sax Exposure time: 96	katilis (striped bass)): 6.7 mg/l 5 h
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia pu Exposure time: 48	ulex (Water flea)): 5.8 mg/l 8 h
Toxicit plants	ty to algae/aquatic	:	ErC50 (Desmodes Exposure time: 72 Method: OECD Te	



Version 6.0	Revision Date: 28.09.2024		0S Number: 863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
Тохі	city to microorganisms	:	EC50 (activated s Exposure time: 3 Method: OECD T	h
aqua	city to daphnia and other atic invertebrates (Chron- xicity)	:	Exposure time: 2'	magna (Water flea)
1.2-	Benzisothiazol-3(2H)-on	e:		
	city to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 0.74 mg/l 5 h
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 2.24 mg/l 3 h
Toxi plan	city to algae/aquatic ts	:	ErC50 (Pseudokin 0.1087 mg/l Exposure time: 24	chneriella subcapitata (green algae)): I h
			EC10 (Pseudokiro mg/l Exposure time: 24	chneriella subcapitata (green algae)): 0.0268 I h
M-F	actor (Acute aquatic tox-)	:	1	
Тохі	city to microorganisms	:	NOEC : 10.3 mg/l Exposure time: 3 Method: OECD T	h
Toxi icity)	city to fish (Chronic tox-)	:	NOEC: 0.28 mg/l Exposure time: 33 Species: Pimepha Method: OECD T	ales promelas (fathead minnow)
aqua	city to daphnia and other atic invertebrates (Chron- xicity)	:	NOEC: 0.91 mg/l Exposure time: 2 ⁴ Species: Daphnia Method: OECD T	magna (Water flea)
M-F toxic	actor (Chronic aquatic sity)	:	1	
12.2 Per	sistence and degradabil	ity		
<u>Con</u>	<u>nponents:</u>			
delt	amethrin (ISO):			
	ility in water	:	Hydrolysis: 0 %(3	0 d)
Non	ylphenol, ethoxylated:			



Version 6.0	Revision Date: 28.09.2024	-	DS Number: 1863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
Biode	Biodegradability		Result: Not readi Remarks: Based	ly biodegradable. on data from similar materials
Form	aldehyde:			
Biode	gradability	:	Result: Readily biodegradable. Biodegradation: 99 % Exposure time: 28 d Method: OECD Test Guideline 301A	
12.3 Bioa	ccumulative potential			
Com	oonents:			
delta	methrin (ISO):			
Bioac	cumulation	:		s macrochirus (Bluegill sunfish) factor (BCF): 1,800
	ion coefficient: n- ol/water	:	log Pow: 4.6	
Nony	Iphenol, ethoxylated:			
	ion coefficient: n- ol/water	:	log Pow: 4.48	
	aldehyde:			
	ion coefficient: n- ol/water	:	log Pow: 0.35 Remarks: Calcula	ation
1,2-B	enzisothiazol-3(2H)-or	ne:		
Bioac	cumulation	:		s macrochirus (Bluegill sunfish) factor (BCF): 6.62
	ion coefficient: n- ol/water	:	log Pow: 0.7	
12.4 Mobi	lity in soil			
<u>Com</u>	oonents:			
delta	methrin (ISO):			
Distri	bution among environ- al compartments	:	log Koc: 7.2	
12.5 Results of PBT and vPvB assessment				
Prod	uct:			
Asse	ssment	:	to be either persi	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin (1.47%) Formulation

Version 6.0	Revision Date: 28.09.2024		DS Number: 863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
12.6 Other	adverse effects			
tial	<u>ct:</u> rine disrupting poten- onents:	:		nixture contains components considered to isrupting properties for environment accord- I Article 57(f).
Nonyl	phenol, ethoxylated: rine disrupting poten-	:		considered to have endocrine disrupting ling to UK REACH Article 57(f) for environ-

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (deltamethrin (ISO), Nonylphenol, ethoxylated)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (deltamethrin (ISO), Nonylphenol, ethoxylated)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (deltamethrin (ISO), Nonylphenol, ethoxylated)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Vers 6.0	ion	Revision Date: 28.09.2024		0S Number: 863970-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
	ΙΑΤΑ		:	Environmentally h	D), Nonylphenol, ethoxylated) nazardous substance, liquid, n.o.s. D), Nonylphenol, ethoxylated)
14.3	Transp	oort hazard class(es)			
				Class	Subsidiary risks
	ADN		:	9	
	ADR		:	9	
	RID		:	9	
	IMDG		:	9	
	ΙΑΤΑ		:	9	
14.4	Packir	ng group			
	Classif	g group ication Code I Identification Number	:	III M6 90 9	
	Classif Hazard Labels	g group ication Code I Identification Number restriction code	:	III M6 90 9 (-)	
	Classif	g group ication Code I Identification Number	:	III M6 90 9	
	IMDG Packin Labels EmS C	g group ode	:	III 9 F-A, S-F	
	IATA (Packin aircraft	g instruction (cargo	:	964	
	Packin) g instruction (LQ) g group	::	Y964 III Miscellaneous	
	Packing ger airc Packing	Passenger) g instruction (passen- craft) g instruction (LQ) g group	:	964 Y964 III Miscellaneous	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin (1.47%) Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.04.2024
6.0		10863970-00009	Date of first issue: 11.10.2022

14.5 Environmental hazards

^	n	NI	
н	υ	IN	

Environmentally hazardous	:	yes
ADR Environmentally hazardous	:	yes
RID Environmentally hazardous	:	yes
IMDG Marine pollutant	:	yes
IATA (Passenger) Environmentally hazardous	:	yes
IATA (Cargo) Environmentally hazardous	:	yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
UK REACH List of restrictions (Annex 17)	Number on list 28: Formaldehyde
	Number on list 46a.: Nonylphenol, ethoxylated
	Number on list 46b: Nonylphenol, ethoxylated
UK REACH List of restrictions (Annex 17)	Number on list 72: Formaldehyde
	Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin (1.47%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 10863970-00009		of last issue: 06.04.2024 of first issue: 11.10.2022	
con The Reg	REACH Candidate list o cern (SVHC) for Authoris Persistent Organic Pollo gulation (EU) 2019/1021	sation utants Regulations (reta	ined :	determine whether an entry is app cable to the placing on the market not.Nonylphenol, ethoxylatedNot applicable	
	gulation (EC) on substan	ces that deplete the ozc	ne :	: Not applicable	
	er REACH List of substanc nex XIV)	es subject to authorisat	on :	: Nonylphenol, ethoxylated	
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation			or :	: Nonylphenol, ethoxylated	
Cor	trol of Major Accident Ha	azards Regulations 201	5 (COM	ЛАН)	
E1		ENVIRONMENT. HAZARDS	AL	Quantity 1Quantity 2100 t200 t	

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
Full text of H-Statements		
H221 H301 H302	:	Flammable gas. Toxic if swallowed. Harmful if swallowed. Toxic in contact with skip
H311 H314 H315 H317	:	Toxic in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Deltamethrin (1.47%) Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.04.202410863970-00009Date of first issue: 11.10.2022
H318 H319 H330 H331 H335 H341 H350 H361fd H372 H372 H372	d	 Causes serious eye damage. Causes serious eye irritation. Fatal if inhaled. Toxic if inhaled. May cause respiratory irritation. Suspected of causing genetic defects. May cause cancer. Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure if inhaled. Causes damage to organs through prolonged or repeated exposure if swallowed. Very toxic to aquatic life.
H410		: Very toxic to aquatic life with long lasting effects.
Acute Aquati	c Acute c Chronic am. rit. Gas corr. rit. ens. RE SE SF S7/EC	 Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Eye irritation Flammable gases Germ cell mutagenicity Reproductive toxicity Skin corrosion Skin sensitisation Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work UK. EH40 WEL - Workplace Exposure Limits
2004/3 2004/3 GB EH	140 37/EC / STEL 37/EC / TWA 140 / TWA 140 / STEL	 Short term exposure limit Long term exposure limit Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period)
Waten Road; ing of tion (E of the Europe associ cy Sch sociate borato	ways; ADR - Agreem AIIC - Australian Inve Materials; bw - Body C) No 1272/2008; CM German Institute for S ean Chemicals Agenc ated with x% response nedule; ENCS - Existin ed with x% growth rational ry Practice; IARC - In	concerning the International Carriage of Dangerous Goods by Inland nt concerning the International Carriage of Dangerous Goods by tory of Industrial Chemicals; ASTM - American Society for the Test- eight; CLP - Classification Labelling Packaging Regulation; Regula- R - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard andardisation; DSL - Domestic Substances List (Canada); ECHA - ; EC-Number - European Community number; ECx - Concentration ELx - Loading rate associated with x% response; EmS - Emergen- g and New Chemical Substances (Japan); ErCx - Concentration as- e response; GHS - Globally Harmonized System; GLP - Good La- ernational Agency for Research on Cancer; IATA - International Air nternational Code for the Construction and Equipment of Ships car-

Transport Association; IBC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	28.09.2024	10863970-00009	Date of first issue: 11.10.2022

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Classification of the m	ixture:	Classification procedure:
Skin Sens. 1	H317	Calculation method
Carc. 1B	H350	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN