

Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 10863808-00008 4.4 2024/09/28 Date of first issue: 2022/10/11

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Deltamethrin (1.47%) Formulation

Product code Butox pour-on aqueous

Other means of identification Blaze (A008214)

COOPERS EASY-DOSE POUR-ON CATTLE LICE AND FLY

TREATMENT (54096)

Manufacturer or supplier's details

Company MSD

Address 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Veterinary product Recommended use Restrictions on use Not applicable

2. HAZARDS IDENTIFICATION

GHS Classification

Skin sensitisation : Category 1

Carcinogenicity Category 1B

Specific target organ toxicity - :

repeated exposure (Oral)

Category 2 (Central nervous system, Immune system)

Specific target organ toxicity - : Category 2 (Central nervous system)

repeated exposure (Inhala-

tion)

Short-term (acute) aquatic

Category 1

hazard

Long-term (chronic) aquatic

hazard

Category 1



Deltamethrin (1.47%) Formulation

Revision Date: Date of last issue: 2023/12/05 Version SDS Number: 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

GHS label elements

Hazard pictograms



Signal word Danger

H317 May cause an allergic skin reaction. Hazard statements

H350 May cause cancer.

H373 May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if

swallowed.

H373 May cause damage to organs (Central nervous system)

through prolonged or repeated exposure if inhaled. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture



Deltamethrin (1.47%) Formulation

Date of last issue: 2023/12/05 Version Revision Date: SDS Number: 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Components

Chemical name	CAS-No.	Concentration (% w/w)
deltamethrin (ISO)	52918-63-5	>= 1 -< 2.5
Nonylphenol, ethoxylated	9016-45-9	>= 0.025 -< 0.25
Formaldehyde	50-00-0	>= 0.2 -< 1

4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water. May cause an allergic skin reaction.

Most important symptoms and effects, both acute and

In case of eye contact

delayed

May cause cancer. May cause damage to organs through prolonged or repeated

exposure if swallowed.

May cause damage to organs through prolonged or repeated

exposure if inhaled.

This product contains a pyrethroid.

Pyrethroid poisoning should not be confused with carbamate

or organophosphate poisoning.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Bromine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis	
		(Form of	ters / Permissible		
		exposure)	concentration		
deltamethrin (ISO)	52918-63-5	TWA	15 μg/m3 (OEB 3)	Internal	
	Further information: DSEN, Skin				
		Wipe limit	100 μg/100 cm ²	Internal	
Formaldehyde	50-00-0	PSD	0.3 ppm	ID OEL	
	Further information: Dermal Sensitization, Respiratory Sensitiza-				
	tion, Suspected human carcinogen				
		TWA	0.1 ppm	ACGIH	
		STEL	0.3 ppm	ACGIH	

Engineering measures: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection Combined particulates and organic vapour type



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid, suspension

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

exposure

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

Inhalation
Skin contact

-



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

deltamethrin (ISO):

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg

LD50 (Rat): 9 - 139 mg/kg

LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg

LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Rat): 2.5 mg/kg

Application Route: Intravenous

LD50 (Mouse): 10 mg/kg

Application Route: Intraperitoneal

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

Formaldehyde:

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg

Method: Expert judgement

Remarks: Based on national or regional regulation.

Acute inhalation toxicity : Acute toxicity estimate (Rat): 100 ppm

Exposure time: 4 h



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Test atmosphere: gas Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

deltamethrin (ISO):

Species : Rabbit

Result : No skin irritation

Nonylphenol, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Formaldehyde:

Result : Corrosive after 3 minutes to 1 hour of exposure Remarks : Based on national or regional regulation.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

deltamethrin (ISO):

Species : Rabbit

Result : Moderate eye irritation

Nonylphenol, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Formaldehyde:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.



Deltamethrin (1.47%) Formulation

Revision Date: SDS Number: Date of last issue: 2023/12/05 Version 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Components:

deltamethrin (ISO):

Maximisation Test Test Type

Exposure routes Dermal **Species** Guinea pig Result negative

Test Type Human repeat insult patch test (HRIPT)

Exposure routes Dermal Species Humans Result positive

Nonylphenol, ethoxylated:

Test Type **Maximisation Test** Exposure routes Skin contact Species Guinea pig Result negative

Remarks Based on data from similar materials

Formaldehyde:

Test Type Human repeat insult patch test (HRIPT)

Exposure routes Skin contact Species Humans Result positive

Probability or evidence of high skin sensitisation rate in hu-Assessment

mans

Germ cell mutagenicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair Test system: Escherichia coli

Result: negative

Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg

Result: positive



Deltamethrin (1.47%) Formulation

Date of last issue: 2023/12/05 Version Revision Date: SDS Number: 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Genotoxicity in vivo Test Type: Micronucleus test

> Species: Mouse Application Route: Oral

Result: negative

Test Type: dominant lethal test

Species: Mouse Application Route: Oral Result: negative

Test Type: sister chromatid exchange assay

Species: Mouse

Cell type: Bone marrow Application Route: Oral Result: negative

Nonylphenol, ethoxylated:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Formaldehyde:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo Test Type: In vivo mammalian alkaline comet assay

Species: Mouse

Application Route: Inhalation

Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Carcinogenicity

May cause cancer.

Components:

deltamethrin (ISO):

Species Mouse, male and female

Application Route oral (feed) 104 weeks Exposure time

NOAEL 8 mg/kg body weight LOAEL 4 mg/kg body weight

positive Result



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Target Organs : Lymph nodes

Species : Rat, male and female

Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Species : Dog, male and female

Application Route : oral (feed) Exposure time : 2 Years

NOAEL : 1 mg/kg body weight

Result : negative

Formaldehyde:

Species : Rat

Application Route : inhalation (gas)
Exposure time : 28 Months
Result : positive

Carcinogenicity - Assess-

ment

Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: oral (feed)

Early Embryonic Development: NOAEL: 50 mg/kg body

weight

Symptoms: No effects on fertility, Embryo-foetal toxicity

Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: LOAEL: 84 - 149 mg/kg body

weight

Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility Species: Rat, male Application Route: Oral

Fertility: LOAEL: 1 mg/kg body weight

Symptoms: Effects on fertility Target Organs: Testes

Effects on foetal develop-

ment

Test Type: Development

Species: Mouse



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Application Route: oral (gavage)

Developmental Toxicity: LOAEL: 1 mg/kg body weight

Result: Skeletal malformations Remarks: Maternal toxicity observed.

Test Type: Development Species: Rat, female

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Symptoms: No effects on foetal development

Test Type: Development Species: Rabbit, female

Application Route: oral (gavage)

Developmental Toxicity: NOAEL: 16 mg/kg body weight

Symptoms: No effects on foetal development

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, and/or on development, based on animal experiments.

Formaldehyde:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (gas)

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

deltamethrin (ISO):

Assessment : May cause respiratory irritation.

Formaldehyde:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

Components:

deltamethrin (ISO):

Exposure routes : Ingestion

Target Organs : Central nervous system, Immune system

Assessment : Causes damage to organs through prolonged or repeated

exposure.



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

deltamethrin (ISO):

Species : Rat, male and female

NOAEL : 1 mg/kg
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Nervous system
Symptoms : hyperexcitability

Species : Rat LOAEL : 3 mg/m3

Application Route : inhalation (dust/mist/fume) Exposure time : 2 wk / 5 d/wk / 6 h/d

Symptoms : Local irritation, respiratory tract irritation

Species : Dog
NOAEL : 0.1 mg/kg
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Nervous system

Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Saliva-

tion

Species : Rat

NOAEL : 14 mg/kg

LOAEL : 54 mg/kg

Application Route : Oral

Exposure time : 91 d

Target Organs : Nervous system

Species: MouseLOAEL: 6 mg/kgApplication Route: OralExposure time: 12 WeeksTarget Organs: Immune systemSymptoms: immune system effects

Aspiration toxicity

Not classified based on available information.



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Experience with human exposure

Components:

deltamethrin (ISO):

Inhalation : Symptoms: respiratory tract irritation, Dizziness, Sweating,

Headache, Nausea, Vomiting, anorexia, Fatigue, tingling,

Palpitation, Blurred vision, muscle twitching

Skin contact : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nau-

sea, Vomiting, Dizziness, tingling, Sweating, muscle twitching,

Blurred vision, Fatigue, anorexia, Allergic reactions

Ingestion : Symptoms: muscle pain, Small pupils

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

deltamethrin (ISO):

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048

mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 μg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 0.0035 mg/l

Exposure time: 48 h

LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

M-Factor (Acute aquatic tox-

icity)

1,000,000

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.000022

mg/l

Exposure time: 36 d

NOEC (Pimephales promelas (fathead minnow)): 0.000017

ng/l

Exposure time: 260 d



Deltamethrin (1.47%) Formulation

Date of last issue: 2023/12/05 Version Revision Date: SDS Number: 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

1.000.000

Nonylphenol, ethoxylated:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l

Exposure time: 96 h

Exposure time: 21 d

Remarks: Based on data from similar materials

NOEC (Daphnia magna (Water flea)): 0.0041 µg/l

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

icity)

Toxicity to fish (Chronic tox-

icity)

1

NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l

Exposure time: 100 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chron-

NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01

mg/l

ic toxicity)

Exposure time: 28 d

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

10

Formaldehyde:

Toxicity to fish LC50 (Morone saxatilis (striped bass)): 6.7 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 5.8 mg/l

Toxicity to algae/aquatic

plants

Exposure time: 48 h

ErC50 (Desmodesmus subspicatus (green algae)): 4.89 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other

aquatic invertebrates (Chron-

NOEC (Daphnia magna (Water flea)): 1.04 mg/l

Exposure time: 21 d



Deltamethrin (1.47%) Formulation

Version Revision Date: Date of last issue: 2023/12/05 SDS Number: 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Method: OECD Test Guideline 211 ic toxicity)

Toxicity to microorganisms EC50 (activated sludge): 19 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

deltamethrin (ISO):

Stability in water Hydrolysis: 0 %(30 d)

Nonylphenol, ethoxylated:

Biodegradability Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Formaldehyde:

Biodegradability Result: Readily biodegradable.

Biodegradation: 99 % Exposure time: 28 d

Method: OECD Test Guideline 301A

Bioaccumulative potential

Components:

deltamethrin (ISO):

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1,800

Partition coefficient: n-

octanol/water

log Pow: 4.6

Nonylphenol, ethoxylated:

Partition coefficient: n-

octanol/water

log Pow: 4.48

Formaldehyde:

Partition coefficient: n-

log Pow: 0.35

Remarks: Calculation octanol/water

Mobility in soil

Components:

deltamethrin (ISO):

Distribution among environ-

mental compartments

: log Koc: 7.2



Deltamethrin (1.47%) Formulation

Date of last issue: 2023/12/05 Version **Revision Date:** SDS Number: 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

(deltamethrin (ISO), Nonylphenol, ethoxylated)

9 Class Packing group Ш q Labels yes

Environmentally hazardous

IATA-DGR

UN 3082 UN/ID No.

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(deltamethrin (ISO), Nonylphenol, ethoxylated)

9 Class Ш Packing group

Miscellaneous Labels

964 Packing instruction (cargo

aircraft)

Packing instruction (passen-

964

ger aircraft)

Environmentally hazardous yes

IMDG-Code

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(deltamethrin (ISO), Nonylphenol, ethoxylated)

Class 9 Ш Packing group Labels 9 **EmS Code** F-A, S-F Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Formaldehyde

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Formaldehyde

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and : Formaldehyde

control, Annex I

Type of hazardous materials subject to distribution and : Not applicable

control, Annex II

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2024/09/28

Further information

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

Sheet cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit : Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals: ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



Deltamethrin (1.47%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/12/05 4.4 2024/09/28 10863808-00008 Date of first issue: 2022/10/11

ID / EN