



Version 5.1	Revision Date: 28.09.2024		S Number: 363208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022	
Section 1	: Identification				
Prod	uct identifier	:	Deltamethrin (1	.47%) Formulation	
Prod	uct code	:	Butox pour-on aqueous		
Othe tion	Other means of identifica- tion		Blaze (A008214) COOPERS EASY-DOSE POUR-ON CATTLE LICE AND FLY TREATMENT (54096)		
Reco	ommended use of the ch	nem	ical and restrict	ions on use	
	Recommended use Restrictions on use		Veterinary productNot applicable		
Manu	ufacturer or supplier's d	leta	ils		
Com	pany	:	MSD		
Addro	ess	:	50 Tuas West D Singapore - Sir	Drive ngapore 638408	
Telep	phone	:	+1-908-740-400	00	
Emergency telephone number : 65 6697 2111 (24/7/365)		24/7/365)			
E-ma	E-mail address		EHSDATASTE	WARD@msd.com	
Section 2	: Hazard identification				
Clas	sification of the substar	nce	or mixture		
Skin	sensitisation	:	Category 1		
Carci	inogenicity	:	Category 1B		
	ific target organ toxicity - ated exposure (Oral)	:	: Category 2 (Central nervous system, Immune system)		
	ific target organ toxicity - ated exposure (Inhala-				

repeated exposure (Inhalation)

Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1





rsion	Revision Date: 28.09.2024	SDS Number: 10863208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
	Label elements, inc rd pictograms	luding precautionary	statements
Signa	l word	: Danger	• •
Haza	rd statements	H350 May ca H373 May ca Immune syste swallowed. H373 May ca through prolo	use an allergic skin reaction. use cancer. use damage to organs (Central nervous system) through prolonged or repeated exposure if use damage to organs (Central nervous system nged or repeated exposure if inhaled. kic to aquatic life with long lasting effects.
Preca	utionary statements	· Prevention:	
		P202 Do not I and understor P260 Do not I P272 Contam the workplace P273 Avoid re P280 Wear p	preathe mist or vapours. inated work clothing should not be allowed ou
		P308 + P313 attention. P333 + P313 vice/ attentior	Take off contaminated clothing and wash it be
		Storage:	
		P405 Store lo	cked up.
		Disposal: P501 Dispose disposal plant	e of contents/ container to an approved waste

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	10863208-00009	Date of first issue: 11.10.2022

Components

Chemical name	CAS-No.	Concentration (% w/w)
deltamethrin (ISO)	52918-63-5	>= 1 -< 2.5
Nonylphenol, ethoxylated	9016-45-9	>= 0.1 -< 0.25
Formaldehyde	50-00-0	>= 0.2 -< 1

Section 4: First-aid measures

Description of necessary first-aid measures						
General advice :	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.					
If inhaled :	If inhaled, remove to fresh air. Get medical attention.					
In case of skin contact :	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.					
In case of eye contact :	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.					
If swallowed :	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.					
Most important symptoms and	d effects, both acute and delayed					
Risks :	May cause an allergic skin reaction. May cause cancer. May cause damage to organs through prolonged or repeated					
	exposure if swallowed. May cause damage to organs through prolonged or repeated exposure if inhaled. This product contains a pyrethroid.					
Protection of first-aiders :	Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).					
Indication of any immediate m	edical attention and special treatment needed					
Treatment :	Treat symptomatically and supportively.					

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media	:	Water spray
		Alcohol-resistant foam
		Carbon dioxide (CO2)





Revision Date: 28.09.2024			Date of last issue: 06.04.2024 Date of first issue: 11.10.2022	
		Dry chemical		
table extinguishing I	:	None known.		
al hazards arising from	n th	e substance or r	nixture	
fic hazards during fire- g	:	Exposure to com	bustion products may be a hazard to health.	
Hazardous combustion prod- ucts		Carbon oxides Nitrogen oxides (NOx) Bromine compounds		
al protective actions fo	or fi	ire-fighters		
al protective equipment efighters	:		e, wear self-contained breathing apparatus. Ditective equipment.	
Specific extinguishing meth- ods		 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to a so. Evacuate area. 		
	28.09.2024 table extinguishing al hazards arising from fic hazards during fire- g dous combustion prod- al protective actions for al protective equipment ofighters	28.09.2024 10 table extinguishing : al hazards arising from the fic hazards during fire- : g dous combustion prod- : al protective actions for fi al protective equipment : ofighters	28.09.2024 10863208-00009 Dry chemical table extinguishing : None known. al hazards arising from the substance or main fic hazards during fire- : Exposure to comain fic hazards during fire- g : Carbon oxides Nitrogen oxides Bromine compound al protective actions for fire-fighters : In the event of fir Use personal protective equipment fic extinguishing meth- : Use extinguishing cumstances and Use water spray Remove undama so.	

	quipment and emergency procedures Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	
•	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for contain	ment and cleaning up
Methods for cleaning up :	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can

lous for orearing up	•	
		For large spills, provide dyking or other appropriate contain-
		ment to keep material from spreading. If dyked material can
		be pumped, store recovered material in appropriate container.
		Clean up remaining materials from spill with suitable absor-
		bent.
		Local or national regulations may apply to releases and dis-
		posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-
		employed in the cleanup of releases. Fou will need to deter-





Version 5.1	Revision Date: 28.09.2024	SDS Number: 10863208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
		Sections 13 ar	gulations are applicable. Id 15 of this SDS provide information regarding national requirements.
Section 7	: Handling and storag	e	
Preca	autions for safe hand	ing	
Tech	nical measures		ng measures under EXPOSURE ERSONAL PROTECTION section.
Local	/Total ventilation		itilation is unavailable, use with local exhaust
Advic	e on safe handling	Do not breathe Do not swallow Avoid contact Wash skin tho Handle in acco practice, based sessment Keep containe Do not eat, drin Take care to p environment.	with eyes. roughly after handling. ordance with good industrial hygiene and safety d on the results of the workplace exposure as- r tightly closed. hk or smoke when using this product. revent spills, waste and minimize release to the
Hygie	ene measures	flushing system place. When using do Contaminated workplace. Wash contamin The effective of engineering co appropriate de industrial hygie	chemical is likely during typical use, provide ey ns and safety showers close to the working o not eat, drink or smoke. work clothing should not be allowed out of the nated clothing before re-use. peration of a facility should include review of introls, proper personal protective equipment, gowning and decontamination procedures, ene monitoring, medical surveillance and the trative controls.
Cond	litions for safe storage	e, including any inc	ompatibilities
Cond	itions for safe storage	Store locked u Keep tightly clo	osed.
Mater	rials to avoid	 Store in accordance with the particular national regulations Do not store with the following product types: Strong oxidizing agents 	

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits





Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	10863208-00009	Date of first issue: 11.10.2022

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m3 (OEB 3)	Internal
	Further information: DSEN, Skin			
		Wipe limit	100 µg/100 cm ²	Internal
Formaldehyde	50-00-0	PEL (short	0.3 ppm	SG OEL
		term)	0.37 mg/m3	
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH

Appropriate engineering control measures	:	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compound are required to control at source and to prevent migration o the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.
Individual protection measu	ires	s, such as personal protective equipment (PPE)
Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potential contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type Hand protection	:	Combined particulates and organic vapour type
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.

Appearance	: liquid, suspension
Colour	: white

SAFETY DATA SHEET



Vers 5.1	sion	Revision Date: 28.09.2024		S Number: 863208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
	Odour		:	No data available	
	Odour ⁻	Threshold	:	No data available	
	рН		:	No data available)
	Melting	point/freezing point	:	No data available)
	Initial b range	oiling point and boiling	:	No data available)
	Flash p	oint	:	No data available	9
	Evapor	ation rate	:	No data available	9
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available)
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available)
	Relative	e vapour density	:	No data available)
	Relative	e density	:	No data available)
	Density	,	:	No data available)
	Solubili Wat	ty(ies) er solubility	:	No data available	9
		n coefficient: n-	:	Not applicable	
	octanol Auto-ig	/water nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	No data available	
	Explosi	ve properties	:	Not explosive	
	Oxidiziı	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	





ersion .1	Revision Date: 28.09.2024		S Number: 363208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
	cle characteristics cle size	:	Not applicable	
Section 1	0: Stability and reactivi	ty		
Poss tions Conc Incor	nical stability ibility of hazardous reac- litions to avoid npatible materials irdous decomposition		Stable under no Can react with None known. Oxidizing agent	s a reactivity hazard. ormal conditions. strong oxidizing agents. s decomposition products are known.
Section 1	1: Toxicological inform	atio	n	
Infor expo	mation on likely routes of sure	:	Inhalation Skin contact Ingestion Eye contact	
	e toxicity classified based on availa	ble i	nformation.	
Prod Acute	l <u>uct:</u> e oral toxicity	:	Acute toxicity es Method: Calcula	timate: > 2,000 mg/kg tion method
Acute	e inhalation toxicity	:	Acute toxicity es Exposure time: 4 Test atmosphere Method: Calcula	e: vapour
Acute	e dermal toxicity	:	Acute toxicity es Method: Calcula	timate: > 2,000 mg/kg tion method
<u>Com</u>	ponents:			
	methrin (ISO):			
Acute	e oral toxicity	:	LD50 (Rat): 66.7	7 mg/kg
			LD50 (Rat): 9 - 7	I 39 mg/kg
			LD50 (Mouse): 7	19 - 34 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): 0.8 Exposure time: 2 Test atmosphere	2 h
Acute	e dermal toxicity	:	LD50 (Rabbit): 2	2,000 mg/kg





	Revision Date: 28.09.2024		DS Number: 863208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
	e toxicity (other routes on nistration)	of :	LD50 (Rat): 2.5 n Application Route	
			LD50 (Mouse): 10 Application Route	
Nony	viphenol, ethoxylated:			
Acute	e oral toxicity	:	LD50 (Rat): 500 -	- 2,000 mg/kg
	aldehyde:			
Acute	e oral toxicity	:	Acute toxicity est Method: Expert ju Remarks: Based	
Acute	e inhalation toxicity	:	Acute toxicity est Exposure time: 4 Test atmosphere Method: Expert ju	: gas
Acute	e dermal toxicity	:	LD50 (Rabbit): 27	70 mg/kg
Skin Not c	corrosion/irritation lassified based on avai	: ilable		70 mg/kg
Skin Not c <u>Com</u>	corrosion/irritation lassified based on avai ponents:	: ilable		70 mg/kg
Skin Not c <u>Com</u> delta	corrosion/irritation lassified based on avai ponents: methrin (ISO):	: ilable	information.	70 mg/kg
Skin Not c <u>Com</u>	corrosion/irritation lassified based on avai ponents: methrin (ISO): ies	: ilable : :		70 mg/kg
Skin Not c Com delta Spec Resu	corrosion/irritation lassified based on avai ponents: methrin (ISO): ies	:	information. Rabbit	70 mg/kg
Skin Not c <u>Com</u> delta Spec Resu Nony Spec	corrosion/irritation lassified based on avain ponents: methrin (ISO): ies It /Iphenol, ethoxylated: ies	:	information. Rabbit No skin irritation Rabbit	
Skin Not c <u>Com</u> delta Spec Resu Nony	corrosion/irritation lassified based on avain ponents: methrin (ISO): ies lt /Iphenol, ethoxylated: ies od	:	information. Rabbit No skin irritation	
Skin Not c Com delta Spec Resu Nony Spec Metho Resu	corrosion/irritation lassified based on avain ponents: methrin (ISO): ies lt /Iphenol, ethoxylated: ies od	:	information. Rabbit No skin irritation Rabbit OECD Test Guid	
Skin Not c Com delta Spec Resu Nony Spec Methe Resu Form Resu	corrosion/irritation lassified based on avain ponents: methrin (ISO): ies lt vIphenol, ethoxylated: ies od lt naldehyde: lt	:	information. Rabbit No skin irritation Rabbit OECD Test Guid No skin irritation Corrosive after 3	eline 404 minutes to 1 hour of exposure
Skin Not c Com delta Spec Resu Nony Spec Meth Resu Form	corrosion/irritation lassified based on avain ponents: methrin (ISO): ies lt vIphenol, ethoxylated: ies od lt naldehyde: lt	:	information. Rabbit No skin irritation Rabbit OECD Test Guid No skin irritation Corrosive after 3	eline 404
Skin Not c Com delta Spec Resu Nony Spec Meth Resu Resu Resu Resu Serio	corrosion/irritation lassified based on avain ponents: methrin (ISO): ies lt vIphenol, ethoxylated: ies od lt naldehyde: lt	: : : : : : :	information. Rabbit No skin irritation Rabbit OECD Test Guid No skin irritation Corrosive after 3 Based on nationa	eline 404 minutes to 1 hour of exposure
Skin Not c Com delta Spec Resu Nony Spec Meth Resu Resu Resu Resu Resu Resu	corrosion/irritation lassified based on avai <u>ponents:</u> methrin (ISO): ies lt /Iphenol, ethoxylated: ies od lt maldehyde: lt arks	: : : : : : :	information. Rabbit No skin irritation Rabbit OECD Test Guid No skin irritation Corrosive after 3 Based on nationa	eline 404 minutes to 1 hour of exposure
Skin Not c Com delta Spec Resu Nony Spec Meth Resu Resu Resu Resu Resu Resu Resu Resu	corrosion/irritation lassified based on avai ponents: methrin (ISO): ies lt /Iphenol, ethoxylated: ies od lt naldehyde: lt arks ous eye damage/eye in lassified based on avai	: : : : : : :	information. Rabbit No skin irritation Rabbit OECD Test Guid No skin irritation Corrosive after 3 Based on nationa	eline 404 minutes to 1 hour of exposure





in hu-

Deltamethrin (1.47%) Formulation

rsion	Revision Date: 28.09.2024		OS Number: 863208-00009	Date of last issue: 06.04.202 Date of first issue: 11.10.202
Nony	Iphenol, ethoxylated	d:		
Spec		:	Rabbit	
Resu		:	Irreversible effect	
Meth	DC	:	OECD Test Gui	deline 405
Form	aldehyde:			
Resu	lt	:	Irreversible effect	cts on the eye
Rema	arks	:	Based on skin c	orrosivity.
Resp	iratory or skin sensi	itisatio	on	
Skin	sensitisation			
May o	cause an allergic skin	reactio	on.	
Resn	iratory sensitisation			
•	lassified based on ava		information.	
Com	ponents:			
delta	methrin (ISO):			
Test		:	Maximisation Te	est
	sure routes	:	Dermal	
Speci Resu		÷	Guinea pig negative	
Nesu	it.	•	negative	
Test		:		nsult patch test (HRIPT)
	sure routes	:	Dermal	
Speci Resu			Humans	
Resu	IL	•	positive	
-	lphenol, ethoxylated	:		
Test		:	Maximisation Te Skin contact	est
Speci	sure routes ies	:	Guinea pig	
Resu		÷	negative	
Rema		:		rom similar materials
Form	aldehyde:			
Test		:		nsult patch test (HRIPT)
Expo	sure routes	:	Skin contact	- · · ·
Spec		:	Humans	
Resu	It	:	positive	
Asses	ssment	:	Probability or ev mans	idence of high skin sensitisatior

Not classified based on available information.



Version 5.1	Revision Date: 28.09.2024	SDS Number: 10863208-0000	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
<u>Co</u>	mponents:		
del	tamethrin (ISO):		
Ge	notoxicity in vitro	: Test Type: B Result: nega	acterial reverse mutation assay (AMES) tive
		Test Type: D Test system: Result: nega	Escherichia coli
			Chromosomal aberration Chinese hamster ovary cells tive
		Test system:	n vitro mammalian cell gene mutation test Chinese hamster lung cells n: LOAEL: 20 mg/kg ive
Ge	notoxicity in vivo	: Test Type: M Species: Mo Application F Result: nega	Route: Oral
		Test Type: d Species: Mo Application F Result: nega	Route: Oral
		Test Type: s Species: Mo Cell type: Bo Application F Result: nega	ne marrow Route: Oral
No	nylphenol, ethoxylated:		
	notoxicity in vitro	Result: nega	acterial reverse mutation assay (AMES) tive ased on data from similar materials
Foi	maldehyde:		
	notoxicity in vitro	: Test Type: B Result: posit	acterial reverse mutation assay (AMES) ive
		Test Type: Ir Result: posit	n vitro mammalian cell gene mutation test ive
		Test Type: C Result: posit	chromosome aberration test in vitro
Ge	notoxicity in vivo	: Test Type: Ir	n vivo mammalian alkaline comet assay



ersion .1	Revision Date: 28.09.2024	SDS Number: 10863208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
		Species: Mouse Application Rou Result: positive	ite: Inhalation
	cell mutagenicity -	: Positive result(s genicity tests.	s) from in vivo mammalian somatic cell muta-
	nogenicity cause cancer.		
Com	ponents:		
delta	methrin (ISO):		
Expos NOAE LOAE Resu	cation Route sure time EL EL	 Mouse, male ar oral (feed) 104 weeks 8 mg/kg body w 4 mg/kg body w positive Lymph nodes 	veight
	cation Route sure time	: Rat, male and f : oral (feed) : 2 Years : negative	emale
	cation Route sure time EL	: Dog, male and : oral (feed) : 2 Years : 1 mg/kg body w : negative	
Form	aldehyde:		
Speci Applio	es cation Route sure time	: Rat : inhalation (gas) : 28 Months : positive	
Carci ment	nogenicity - Assess-	: Sufficient evide	nce of carcinogenicity in animal experiments
-	oductive toxicity lassified based on avai	lable information.	
<u>Com</u>	oonents:		
	methrin (ISO): ts on fertility	Species: Rat Application Rou	ee-generation reproduction toxicity study ite: oral (feed) c Development: NOAEL: 50 mg/kg body



Vers 5.1	ion	Revision Date: 28.09.2024		DS Number: 863208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
				Remarks: Signific Test Type: Two-c Species: Rat Application Route Early Embryonic weight	ffects on fertility, Embryo-foetal toxicity cant toxicity observed in testing generation reproduction toxicity study e: Oral Development: LOAEL: 84 - 149 mg/kg body ffects on fertility, Embryo-foetal toxicity
				Test Type: Fertili Species: Rat, ma Application Route	ty ile e: Oral 1 mg/kg body weight ts on fertility
	Effects ment	on foetal develop-	:	Result: Skeletal r	e: oral (gavage) oxicity: LOAEL: 1 mg/kg body weight
					female
	Reproc sessm	ductive toxicity - As- ent	:		of adverse effects on sexual function and development, based on animal experiments.
	Forma	ldehyde:			
	Effects ment	on foetal develop-	:	Species: Rat	yo-foetal development e: inhalation (gas)
		- single exposure assified based on avail	able	information.	
	Comp	onents:			
	deltam Assess	nethrin (ISO): sment	:	May cause respir	ratory irritation.



ersion I	Revision Date: 28.09.2024	SDS Number: 10863208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
Form	aldehyde:		
Asses	ssment	: May cause resp	iratory irritation.
May o repea	ted exposure if swallc cause damage to orga	ns (Central nervous sys	stem, Immune system) through prolonged o stem) through prolonged or repeated expose
<u>Com</u>	oonents:		
delta	methrin (ISO):		
Targe	sure routes et Organs ssment		system, Immune system to organs through prolonged or repeated
Targe	sure routes et Organs ssment	 inhalation (dust/ Central nervous Causes damage exposure. 	
Repe	ated dose toxicity		
Com	oonents:		
delta	methrin (ISO):		
Expo	EL EL cation Route sure time et Organs	: Rat, male and fe : 1 mg/kg : 2.5 mg/kg : Oral : 13 Weeks : Nervous system : hyperexcitability	
	EL cation Route sure time	: Rat : 3 mg/m3 : inhalation (dust/ : 2 wk / 5 d/wk / 6 : Local irritation, r	
Expos	EL EL cation Route sure time et Organs	 Dog 0.1 mg/kg 1 mg/kg Oral 13 Weeks Nervous system Dilatation of the tion 	pupil, Vomiting, Tremors, Diarrhoea, Saliva





ersion .1	Revision Date: 28.09.2024		0S Number: 863208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
Expo	ΞL	:	Rat 14 mg/kg 54 mg/kg Oral 91 d	
Speci LOAE Applic Expos	ies EL cation Route sure time et Organs		Nervous system Mouse 6 mg/kg Oral 12 Weeks Immune system immune system e	ffects
-	ration toxicity lassified based on ava	ilable	information.	
Expe	rience with human ex	xposı	ire	
Com	ponents:			
delta	methrin (ISO):			
Inhala Skin o	ation contact	:	Headache, Nause Palpitation, Blurre Symptoms: Skin sea, Vomiting, Di	atory tract irritation, Dizziness, Sweating, ea, Vomiting, anorexia, Fatigue, tingling, ed vision, muscle twitching rritation, Erythema, pruritis, Headache, Nau- zziness, tingling, Sweating, muscle twitching,
Inges	tion	:		tigue, anorexia, Allergic reactions le pain, Small pupils
ection 1	2: Ecological informa	ation		
Toxic	\i 4\/			
	ponents:			
	methrin (ISO):			
	ity to fish	:	LC50 (Cyprinodo mg/l Exposure time: 9	n variegatus (sheepshead minnow)): 0.00048 6 h
			LC50 (Oncorhyno Exposure time: 9	hus mykiss (rainbow trout)): 0.00039 mg/l 5 h
	ity to daphnia and othe	er :	EC50 (Mysidopsi Exposure time: 4	s bahia (opossum shrimp)): 0.0037 μg/l 3 h
			EC50 (Daphnia n Exposure time: 4	nagna (Water flea)): 0.0035 mg/l 3 h

LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 $\mu g/I$ Exposure time: 96 h





/ersion 5.1	Revision Date: 28.09.2024		9S Number: 863208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
Toxi plan	icity to algae/aquatic ts	:	mg/l Exposure time: 72 Method: OECD T	
	(I	:	1,000,000	
icity Toxi icity	icity to fish (Chronic tox-	:	NOEC (Pimephal mg/l Exposure time: 36	es promelas (fathead minnow)): 0.000022 S d
			NOEC (Pimephal mg/l Exposure time: 26	es promelas (fathead minnow)): 0.000017 60 d
aqua	icity to daphnia and other atic invertebrates (Chron-	:	NOEC (Daphnia r Exposure time: 2 ²	nagna (Water flea)): 0.0041 μg/l l d
	xicity) actor (Chronic aquatic city)	:	1,000,000	
Non	ylphenol, ethoxylated:			
Toxi	icity to fish	:	Exposure time: 96	s promelas (fathead minnow)): > 0.1 - 1 mg/ 5 h on data from similar materials
	icity to daphnia and other atic invertebrates	:	Exposure time: 48	nia dubia (water flea)): > 0.1 - 1 mg/l 3 h on data from similar materials
Toxi plan	icity to algae/aquatic ts	:	mg/l Exposure time: 72 Method: OECD T	
			Exposure time: 72 Method: OECD T	
M-F		:	1	
	icity to fish (Chronic tox-	:	Exposure time: 10	itipes (Japanese medaka)): > 0.1 - 1 mg/l 00 d on data from similar materials
aqua	icity to daphnia and other atic invertebrates (Chron- xicity)		mg/l Exposure time: 28	is bahia (opossum shrimp)): > 0.001 - 0.01 3 d on data from similar materials





rsion	Revision Date: 28.09.2024	-	DS Number: 863208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022	
M-Fac	tor (Chronic aquatic	:	10		
	aldehyde:				
	ty to fish	:	LC50 (Morone sa Exposure time: 9	axatilis (striped bass)): 6.7 mg/l 6 h	
Toxicity to daphnia and other aquatic invertebrates		:	EC50 (Daphnia pulex (Water flea)): 5.8 mg/l Exposure time: 48 h		
	Toxicity to algae/aquatic plants		ErC50 (Desmodesmus subspicatus (green algae)): 4.89 mg/ Exposure time: 72 h Method: OECD Test Guideline 201		
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)		:	NOEC (Daphnia magna (Water flea)): 1.04 mg/l Exposure time: 21 d Method: OECD Test Guideline 211		
Toxici	ty to microorganisms	:	EC50 (activated s Exposure time: 3 Method: OECD T		
Persis	stence and degradabili	ty			
Comp	onents:				
	nethrin (ISO): ty in water	:	Hydrolysis: 0 %(3	30 d)	
-	Nonylphenol, ethoxylated: Biodegradability		Result: Not readily biodegradable. Remarks: Based on data from similar materials		
	Formaldehyde: Biodegradability		Result: Readily biodegradable. Biodegradation: 99 % Exposure time: 28 d Method: OECD Test Guideline 301A		
Bioac	cumulative potential				
Comp	onents:				
deltar	nethrin (ISO):				
Bioaco	cumulation	:		s macrochirus (Bluegill sunfish) factor (BCF): 1,800	
Partition coefficient: n- octanol/water		:	log Pow: 4.6		





Nonylphenol, ethoxy Partition coefficient: n					
octanol/water		og Pow: 4.48			
Formaldehyde: Partition coefficient: no octanol/water		log Pow: 0.35 Remarks: Calculation			
Mobility in soil					
Components:					
deltamethrin (ISO): Distribution among en mental compartments		og Koc: 7.2			
Other adverse effect No data available	6				
ection 13: Disposal con	siderations				
Disposal methods					
Waste from residues Contaminated packag	ng : E c	 Do not dispose of waste into sewer. Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste had dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. 			
ection 14: Transport inf	ormation				
International Regula	ions				
UNRTDG UN number UN proper shipping na	ime : E N	1.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID,		
Transport hazard clas Packing group Labels Environmental hazard	s(es) : 9 : 1 : 9) 			
IATA-DGR UN/ID No. UN proper shipping na	: L ime : E	JN 3082 Environmentally (deltamethrin (IS	hazardous substance, liquid, n.o.s. SO), Nonylphenol, ethoxylated)		
Transport hazard clas Packing group Labels Packing instruction (ca	: II : N				
aircraft) Packing instruction (page	assen- : 9	964			





Version 5.1	Revision Date: 28.09.2024	SDS Number: 10863208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022
ger ai Enviro	rcraft) onmentally hazardous	: yes	
UN nu	-Code umber er shipping name	N.O.S.	NTALLY HAZARDOUS SUBSTANCE, LIQUID, (ISO), Nonylphenol, ethoxylated)
Transport hazard class(es) Packing group Labels EmS Code Marine pollutant		: 9 : III : 9 : F-A, S-F : yes	

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazard- ous Substances) Regulations	:	Nonylphenol and nonylphenol eth- oxylates
Fire Safety (Petroleum and Flammable Materials)	:	Not applicable

The components of this product are reported in the following inventories:

AICS	• :	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Regulations

Revision Date	:	28.09.2024
Further information Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Date format



Deltamethrin (1.47%) Formulation

Version 5.1	Revision Date: 28.09.2024	SDS Number: 10863208-00009	Date of last issue: 06.04.2024 Date of first issue: 11.10.2022

: dd.mm.yyyy

Full text of other abbreviations						
ACGIH SG OEL	:	USA. ACGIH Threshold Limit Values (TLV) Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.				
ACGIH / TWA ACGIH / STEL SG OEL / PEL (short term)	:	8-hour, time-weighted average Short-term exposure limit Permissible Exposure Level (PEL) Short Term				

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.





Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.1	28.09.2024	10863208-00009	Date of first issue: 11.10.2022

SG / EN