

# **Deltamethrin (1%) Liquid Formulation**

**Revision Date:** SDS Number: Date of last issue: 13.04.2024 Version 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

**SECTION 1: IDENTIFICATION** 

Product name Deltamethrin (1%) Liquid Formulation

Other means of identification Wipeout (A004558)

Manufacturer or supplier's details

Company Intervet Australia Pty Limited (trading as MSD Animal Health)

91-105 Harpin Street Address

Bendigo 3550, Victoria Austrailia

Telephone 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Not applicable Restrictions on use

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin sensitisation Category 1

Carcinogenicity Category 1B

Specific target organ toxicity - :

repeated exposure (Oral)

Category 2 (Central nervous system, Immune system)

repeated exposure (Inhala-

tion)

Specific target organ toxicity - : Category 2 (Central nervous system)

**GHS** label elements

Hazard pictograms

Signal word

H317 May cause an allergic skin reaction. Hazard statements

H350 May cause cancer.

H373 May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

swallowed.

H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

Precautionary statements

#### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours.

P272 Contaminated work clothing should not be allowed out of

the workplace

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Propylene glycol	57-55-6	< 10
deltamethrin (ISO)	52918-63-5	>= 1 -< 3
Formaldehyde	50-00-0	>= 0.2 -< 1
Methanol	67-56-1	< 1

### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

dvice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.



# **Deltamethrin (1%) Liquid Formulation**

Revision Date: SDS Number: Date of last issue: 13.04.2024 Version 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

In case of skin contact In case of contact, immediately flush skin with soap and plenty

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. May cause an allergic skin reaction.

Most important symptoms and effects, both acute and

delayed

May cause cancer.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

May cause damage to organs through prolonged or repeated

exposure if inhaled.

This product contains a pyrethroid.

Pyrethroid poisoning should not be confused with carbamate

or organophosphate poisoning.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Hazardous combustion prod-

Carbon oxides

Nitrogen oxides (NOx) Bromine compounds

Specific extinguishing meth-

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code •3Z

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

gency procedures tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures,



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis		
		exposure)	concentration			
Propylene glycol	57-55-6	TWA (partic-	NA (partic- 10 mg/m3			
		ulate)				
		TWA (Total	150 ppm	AU OEL		
		(vapour and	474 mg/m3			
		particles))				
deltamethrin (ISO)	52918-63-5	TWA	15 μg/m3 (OEB 3)	Internal		
	Further inform	Further information: DSEN, Skin				
		Wipe limit	100 μg/100 cm <sup>2</sup>	Internal		
Formaldehyde	50-00-0	STEL	2 ppm	AU OEL		
,			2.5 mg/m3			
	Further information: Category 2 (Carc. 2) Suspected human car-					
	cinogen, Sens	cinogen, Sensitiser				
		TWA	1 ppm	AU OEL		
			1.2 mg/m3			
	Further inform	ation: Category 2 (Carc. 2) Suspected human car-				
	cinogen, Sens	cinogen, Sensitiser				
		TWA	0.1 ppm	ACGIH		
		STEL	0.3 ppm	ACGIH		
Methanol	67-56-1	TWA	200 ppm	AU OEL		
			262 mg/m3			
	Further inform	Further information: Skin absorption				
		STEL	250 ppm	AU OEL		
			328 mg/m3			
	Further inform	Further information: Skin absorption				
		TWA	200 ppm ACGIH			
		STEL	250 ppm	ACGIH		

#### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra-tion	Basis
Methanol	67-56-1	Methanol	Urine	End of shift (As soon as	15 mg/l	ACGIH BEI



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

possible after exposure ceases)

**Engineering measures**: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Combined particulates and organic vapour type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : suspension

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : 6.4 - 7.4

Melting point/freezing point : No data available



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 0.994 - 1.014 (20 °C)

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 230 - 320 mm2/s

No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

## **SECTION 10. STABILITY AND REACTIVITY**



# **Deltamethrin (1%) Liquid Formulation**

Date of last issue: 13.04.2024 Version Revision Date: SDS Number: 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes Inhalation

> Skin contact Ingestion Eye contact

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute toxicity estimate: > 20 mg/l Acute inhalation toxicity

> Exposure time: 4 h Test atmosphere: vapour Method: Calculation method

Acute toxicity estimate: > 2,000 mg/kg Acute dermal toxicity

Method: Calculation method

**Components:** 

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

deltamethrin (ISO):

Acute oral toxicity LD50 (Rat): 66.7 mg/kg

LD50 (Rat): 9 - 139 mg/kg

LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity LC50 (Rat): 0.8 mg/l



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg

LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 2.5 mg/kg

Application Route: Intravenous

LD50 (Mouse): 10 mg/kg

Application Route: Intraperitoneal

Formaldehyde:

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg

Method: Expert judgement

Remarks: Based on national or regional regulation.

Acute inhalation toxicity : Acute toxicity estimate (Rat): 100 ppm

Exposure time: 4 h
Test atmosphere: gas
Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

Methanol:

Acute oral toxicity : Acute toxicity estimate (Humans): 300 mg/kg

Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 3 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Expert judgement

Remarks: Based on national or regional regulation.

Acute dermal toxicity : Acute toxicity estimate: 300 mg/kg

Method: Expert judgement

Remarks: Based on national or regional regulation.

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

deltamethrin (ISO):



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Species : Rabbit

Result : No skin irritation

Formaldehyde:

Result : Corrosive after 3 minutes to 1 hour of exposure

Remarks : Based on national or regional regulation.

Methanol:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

Propylene glycol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

deltamethrin (ISO):

Species : Rabbit

Result : Moderate eye irritation

Formaldehyde:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.

Methanol:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Propylene glycol:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig Result : negative



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

deltamethrin (ISO):

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig Result : negative

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Dermal Species : Humans Result : positive

Formaldehyde:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact Species : Humans Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in hu-

mans

Methanol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

**Chronic toxicity** 

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

deltamethrin (ISO):



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair Test system: Escherichia coli

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Concentration: LOAEL: 20 mg/kg

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Result: negative

Test Type: dominant lethal test

Species: Mouse Application Route: Oral Result: negative

Test Type: sister chromatid exchange assay

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Result: negative

Formaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay

Species: Mouse

**Application Route: Inhalation** 

Result: positive

Germ cell mutagenicity -

Assessment

: Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Methanol:



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: in vitro micronucleus test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

May cause cancer.

**Components:** 

Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

deltamethrin (ISO):

Species : Mouse, male and female

Application Route : oral (feed) Exposure time : 104 weeks

NOAEL : 8 mg/kg body weight LOAEL : 4 mg/kg body weight

Result : positive Target Organs : Lymph nodes

Species : Rat, male and female

Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Species : Dog, male and female

Application Route : oral (feed) Exposure time : 2 Years

NOAEL : 1 mg/kg body weight

Result : negative

Formaldehyde:

Species : Rat

Application Route : inhalation (gas) Exposure time : 28 Months



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Result : positive

Carcinogenicity - Assess-

ment

Sufficient evidence of carcinogenicity in animal experiments

Methanol:

Species : Monkey

Application Route : inhalation (vapour)

Exposure time : 7 Months Result : negative

Reproductive toxicity

Not classified based on available information.

**Components:** 

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: oral (feed)

Early Embryonic Development: NOAEL: 50 mg/kg body

weight

Symptoms: No effects on fertility, Embryo-foetal toxicity

Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: LOAEL: 84 - 149 mg/kg body

weight

Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility Species: Rat, male Application Route: Oral

Fertility: LOAEL: 1 mg/kg body weight

Symptoms: Effects on fertility Target Organs: Testes

Effects on foetal develop-

ment

Test Type: Development

Species: Mouse



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Application Route: oral (gavage)

Developmental Toxicity: LOAEL: 1 mg/kg body weight

Result: Skeletal malformations Remarks: Maternal toxicity observed.

Test Type: Development Species: Rat, female

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Symptoms: No effects on foetal development

Test Type: Development Species: Rabbit, female

Application Route: oral (gavage)

Developmental Toxicity: NOAEL: 16 mg/kg body weight

Symptoms: No effects on foetal development

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, and/or on development, based on animal experiments.

Formaldehyde:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (gas)

Result: negative

Methanol:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Monkey

Application Route: inhalation (vapour)

Result: negative

Effects on foetal develop-

ment

Test Type: Reproduction/Developmental toxicity screening

test

Species: Monkey

Application Route: inhalation (vapour)

Result: negative

STOT - single exposure

Not classified based on available information.

**Components:** 

deltamethrin (ISO):

Assessment : May cause respiratory irritation.

Formaldehyde:

Assessment : May cause respiratory irritation.



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Methanol:

Target Organs : optic nerve, Central nervous system

Assessment : Causes damage to organs.

STOT - repeated exposure

May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure

if inhaled.

**Components:** 

deltamethrin (ISO):

Exposure routes : Ingestion

Target Organs : Central nervous system, Immune system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

**Components:** 

Propylene glycol:

Species : Rat, male

NOAEL : >= 1,700 mg/kg

Application Route : Ingestion

Exposure time : 2 yr

deltamethrin (ISO):

Species : Rat, male and female

NOAEL : 1 mg/kg
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Nervous system
Symptoms : hyperexcitability

Species : Rat LOAEL : 3 mg/m3

Application Route : inhalation (dust/mist/fume) Exposure time : 2 wk / 5 d/wk / 6 h/d

Symptoms : Local irritation, respiratory tract irritation

Species : Dog NOAEL : 0.1 mg/kg LOAEL : 1 mg/kg



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Nervous system

Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Saliva-

tion

Species : Rat

NOAEL : 14 mg/kg

LOAEL : 54 mg/kg

Application Route : Oral

Exposure time : 91 d

Target Organs : Nervous system

Species : Mouse
LOAEL : 6 mg/kg
Application Route : Oral
Exposure time : 12 Weeks
Target Organs : Immune system

Symptoms : immune system effects

### **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

#### **Components:**

deltamethrin (ISO):

Inhalation : Symptoms: respiratory tract irritation, Dizziness, Sweating,

Headache, Nausea, Vomiting, anorexia, Fatigue, tingling,

Palpitation, Blurred vision, muscle twitching

Skin contact : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nau-

sea, Vomiting, Dizziness, tingling, Sweating, muscle twitching,

Blurred vision, Fatigue, anorexia, Allergic reactions

Ingestion : Symptoms: muscle pain, Small pupils

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

## **Components:**

Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: Date of last issue: 13.04.2024 SDS Number: 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Toxicity to microorganisms

NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l

Exposure time: 7 d

NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

deltamethrin (ISO):

Toxicity to fish LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 μg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 0.0035 mg/l

Exposure time: 48 h

LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.000022

mg/l

Exposure time: 36 d

NOEC (Pimephales promelas (fathead minnow)): 0.000017

mg/l

Exposure time: 260 d

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0041 µg/l

Exposure time: 21 d

Formaldehyde:

Toxicity to fish LC50 (Morone saxatilis (striped bass)): 6.7 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 5.8 mg/l

Exposure time: 48 h

Toxicity to algae/aguatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 4.89 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.04 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (activated sludge): 19 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Methanol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 15,400 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 48 h Method: DIN 38412

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

22,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Test substance: Neutralised product Method: OECD Test Guideline 209

Persistence and degradability

**Components:** 

Propylene glycol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 98.3 % Exposure time: 28 d

Method: OECD Test Guideline 301F

deltamethrin (ISO):

Stability in water : Hydrolysis: 0 %(30 d)

Formaldehyde:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 99 % Exposure time: 28 d

Method: OECD Test Guideline 301A

Methanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 95 %



# **Deltamethrin (1%) Liquid Formulation**

Version 1.7

**Revision Date:** 26.06.2024

SDS Number: 10853015-00008 Date of last issue: 13.04.2024 Date of first issue: 15.09.2022

Exposure time: 20 d

**Bioaccumulative potential** 

**Components:** 

Propylene glycol:

Partition coefficient: n-

octanol/water

log Pow: -1.07

Method: Regulation (EC) No. 440/2008, Annex, A.8

deltamethrin (ISO):

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1,800

Partition coefficient: n-

octanol/water

log Pow: 4.6

Formaldehyde:

Partition coefficient: n-

octanol/water

log Pow: 0.35

Remarks: Calculation

Methanol:

Bioaccumulation

Species: Leuciscus idus (Golden orfe) Bioconcentration factor (BCF): < 10

Partition coefficient: n-

octanol/water

log Pow: -0.77

Mobility in soil

Components:

deltamethrin (ISO):

Distribution among environ-

mental compartments

: log Koc: 7.2

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION** 

International Regulations



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(deltamethrin (ISO))

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(deltamethrin (ISO))

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(deltamethrin (ISO))

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**ADG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(deltamethrin (ISO))

Class : 9
Packing group : III
Labels : 9
Hazchem Code : •3Z
Environmentally hazardous : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



# **Deltamethrin (1%) Liquid Formulation**

Revision Date: SDS Number: Date of last issue: 13.04.2024 Version 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mix-

Standard) Instrument

Therapeutic Goods (Poisons : Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might

apply for this chemical)

Prohibition/Licensing Requirements There is no applicable prohibition,

> authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

#### **SECTION 16: ANY OTHER RELEVANT INFORMATION**

**Further information** 

Sheet

**Revision Date** : 26.06.2024

compile the Safety Data

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format dd.mm.yyyy

Full text of other abbreviations

ACGIH USA. ACGIH Threshold Limit Values (TLV) ACGIH BEI ACGIH - Biological Exposure Indices (BEI)

**AU OEL** Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL Short-term exposure limit

Exposure standard - time weighted average AU OEL / TWA : Exposure standard - short term exposure limit AU OEL / STEL

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;



# **Deltamethrin (1%) Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 13.04.2024 1.7 26.06.2024 10853015-00008 Date of first issue: 15.09.2022

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN