

Version 3.0	Revision Date: 28.09.2024		9S Number: 853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022		
SECTIC	SECTION 1. IDENTIFICATION					
Pro	duct identifier	:	Deltamethrin (19	%) Liquid Formulation		
Oth	er means of identification	:	Wipeout (A0045	58)		
Ма	nufacturer or supplier's	deta	ils			
Co	Company		MSD			
Ade	Address		Rua Coronel Bento Soares, 530 Cruzeiro - Sao Paulo - Brazil CEP 12730-340			
Tel	Telephone		908-740-4000			
Em	Emergency telephone		1-908-423-6000			
E-r	E-mail address		EHSDATASTEWARD@msd.com			
Recommended use of the chemical and restrictions on use						
	commended use strictions on use	:	Veterinary produ Not applicable	uct		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Acute toxicity (Inhalation)	:	Category 5
Skin sensitization	:	Category 1
Carcinogenicity	:	Category 1B
Specific target organ toxicity - repeated exposure (Oral)	:	Category 2 (Central nervous system, Immune system)
Specific target organ toxicity - repeated exposure (Inhalation)	:	Category 2 (Central nervous system)
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard



ersion 0	Revision Date: 28.09.2024	SDS Number: 10853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Hazar	d pictograms		
Signal	Word	: Danger	
Hazar	d Statements	H333 May be H350 May ca H373 May ca Immune syste swallowed. H373 May ca through prolo	use an allergic skin reaction. harmful if inhaled. use cancer. use damage to organs (Central nervous system, em) through prolonged or repeated exposure if use damage to organs (Central nervous system) nged or repeated exposure if inhaled. xic to aquatic life with long lasting effects.
Precautionary Statements		P272 Contan the workplace P273 Avoid re	elease to the environment. rotective gloves/ protective clothing/ eye protec-
		P304 + P312 you feel unwe P308 + P313 attention.	IF exposed or concerned: Get medical advice/ If skin irritation or rash occurs: Get medical ad- n.
		Storage: P405 Store Id	

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Mixture		
Components			
Chemical name	CAS-No.	Classification	Concentration (% w/w)
Deltamethrin (ISO)	52918-63-5	Acute Tox. (Oral), 3 Acute Tox. (Inhala- tion), 3 Eye Irrit., 2A Skin Sens., 1A Repr., 2	>= 1 -< 2,5



Version 3.0	Revision Date: 28.09.2024	SDS Number: 10853016-000	Date of last issue: 09 Date of first issue:	
			STOT SE, 3 STOT RE, (Oral)(Central nervous system, Immune sys- tem), 1 STOT RE, (Inhala- tion)(Central nervous system), 1 Aquatic Acute, 1 Aquatic Chronic, 1	
Form	aldehyde	50-00-0	Flam. Gas, 1B Acute Tox. (Oral), 3 Acute Tox. (Inhala- tion), 2 Acute Tox. (Dermal), 3 Skin Corr., 1B Eye Dam., 1 Skin Sens., 1A Muta., 2 Carc., 1B STOT SE, 3 Aquatic Acute, 2	>= 0,25 -< 1
Nony	lphenol, ethoxylated	9016-45-9	Acute Tox. (Oral), 4 Eye Dam., 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 0,1 -< 0,25
Metha	anol	67-56-1	Flam. Liq., 2 Acute Tox. (Oral), 3 Acute Tox. (Inhala- tion), 3 Acute Tox. (Dermal), 3 STOT SE, (optic nerve, Central nerv- ous system), 1	>= 0,1 -< 1

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek n advice immediately. When symptoms persist or in all cases of doubt se advice. 	
If inhaled	If inhaled, remove to fresh air. Get medical attention.	
In case of skin contact	 In case of contact, immediately flush skin with soap of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. 	o and plenty
In case of eye contact	Flush eyes with water as a precaution.	



Version 3.0	Revision Date: 28.09.2024	SDS Number: 10853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022			
lf swa	llowed	 Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. 				
	mportant symptoms ffects, both acute and ed	 May cause an allergic skin reaction. May be harmful if inhaled. May cause cancer. May cause damage to organs through prolonged or repeate exposure if swallowed. May cause damage to organs through prolonged or repeate exposure if inhaled. 				
Protec	ction of first-aiders	 This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carba or organophosphate poisoning. First Aid responders should pay attention to self-protect and use the recommended personal protective equipment 				
Notes	to physician	when the pote	ntial for exposure exists (see section 8). natically and supportively.			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx) Bromine compounds
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions :	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so.



Versio 3.0	'n	Revision Date: 28.09.2024		9S Number: 853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
				oil barriers). Retain and dispos	g over a wide area (e.g., by containment or se of contaminated wash water. should be advised if significant spillages red.
Methods and materials for containment and cleaning up		:	For large spills, pro- containment to kee can be pumped, so container. Clean up remaining absorbent. Local or national of disposal of this mo- employed in the of determine which of Sections 13 and 1	t absorbent material. rovide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. IS of this SDS provide information regarding tional requirements.	

SECTION 7. HANDLING AND STORAGE

	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	 If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the
Hygiene measures	 environment. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the
Conditions for safe storage	 use of administrative controls. Keep in properly labeled containers. Store locked up. Keep tightly closed.



Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 26.06.2024
3.0		10853016-00009	Date of first issue: 15.09.2022
Materia	als to avoid	: Do not store with Strong oxidizing	stances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis	
		(Form of	ters / Permissible		
		exposure)	concentration		
Deltamethrin (ISO)	52918-63-5	TWA	15 µg/m3 (OEB 3)	Internal	
	Further inform	mation: DSEN, S	škin		
		Wipe limit	100 µg/100 cm ²	Internal	
Formaldehyde	50-00-0	CEIL	1,6 ppm	BR OEL	
			2,3 mg/m ³		
	Further inform	Further information: Degree of harmfulness: maximum			
		TWA	0,1 ppm	ACGIH	
		STEL	0,3 ppm	ACGIH	
Methanol	67-56-1	LT	156 ppm	BR OEL	
			200 mg/m ³		
			on through the skin, De	egree of harm-	
	fulness: max	fulness: maximum			
		TWA	200 ppm	ACGIH	
		STEL	250 ppm	ACGIH	

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Methanol	67-56-1	Methanol	Urine	End of workday	15 mg/l	BR BEI
		Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

Engineering measures

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face



Version 3.0	Revision Date: 28.09.2024	SDS Number: 10853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022					
		containment (Minimize ope	,					
Pers	onal protective equipn	nent						
Resp	iratory protection	exposure ass	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.					
	Iter type I protection	: Combined pa	rticulates and organic vapor type					
М	aterial	: Chemical-res	Chemical-resistant gloves					
	emarks protection	If the work en mists or aero Wear a faces	ble gloving. glasses with side shields or goggles. vironment or activity involves dusty conditions, sols, wear the appropriate goggles. hield or other full face protection if there is a lirect contact to the face with dusts, mists, or					
Skin	and body protection	: Work uniform Additional boot task being pe disposable su Use appropria	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.					

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	suspension
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	6,4 - 7,4
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available



Deltamethrin (1%) Liquid Formulation

Versic 3.0	on	Revision Date: 28.09.2024	SDS Number: 10853016-00009		Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
fl	ammal	bility limit			
V	Vapor pressure		:	No data available	9
R	Relative vapor density		:	No data available	9
R	Relative density		:	0,994 - 1,014 (20) °C)
D	Density		:	No data available	9
S	Solubilit Wate	y(ies) er solubility	:	No data available	9
	Partitior	n coefficient: n-	:	Not applicable	
-		ition temperature	:	No data available	9
D	Decomp	position temperature	:	No data available	Э
V	/iscosit Visco	y osity, kinematic	:	230 - 320 mm²/s No data available	9
E	xplosiv	ve properties	:	Not explosive	
C	Dxidizin	g properties	:	The substance o	r mixture is not classified as oxidizing.
Ν	lolecul	ar weight	:	No data available	9
-	Particle Particle	characteristics size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.
products		

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

May be harmful if inhaled.

Product:



Versi 3.0		Revision Date: 28.09.2024		S Number: 853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
	Acute or	al toxicity	:	Acute toxicity estir Method: Calculation	mate: > 5.000 mg/kg on method
	Acute in	halation toxicity	:	Acute toxicity estir Exposure time: 4 H Test atmosphere: Method: Calculatio	n vapor
	Acute de	ermal toxicity	:	Acute toxicity estir Method: Calculatio	mate: > 5.000 mg/kg on method
	<u>Compor</u>	nents:			
	Deltame	ethrin (ISO):			
	Acute or	al toxicity	:	LD50 (Rat): 66,7 r	ng/kg
				LD50 (Rat): 9 - 13	9 mg/kg
				LD50 (Mouse): 19	- 34 mg/kg
	Acute in	halation toxicity	:	LC50 (Rat): 0,8 m Exposure time: 2 f Test atmosphere:	n
	Acute de	ermal toxicity	:	LD50 (Rabbit): 2.0	000 mg/kg
				LD50 (Rat): > 800	mg/kg
	Acute to administ	xicity (other routes of ration)	:	LD50 (Rat): 2,5 m Application Route:	
				LD50 (Mouse): 10 Application Route:	
••	Formalo	lehyde:			
		al toxicity	:	Acute toxicity estin Method: Expert jud Remarks: Based o	
	Acute in	halation toxicity	:	Acute toxicity estir Exposure time: 4 H Test atmosphere: Method: Expert jue	gas
	Acute de	ermal toxicity	:	LD50 (Rabbit): 27	0 mg/kg
	Nonylpł	nenol, ethoxylated:			
	Acute or	al toxicity	:	LD50 (Rat): 500 -	2.000 mg/kg
11	Methan	ol:			
		al toxicity	:	Acute toxicity estir Method: Expert jud	mate (Humans): 300 mg/kg dgment



Version 3.0	Revision Date: 28.09.2024		0S Number: 853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Acut	te inhalation toxicity	:	Acute toxicity estin Exposure time: 4 Test atmosphere: Method: Expert ju Remarks: Based of	h vapor
Acut	te dermal toxicity	:	Acute toxicity esti Method: Expert ju Remarks: Based o	
-	n corrosion/irritation classified based on availa	ble	information.	
Con	nponents:			
Delt	amethrin (ISO):			
Spec Res		:	Rabbit No skin irritation	
Forr	maldehyde:			
Res Rem		:		minutes to 1 hour of exposure I or regional regulation.
Non	ylphenol, ethoxylated:			
Spe		:	Rabbit	
Meth Res		:	OECD Test Guide No skin irritation	aine 404
Metl	hanol:			
Spe		:	Rabbit	
Res	uit		No skin irritation	
	ous eye damage/eye irr classified based on availa			
<u>Con</u>	nponents:			
Delt	amethrin (ISO):			
Spe		:	Rabbit	
Res	ult	:	Moderate eye irrit	ation
Forr	naldehyde:			
Res		:	Irreversible effects	
Rem	1a1 1/5	•	Based on skin cor	าบธิเขแง.
Non	ylphenol, ethoxylated:			
Spe		:	Rabbit	
Res Meth		:	Irreversible effects	



ersion)	Revision Date: 28.09.2024		DS Number: 853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022		
Metha	anol:					
Speci	es	:	Rabbit			
Resu	t	:	No eye irritation			
Resp	iratory or skin sensi	tizatio	on			
	sensitization					
May c	ause an allergic skin	reaction	on.			
-	iratory sensitization assified based on ava		information.			
<u>Comp</u>	oonents:					
Delta	methrin (ISO):					
Test		:	Maximization Te	est		
	es of exposure	:	Dermal			
Speci Resul		:	Guinea pig negative			
Test		:		nsult patch test (HRIPT)		
	es of exposure	:	Dermal			
Speci Resul		:	: Humans : positive			
Form	aldehyde:					
Test	Гуре	:	Human repeat ir	nsult patch test (HRIPT)		
	es of exposure	:	Skin contact			
Speci		:	Humans			
Resul		:	positive			
Asses	ssment	:	Probability or ev humans	idence of high skin sensitization rate i		
Nony	Iphenol, ethoxylated	1 :				
Test	Гуре	:	Maximization Te	est		
	es of exposure	:	Skin contact			
Speci		:	Guinea pig			
Resul Rema	-	:	negative Based on data f	rom similar materials		
Metha		-	Maximization Te	oot.		
Test Route	i ype es of exposure		Skin contact	50L		
Speci		:	Guinea pig			
Resu		:	negative			
0						
	cell mutagenicity assified based on available					

Components:

Deltamethrin (ISO):



ersion)	Revision Date: 28.09.2024		9S Number: 853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Genoto	oxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
			Test Type: DNA F Test system: Esch Result: negative	
				nosomal aberration nese hamster ovary cells
				o mammalian cell gene mutation test nese hamster lung cells DAEL: 20 mg/kg
Genoto	oxicity in vivo	:	Test Type: Micror Species: Mouse Application Route Result: negative	
			Test Type: domina Species: Mouse Application Route Result: negative	
			Test Type: sister of Species: Mouse Cell type: Bone m Application Route Result: negative	
Forma	ldehyde:			
	oxicity in vitro	:	Test Type: Bacter Result: positive	ial reverse mutation assay (AMES)
			Test Type: In vitro Result: positive	o mammalian cell gene mutation test
			Test Type: Chrom Result: positive	nosome aberration test in vitro
Genoto	oxicity in vivo	:	Test Type: In vivo Species: Mouse Application Route Result: positive	mammalian alkaline comet assay : Inhalation
Germ o Assess	cell mutagenicity - sment	:	Positive result(s) f mutagenicity tests	from in vivo mammalian somatic cell S.
Nonvli	ohenol, ethoxylated:			
	oxicity in vitro	:	Result: negative	ial reverse mutation assay (AMES) on data from similar materials



/ersion 5.0	Revision Date: 28.09.2024	SDS Number: 10853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
II			
Meth			
Geno	toxicity in vitro		cterial reverse mutation assay (AMES) D Test Guideline 471 ve
		Test Type: In Result: negativ	vitro mammalian cell gene mutation test ve
		Test Type: in v Result: negativ	vitro micronucleus test ve
Geno	toxicity in vivo	cytogenetic as Species: Mous	se Dute: Intraperitoneal injection
	i nogenicity cause cancer.		
-	ponents:		
Delta	methrin (ISO):		
Speci Applid Expos NOAI LOAE Resu	ies cation Route sure time EL EL	 Mouse, male a oral (feed) 104 weeks 8 mg/kg body 4 mg/kg body positive Lymph nodes 	weight
	cation Route sure time	: Rat, male and : oral (feed) : 2 Years : negative	female
Speci Applic Expos NOAI Resu	cation Route sure time EL	: Dog, male and : oral (feed) : 2 Years : 1 mg/kg body : negative	
Form	aldehyde:		
Speci Applie	ies cation Route sure time	: Rat : inhalation (gas : 28 Months : positive	3)
Carci ment	nogenicity - Assess-	: Sufficient evid	ence of carcinogenicity in animal experiments



Version 3.0	Revision Date: 28.09.2024		0S Number: 853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Metha Specie	-	:	Monkey	
Applic	ation Route ure time	:	inhalation (vapor) 7 Months negative	
-	ductive toxicity assified based on availa	able	information.	
<u>Comp</u>	onents:			
	nethrin (ISO): s on fertility	:	Species: Rat Application Route Early Embryonic I weight Symptoms: No eff	generation reproduction toxicity study c oral (feed) Development: NOAEL: 50 mg/kg body fects on fertility., Embryo-fetal toxicity. ant toxicity observed in testing
			Test Type: Two-g Species: Rat Application Route Early Embryonic I weight	eneration reproduction toxicity study
			Test Type: Fertilit Species: Rat, mal Application Route Fertility: LOAEL: Symptoms: Effect Target Organs: To	e : Oral 1 mg/kg body weight s on fertility.
Effects	s on fetal development	:	Result: Skeletal m	: oral (gavage) oxicity: LOAEL: 1 mg/kg body weight
				emale
Repro sessm	ductive toxicity - As- nent	:		f adverse effects on sexual function and development, based on animal experiments.



Version 3.0	Revision Date: 28.09.2024		9S Number: 853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Form	aldehyde:			
	ts on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	
Meth	anol:			
	ts on fertility	:	Species: Monkey	eneration reproduction toxicity study : inhalation (vapor)
Effec	ts on fetal development	:	test Species: Monkey	duction/Developmental toxicity screening : inhalation (vapor)
	F-single exposure lassified based on availa	ble	information.	
<u>Com</u>	ponents:			
Delta	methrin (ISO):			
Asse	ssment	:	May cause respira	atory irritation.
Form	aldehyde:			
	ssment	:	May cause respira	atory irritation.
Meth	anol:			
Targe	et Organs ssment	:	optic nerve, Centr Causes damage t	al nervous system o organs.
STO	F-repeated exposure			
repea	ated exposure if swallowe cause damage to organs	ed.	-	em, Immune system) through prolonged or em) through prolonged or repeated exposure
Com	ponents:			
Delta	methrin (ISO):			
Targe	es of exposure et Organs ssment	:		ystem, Immune system o organs through prolonged or repeated
Targe	es of exposure et Organs ssment	:	inhalation (dust/m Central nervous s Causes damage t exposure.	



Version 3.0	Revision Date: 28.09.2024	SDS Number: 10853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Repe	ated dose toxicity		
<u>Com</u>	oonents:		
Delta	methrin (ISO):		
Expos	EL	: Rat, male and fe : 1 mg/kg : 2,5 mg/kg : Oral : 13 Weeks : Nervous system	
Symp		: hyperexcitability	
	L cation Route sure time	: Rat : 3 mg/m3 : inhalation (dust/ : 2 wk / 5 d/wk / 6 : Local irritation, r	
Expos	EL EL cation Route sure time ot Organs	: Dog : 0,1 mg/kg : 1 mg/kg : Oral : 13 Weeks : Nervous system : Dilatation of the	pupil, Vomiting, Tremors, Diarrhea, Salivation
Expos	EL	: Rat : 14 mg/kg : 54 mg/kg : Oral : 91 d : Nervous system	
Expos	L cation Route sure time ot Organs	: Mouse : 6 mg/kg : Oral : 12 Weeks : Immune system : immune system	effects
-	ation toxicity assified based on avai	lable information.	
Expe	rience with human ex	posure	
<u>Com</u>	oonents:		
Delta	methrin (ISO):		
Inhala	ation	Headache, Naus	iratory tract irritation, Dizziness, Sweating, sea, Vomiting, anorexia, Fatigue, tingling, ed vision, muscle twitching
Skin d	contact	: Symptoms: Skin sea, Vomiting, D	irritation, Erythema, pruritis, Headache, Nau- izziness, tingling, Sweating, muscle twitching, atigue, anorexia, Allergic reactions



Version 3.0	Revision Date: 28.09.2024		0S Number: 853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022	
Inge	estion	:	Symptoms: musc	le pain, Small pupils	
SECTIO	N 12. ECOLOGICAL INFO	ORN	MATION		
Eco	otoxicity				
<u>Cor</u>	nponents:				
	tamethrin (ISO):				
Тох	icity to fish	:	LC50 (Cyprinodor mg/l Exposure time: 96	n variegatus (sheepshead minnow)): 0,00048 Sh	
			LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 0,00039 mg/l S h	
	icity to daphnia and other atic invertebrates	:	EC50 (Mysidopsis Exposure time: 48	s bahia (opossum shrimp)): 0,0037 μg/l 3 h	
			EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): 0,0035 mg/l 3 h	
			LC50 (Gammarus Exposure time: 96	s fasciatus (freshwater shrimp)): 0,0003 μg/l δ h	
Tox plar	icity to algae/aquatic nts	:	mg/l Exposure time: 72 Method: OECD T		
M-F	actor (Acute aquatic tox-	:	1.000.000	,	
icity Tox icity	cicity to fish (Chronic tox-	:	NOEC (Pimephal mg/l Exposure time: 36	es promelas (fathead minnow)): 0,000022 S d	
			NOEC (Pimephal mg/l Exposure time: 26	es promelas (fathead minnow)): 0,000017 60 d	
aqu	icity to daphnia and other atic invertebrates (Chron- oxicity)	:	NOEC (Daphnia r Exposure time: 2 ²	nagna (Water flea)): 0,0041 μg/l I d	
	actor (Chronic aquatic	:	1.000.000		
For	maldehyde:				
Тох	icity to fish	:	LC50 (Morone sa Exposure time: 96	xatilis (striped bass)): 6,7 mg/l 5 h	
	cicity to daphnia and other attic invertebrates	:	EC50 (Daphnia p Exposure time: 48	ulex (Water flea)): 5,8 mg/l 3 h	
Тох	icity to algae/aquatic	:	ErC50 (Desmode	smus subspicatus (green algae)): 4,89 mg/l	



plantsExposure time: 72 h Method: OECD Test Guideline 2Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)NOEC (Daphnia magna (Water f Exposure time: 21 d Method: OECD Test Guideline 2Toxicity to microorganismsEC50 (activated sludge): 19 mg/l Exposure time: 3 h Method: OECD Test Guideline 2Nonylphenol, ethoxylated:Toxicity to fishToxicity to fish: LC50 (Pimephales promelas (fat Exposure time: 96 h Remarks: Based on data from sit Toxicity to daphnia and other aquatic invertebratesToxicity to algae/aquatic plants: EC50 (Ceriodaphnia dubia (wate Exposure time: 48 h Remarks: Based on data from sitToxicity to algae/aquatic plants: ErC50 (Selenastrum capricornut mg/l Exposure time: 72 h Method: OECD Test Guideline 2M Ecotor (Acute equatio tory Method: OECD Test Guideline 2	lea)): 1,04 mg/l 11 09 head minnow)): > 0,1 - 1 mg/l
aquatic invertebrates (Chron- ic toxicity)Exposure time: 21 d Method: OECD Test Guideline 2Toxicity to microorganisms:EC50 (activated sludge): 19 mg/l Exposure time: 3 h Method: OECD Test Guideline 2Nonylphenol, ethoxylated::CC50 (Pimephales promelas (fat Exposure time: 96 h Remarks: Based on data from sitToxicity to daphnia and other aquatic invertebrates:EC50 (Ceriodaphnia dubia (wate Exposure time: 48 h Remarks: Based on data from sitToxicity to algae/aquatic 	11 09 head minnow)): > 0,1 - 1 mg/l
Exposure time: 3 h Method: OECD Test Guideline 2Nonylphenol, ethoxylated:Toxicity to fish:LC50 (Pimephales promelas (fat Exposure time: 96 h Remarks: Based on data from sin Exposure time: 48 h Remarks: Based on data from sinToxicity to daphnia and other aquatic invertebrates:EC50 (Ceriodaphnia dubia (wate 	09 head minnow)): > 0,1 - 1 mg/l
 Toxicity to fish LC50 (Pimephales promelas (fat Exposure time: 96 h Remarks: Based on data from sin Remarks: Based on data from sin	
 Toxicity to fish LC50 (Pimephales promelas (fat Exposure time: 96 h Remarks: Based on data from sin Based on data from sin Remarks: Based on data from sin Remarks:	
aquatic invertebratesExposure time: 48 h Remarks: Based on data from sin PlantsToxicity to algae/aquatic plants:ErC50 (Selenastrum capricornut 	
plants mg/l Exposure time: 72 h Method: OECD Test Guideline 2 Remarks: Based on data from sin EC10 (Selenastrum capricornutu Exposure time: 72 h Method: OECD Test Guideline 2 Remarks: Based on data from sin	
Exposure time: 72 h Method: OECD Test Guideline 2 Remarks: Based on data from si	01
M Factor (Aquita aquistic tox	01
M-Factor (Acute aquatic tox- : 1	
icity) Toxicity to fish (Chronic tox- icity)	
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)NOEC (Mysidopsis bahia (oposs mg/l Exposure time: 28 d Remarks: Based on data from single	
M-Factor (Chronic aquatic : 10 toxicity)	
Methanol:	
Toxicity to fish : LC50 (Lepomis macrochirus (Blu Exposure time: 96 h	legill sunfish)): 15.400 mg/l
Toxicity to daphnia and other : EC50 (Daphnia magna (Water fle aquatic invertebrates Exposure time: 48 h Method: DIN 38412	ea)): > 10.000 mg/l
Toxicity to algae/aquatic:ErC50 (Raphidocelis subcapitataplants22.000 mg/l	(freshwater green alga)):



Versior 3.0	n Revision Date: 28.09.2024		0S Number: 853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022	
			Exposure time: 96 Method: OECD To		
Τc	Toxicity to microorganisms		 EC50 (activated sludge): > 1.000 mg/l Exposure time: 3 h Test substance: Neutralized product Method: OECD Test Guideline 209 		
Pe	ersistence and degradabil	ity			
<u>Co</u>	omponents:				
	eltamethrin (ISO): ability in water	:	Hydrolysis: 0 %(3	0 d)	
Fc	ormaldehyde:				
	odegradability	:	Result: Readily bi Biodegradation: S Exposure time: 28 Method: OECD Te	99 %	
No	onylphenol, ethoxylated:				
Bi	odegradability	:	Result: Not readily Remarks: Based	y biodegradable. on data from similar materials	
M	ethanol:				
Bi	odegradability	:	Result: Readily bi Biodegradation: 9 Exposure time: 20	95 %	
Bi	oaccumulative potential				
<u>Co</u>	omponents:				
De	eltamethrin (ISO):				
Bi	oaccumulation	:		macrochirus (Bluegill sunfish) factor (BCF): 1.800	
	artition coefficient: n- stanol/water	:	log Pow: 4,6		
	ormaldehyde:				
	artition coefficient: n- tanol/water	:	log Pow: 0,35 Remarks: Calcula	tion	
No	onylphenol, ethoxylated:				
	artition coefficient: n- stanol/water	:	log Pow: 4,48		
	ethanol:		.		
Bi	oaccumulation	:		us idus (Golden orfe) factor (BCF): < 10	



/ersion 5.0	Revision Date: 28.09.2024		DS Number: 853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Partit octar	ion coefficient: n- ol/water	:	log Pow: -0,77	
Mobi	lity in soil			
<u>Com</u>	ponents:			
Delta	methrin (ISO):			
Distri	bution among environ- al compartments	:	log Koc: 7,2	
	r adverse effects ata available			
SECTION	13. DISPOSAL CONSI	DEF	RATIONS	
Disp	osal methods			
Wast	e from residues	:		of waste into sewer. cordance with local regulations.
Conta	aminated packaging	:	Empty container handling site for	s should be taken to an approved waste recycling or disposal. specified: Dispose of as unused product.
SECTION	14. TRANSPORT INFO	ORM	ATION	
Intor	national Poquiations			
	national Regulations			
	TDG umber er shipping name	:	UN 3082 ENVIRONMENT	ALLY HAZARDOUS SUBSTANCE, LIQUID,

UN number		UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (deltamethrin (ISO))
Class		9
	:	9
Packing group Labels	:	9
	:	-
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Deltamethrin (ISO))
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
Environmentally hazardous	:	yes
IMDG-Code		
UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Deltamethrin (ISO))



Version 3.0	Revision Date: 28.09.2024		DS Number: 853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022		
Labels EmS C		:	9 III 9 F-A, S-F yes			
-	port in bulk according			OL 73/78 and the IBC Code		
Dome	stic regulation					
Class Packin Labels	shipping name	:	UN 3082 ENVIRONMENTA N.O.S. (deltamethrin (IS 9 III 9 90	ALLY HAZARDOUS SUBSTANCE, LIQUID, O))		
	al precautions for use		30			
The tra based Sheet.	The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.					
SECTION 1	SECTION 15. REGULATORY INFORMATION					

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans -	(LINACH)
Group 1: Carcinogenic to humans Formaldehyde	50-00-0
Brazil. List of chemicals controlled by the Federal Police	: Not applicable

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	28.09.2024
Date format	:	dd.mm.yyyy

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD



Version 3.0	Revision Date: 28.09.2024	SDS Number: 10853016-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022		
	mpile the Material Safety ta Sheet		eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/		
	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines. Full text of other abbreviations				
Fu					
AC AC	CGIH CGIH BEI R BEI	: USA. ACGIH Thr : ACGIH - Biologic : Brazil. NR7. Para	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) Brazil. NR7. Parameters for Biological Control of Occupational Exposure to Some Chemical Agents		
BR	ROEL		nhealthy activities and operations		
AC BR	CGIH / TWA CGIH / STEL R OEL / CEIL R OEL / LT	: 8-hour, time-weig : Short-term expos : Ceiling : Up to 48 hours /w	ure limit		
La Ca Sta X% EN X% ter - I Eq cel cal Ma ga cel Le n.c Co Lo Ze me lati es 19	AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMF Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated w x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedu ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated w x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized S) tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IA - International Air Transport Association; IBC - International Code for the Construction a Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory cc centration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Cher cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Co centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Medi Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ship n.o.s Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effec Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effec Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZloC - Ni Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develo ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccurr lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substar es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation, Evaluati Authorisation and Restriction of Chemicals; SADT - Self-Ac				

Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2024
3.0	28.09.2024	10853016-00009	Date of first issue: 15.09.2022

SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8