according to GB/T 16483 and GB/T 17519



# **Deltamethrin (1%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/26
2.0	2024/09/28	10853019-00009	Date of first issue: 2022/09/15

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	:	Deltamethrin (1%) Liquid Formulation
Other means of identification	:	Wipeout (A004558)
Manufacturer or supplier's de	eta	ils
Company	:	MSD
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331
Telephone	:	+1-908-740-4000
Emergency telephone number	:	86-571-87268110
E-mail address	:	EHSDATASTEWARD@msd.com
Recommended use of the ch	em	ical and restrictions on use
Recommended use Restrictions on use	:	Veterinary product Not applicable

### 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

Appearance Colour Odour	:	suspension white No data available	
May cause an allergic skin reaction. May be harmful if inhaled. May cause cancer. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.			
GHS Classification			
Acute toxicity (Inhalation)	:	Category 5	
Skin sensitisation	:	Category 1	
Carcinogenicity	:	Category 1A	
Specific target organ toxicity - repeated exposure	:	Category 2	
Short-term (acute) aquatic hazard	:	Category 1	

according to GB/T 16483 and GB/T 17519



# **Deltamethrin (1%) Liquid Formulation**

Version 2.0	Revision Date: 2024/09/28	SDS Number: 10853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15
Lon haz	g-term (chronic) aquatic ard	: Category 1	
-	S label elements card pictograms		!
Sig	nal word	: Danger	<b>v v</b>
Haz	zard statements	H333 May be h H350 May caus H373 May caus peated exposu	se damage to organs through prolonged or re-
Pre	cautionary statements	P202 Do not ha and understood P260 Do not br P272 Contamir the workplace. P273 Avoid rele	eathe mist or vapours. hated work clothing should not be allowed out of ease to the environment. tective gloves/ protective clothing/ eye protec-
		P304 + P312 IF you feel unwell P308 + P313 IF attention. P333 + P313 If vice/ attention. P362 + P364 T reuse. P391 Collect sp	exposed or concerned: Get medical advice/ skin irritation or rash occurs: Get medical ad- ake off contaminated clothing and wash it before
		Storage: P405 Store loc	ked up.
		<b>Disposal:</b> P501 Dispose o disposal plant.	of contents/ container to an approved waste

### Physical and chemical hazards

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



## **Deltamethrin (1%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/26
2.0	2024/09/28	10853019-00009	Date of first issue: 2022/09/15

#### **Health hazards**

May be harmful if inhaled. May cause an allergic skin reaction. May cause cancer. May cause damage to organs through prolonged or repeated exposure.

#### **Environmental hazards**

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

#### Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
deltamethrin (ISO)	52918-63-5	>= 1 -< 2.5
Formaldehyde	50-00-0	>= 0.25 -< 1
Nonylphenol, ethoxylated	9016-45-9	>= 0.1 -< 0.25
Methanol	67-56-1	>= 0.1 -< 1

#### 4. FIRST AID MEASURES


General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. May be harmful if inhaled. May cause cancer. May cause damage to organs through prolonged or repeated exposure. This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment





Version 2.0	Revision Date: 2024/09/28		0S Number: 853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15
No	tes to physician	:		Il for exposure exists (see section 8). cally and supportively.
5. FIRE	FIGHTING MEASURES			
Su	itable extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
	Unsuitable extinguishing media		None known.	
	Specific hazards during fire- fighting		Exposure to com	pustion products may be a hazard to health.
Ha uct	zardous combustion prod- ts	:	Carbon oxides Nitrogen oxides (I Bromine compou	
Sp od	ecific extinguishing meth- s	:	cumstances and t Use water spray t	measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do
	ecial protective equipment firefighters	:		e, wear self-contained breathing apparatus. tective equipment.
6. ACC	IDENTAL RELEASE MEAS	SUF	RES	
Pe	rsonal precautions, protec-	:	Use personal pro	tective equipment.

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent.





# **Deltamethrin (1%) Liquid Formulation**

Version 2.0	Revision Date: 2024/09/28	SDS Number: 10853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15
		posal of this ma employed in the mine which reg Sections 13 and	al regulations may apply to releases and dis- aterial, as well as those materials and items e cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding national requirements.
7. HAND	LING AND STORAGE		
Han	dling		
	nnical measures		g measures under EXPOSURE
Loca	al/Total ventilation	: If sufficient vent	ERSONAL PROTECTION section. ilation is unavailable, use with local exhaust
	ce on safe handling dance of contact	Do not swallow Avoid contact w Wash skin thord Handle in accor practice, based sessment Keep container Do not eat, drin	mist or vapours. <i>i</i> th eyes. bughly after handling. rdance with good industrial hygiene and safety on the results of the workplace exposure as- tightly closed. k or smoke when using this product. event spills, waste and minimize release to the
Stor	age		
	ditions for safe storage	Store locked up Keep tightly clo Store in accord	sed. ance with the particular national regulations. th the following product types:
Pacl	kaging material		erial: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
deltamethrin (ISO)	52918-63-5	PC-TWA	0.03 mg/m3	CN OEL
		TWA	15 µg/m3 (OEB 3)	Internal
	Further informa	ation: DSEN, Ski	in	
		Wipe limit	100 µg/100 cm²	Internal
Formaldehyde	50-00-0	MÁC	0.5 mg/m3	CN OEL

according to GB/T 16483 and GB/T 17519



## Deltamethrin (1%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/26
2.0	2024/09/28	10853019-00009	Date of first issue: 2022/09/15

	Further info	rmation: G1 - Ca	rcinogenic to huma	ins, Sensitizing	
		TWA	0.1 ppm	ACGIH	
		STEL	0.3 ppm	ACGIH	
Methanol	67-56-1	PC-TWA	25 mg/m3	CN OEL	
	Further info	rmation: Skin			
		PC-STEL	50 mg/m3	CN OEL	
	Further info	Further information: Skin			
		TWA	200 ppm	ACGIH	
		STEL	250 ppm	ACGIH	

#### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Methanol	67-56-1	Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

Engineering measures
 Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

#### Personal protective equipment Respiratory protection If adequate local exhaust ventilation is not available or expo-: sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Filter type Combined particulates and organic vapour type : Eye/face protection Wear safety glasses with side shields or goggles. : If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. Skin and body protection Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

according to GB/T 16483 and GB/T 17519



# **Deltamethrin (1%) Liquid Formulation**

Version 2.0	Revision Date: 2024/09/28	SDS Number: 10853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15
Hand	protection		
Ma	aterial	: Chemical-resista	nt gloves
Remarks Hygiene measures		eye flushing syst ing place. When using do r Contaminated w workplace. Wash contamina The effective ope engineering cont appropriate dego	emical is likely during typical use, provide tems and safety showers close to the work- not eat, drink or smoke. ork clothing should not be allowed out of the ted clothing before re-use. eration of a facility should include review of trols, proper personal protective equipment, owning and decontamination procedures, e monitoring, medical surveillance and the

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Colour	:	white
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	6.4 - 7.4
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available

according to GB/T 16483 and GB/T 17519



## **Deltamethrin (1%) Liquid Formulation**

2.0 2024/09/28 10853019-00009 Date of first issue: 2022/09/15	Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/26
	2.0	2024/09/28	10853019-00009	Date of first issue: 2022/09/15

Relative density	:	0.994 - 1.014 (20 °C)
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	230 - 320 mm2/s No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	•	No data available
Particle characteristics Particle size	:	Not applicable

#### **10. STABILITY AND REACTIVITY**

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	::	None known. Oxidizing agents No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
Acute toxicity May be harmful if inhaled.	

#### Product:

Acute oral toxicity

according to GB/T 16483 and GB/T 17519



ersion D	Revision Date: 2024/09/28		0S Number: 853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15	
			Method: Calculati	on method	
Acute inhalation toxicity		:	Acute toxicity estimate: 25 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method		
Acute dermal toxicity		:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method		
Comp	oonents:				
deltar	methrin (ISO):				
Acute	oral toxicity	:	LD50 (Rat): 66.7	mg/kg	
			LD50 (Rat): 9 - 13	39 mg/kg	
			LD50 (Mouse): 19	9 - 34 mg/kg	
Acute inhalation toxicity		:	LC50 (Rat): 0.8 mg/l Exposure time: 2 h Test atmosphere: dust/mist		
Acute	dermal toxicity	:	LD50 (Rabbit): 2,	000 mg/kg	
			LD50 (Rat): > 800	) mg/kg	
	toxicity (other routes of istration)	:	LD50 (Rat): 2.5 m Application Route		
			LD50 (Mouse): 10 Application Route		
Form	aldehyde:				
Acute oral toxicity		:	Acute toxicity esti Method: Expert ju Remarks: Based		
Acute inhalation toxicity		:	Acute toxicity esti Exposure time: 4 Test atmosphere: Method: Expert ju	gas	
Acute dermal toxicity		:	LD50 (Rabbit): 27	′0 mg/kg	
II Nonv	Iphenol, ethoxylated:				
	oral toxicity	:	LD50 (Rat): 500 -	2,000 mg/kg	
II Metha	anol				

according to GB/T 16483 and GB/T 17519



ersion 0	Revision Date: 2024/09/28		S Number: 853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15	
Acute	e oral toxicity	:	Acute toxicity es Method: Expert j	timate (Humans): 300 mg/kg judgement	
Acute inhalation toxicity		:	Acute toxicity estimate: 3 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Expert judgement Remarks: Based on national or regional regulation.		
Acute dermal toxicity		:	Method: Expert	timate: 300 mg/kg judgement d on national or regional regulation	
Not c	corrosion/irritation lassified based on availa	able	information.		
	ponents:				
Speci Resu		:	Rabbit No skin irritation		
Form	aldehyde:				
Resu Rema	lt	:		3 minutes to 1 hour of exposure al or regional regulation.	
Nony	Iphenol, ethoxylated:				
Resu Rema		:	Skin irritation Based on nation	al or regional regulation.	
<b>Meth</b> Speci Resu	ies	:	Rabbit No skin irritation		
	us eye damage/eye irr lassified based on availa				
Com	ponents:				
	methrin (ISO):				
Speci Resu		:	Rabbit Moderate eye irr	itation	
Form	aldehyde:				
Resu Rema		:	Irreversible effect Based on skin co		

according to GB/T 16483 and GB/T 17519



## **Deltamethrin (1%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/26
2.0	2024/09/28	10853019-00009	Date of first issue: 2022/09/15

#### Nonylphenol, ethoxylated:

: Rabbit
: Irreversible effects on the eye
: OECD Test Guideline 405

#### Methanol:

Species Result	:	Rabbit
Result	:	No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

### Respiratory sensitisation

Not classified based on available information.

### Components:

### deltamethrin (ISO):

Test Type Exposure routes Species Result	:	Maximisation Test Dermal Guinea pig negative
Test Type Exposure routes Species Result	:	Human repeat insult patch test (HRIPT) Dermal Humans positive
Formaldehyde:		
Test Type Exposure routes Species Result	: : :	Human repeat insult patch test (HRIPT) Skin contact Humans positive
Assessment	:	Probability or evidence of high skin sensitisation rate in humans
Nonylphenol, ethoxylated:		
Test Type Exposure routes Species Result Remarks	:	Maximisation Test Skin contact Guinea pig negative Based on data from similar materials

### Methanol:

Test Type

: Maximisation Test

according to GB/T 16483 and GB/T 17519



Version 2.0	Revision Date: 2024/09/28		Date of last issue: 2024/06/26 Date of first issue: 2022/09/15
Expos Speci Resu		: Skin contact : Guinea pig : negative	
	<b>n cell mutagenicity</b> lassified based on ava	able information.	
Com	ponents:		
delta	methrin (ISO):		
Geno	toxicity in vitro	: Test Type: Bacteria Result: negative	I reverse mutation assay (AMES)
		Test Type: DNA Re Test system: Esche Result: negative	
		Test Type: Chromos Test system: Chines Result: negative	somal aberration se hamster ovary cells
			nammalian cell gene mutation test se hamster lung cells .EL: 20 mg/kg
Geno	toxicity in vivo	: Test Type: Micronuc Species: Mouse Application Route: C Result: negative	
		Test Type: dominan Species: Mouse Application Route: C Result: negative	
		Test Type: sister ch Species: Mouse Cell type: Bone mar Application Route: C Result: negative	
Form	aldehyde:		
	toxicity in vitro	: Test Type: Bacteria Result: positive	I reverse mutation assay (AMES)
		Test Type: In vitro n Result: positive	nammalian cell gene mutation test
		Test Type: Chromos	some aberration test in vitro

according to GB/T 16483 and GB/T 17519



rsion	Revision Date: 2024/09/28		S Number: 853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15			
11			Result: positive				
Genot	toxicity in vivo	:	Test Type: In vivo Species: Mouse Application Route Result: positive	o mammalian alkaline comet assay e: Inhalation			
	cell mutagenicity - sment	:	genicity tests.	from in vivo mammalian somatic cell muta on national or regional regulation.			
Nony	Iphenol, ethoxylated:						
Genot	toxicity in vitro	:	Result: negative	rial reverse mutation assay (AMES) on data from similar materials			
Metha	anol:						
Genot	toxicity in vitro	:	Test Type: Bacte Method: OECD T Result: negative	rial reverse mutation assay (AMES) est Guideline 471			
			Test Type: In vitro Result: negative	o mammalian cell gene mutation test			
			Test Type: in vitro Result: negative	o micronucleus test			
Genot	toxicity in vivo	:	: Test Type: Mammalian erythrocyte micronucleus test (in cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative				
II Carci	nogenicity						
	ause cancer.						
Comp	oonents:						
deltar	methrin (ISO):						
Expos NOAE LOAE Resul	cation Route sure time EL L	:	Mouse, male and oral (feed) 104 weeks 8 mg/kg body we 4 mg/kg body we positive Lymph nodes	ight			
	es cation Route sure time	:	Rat, male and female oral (feed) 2 Years				
_ ·			13 / 24				

according to GB/T 16483 and GB/T 17519



Version 2.0	Revision Date: 2024/09/28	SDS N 108530	umber: 19-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15
Resu	lt	: neg	ative	
Spec Appli Expo NOA Resu	cation Route sure time EL	: oral : 2 Y : 1 m	g, male and fe (feed) ears g/kg body we ative	
Form	naldehyde:			
Spec Appli Expo Resu	cation Route sure time	: 28 I	alation (gas) Months itive	
Carci ment	inogenicity - Assess-			e from human epidemiological studies on national or regional regulation.
Meth	anol:			
Spec Appli Expo Resu	cation Route sure time	: inha : 7 M	nkey alation (vapou onths ative	r)
Not c <u>Com</u>	oductive toxicity lassified based on avai ponents:	lable infor	mation.	
	m <b>ethrin (ISO):</b> ts on fertility	Spe App Ear wei Syn	ecies: Rat lication Route ly Embryonic ght nptoms: No eff	e-generation reproduction toxicity study e: oral (feed) Development: NOAEL: 50 mg/kg body ffects on fertility, Embryo-foetal toxicity cant toxicity observed in testing
		Spe App Ear wei	cies: Rat lication Route ly Embryonic ght	generation reproduction toxicity study e: Oral Development: LOAEL: 84 - 149 mg/kg body ffects on fertility, Embryo-foetal toxicity
		Spe App Fer Syn	t Type: Fertili ecies: Rat, ma lication Route tility: LOAEL: nptoms: Effec get Organs: T	le e: Oral 1 mg/kg body weight ts on fertility

\_

according to GB/T 16483 and GB/T 17519



## **Deltamethrin (1%) Liquid Formulation**

Version 2.0	Revision Date: 2024/09/28		9S Number: 853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15
Effects ment	on foetal develop-	:	Result: Skeletal m	oral (gavage) exicity: LOAEL: 1 mg/kg body weight
				emale
Reproc sessm	ductive toxicity - As- ent	:		adverse effects on sexual function and development, based on animal experiments.
•• Forma	ldehyde:			
	on foetal develop-	:	Test Type: Embry Species: Rat Application Route Result: negative	o-foetal development : inhalation (gas)
Nonvli	phenol, ethoxylated:			
	ductive toxicity - As-	:		adverse effects on sexual function and development, based on animal experiments.
Metha	nol:			
Effects	s on fertility	:	Species: Monkey	eneration reproduction toxicity study : inhalation (vapour)
Effects ment	on foetal develop-	:	test Species: Monkey	duction/Developmental toxicity screening : inhalation (vapour)

### STOT - single exposure

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



Version 2.0	Revision Date: 2024/09/28	SDS Number: 10853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15					
	<u>ponents:</u>							
	<b>methrin (ISO):</b> ssment	: May cause res	spiratory irritation.					
	<b>haldehyde:</b> ssment	: May cause res	spiratory irritation.					
Targe	<b>anol:</b> et Organs ssment	: optic nerve, Co : Causes dama	entral nervous system ge to organs.					
May	F - repeated exposure cause damage to organized organized and the provide the provided and the provided a		or repeated exposure.					
Expo Targe	<b>methrin (ISO):</b> sure routes et Organs ssment		us system, Immune system ge to organs through prolonged or repeated					
Targe	sure routes et Organs ssment	<ul> <li>inhalation (dus</li> <li>Central nervoit</li> <li>Causes damage exposure.</li> </ul>						
	<b>/Iphenol, ethoxylated</b> : ssment arks	: May cause da exposure.	mage to organs through prolonged or repeated on regional regulation.					
Com	eated dose toxicity ponents: mothrin (ISO):							
Spec NOA LOAE Appli Expo Targe	EL	: Rat, male and : 1 mg/kg : 2.5 mg/kg : Oral : 13 Weeks : Nervous syste : hyperexcitabili	m					
Spec LOAE		: Rat : 3 mg/m3						

according to GB/T 16483 and GB/T 17519



## **Deltamethrin (1%) Liquid Formulation**

Version 2.0	Revision Date: 2024/09/28	SDS Number: 10853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15				
	cation Route sure time	: inhalation (dust/ : 2 wk / 5 d/wk / 6					
Symp			espiratory tract irritation				
Expos	EL E cation Route sure time t Organs		<ul> <li>Dog</li> <li>0.1 mg/kg</li> <li>1 mg/kg</li> <li>Oral</li> <li>13 Weeks</li> <li>Nervous system</li> <li>Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Saliv</li> </ul>				
Expos	EL	: Rat : 14 mg/kg : 54 mg/kg : Oral : 91 d : Nervous system					
Expos	L cation Route sure time t Organs	: Mouse : 6 mg/kg : Oral : 12 Weeks : Immune system : immune system					
Not cl Expei	ation toxicity assified based on ava rience with human e ponents:						
	methrin (ISO):						
Inhala	ition	Headache, Nau	viratory tract irritation, Dizziness, Sweating, sea, Vomiting, anorexia, Fatigue, tingling, red vision, muscle twitching				
	contact	<ul> <li>Symptoms: Skin irritation, Erythema, pruritis, Headache sea, Vomiting, Dizziness, tingling, Sweating, muscle twi Blurred vision, Fatigue, anorexia, Allergic reactions</li> </ul>					
			cle pain, Small pupils				
2. ECOLO	OGICAL INFORMATI	ON					
Ecoto	oxicity						
Comp	oonents:						

### deltamethrin (ISO):

Toxicity to fish

: LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048

according to GB/T 16483 and GB/T 17519



ersion )	Revision Date: 2024/09/28		S Number: 853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15
			mg/l Exposure time: 96	S h
			LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 0.00039 mg/l ን h
	to daphnia and other invertebrates	:	EC50 (Mysidopsis Exposure time: 48	s bahia (opossum shrimp)): 0.0037 μg/l 3 h
			EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): 0.0035 mg/l 3 h
			LC50 (Gammarus Exposure time: 96	s fasciatus (freshwater shrimp)): 0.0003 μο δ h
Toxicity plants	to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD To	
	or (Acute aquatic tox-	:	1,000,000	
icity) Toxicity icity)	to fish (Chronic tox-	:	NOEC (Pimephale mg/l Exposure time: 36	es promelas (fathead minnow)): 0.000022 S d
			NOEC (Pimephale mg/l Exposure time: 26	es promelas (fathead minnow)): 0.000017 60 d
aquatic	to daphnia and other invertebrates (Chron-	:	NOEC (Daphnia r Exposure time: 21	magna (Water flea)): 0.0041 μg/l I d
ic toxicit M-Facto toxicity)	or (Chronic aquatic	:	1,000,000	
Formal	dehyde:			
Toxicity	to fish	:	LC50 (Morone sa Exposure time: 96	xatilis (striped bass)): 6.7 mg/l 5 h
	to daphnia and other invertebrates	:	EC50 (Daphnia p Exposure time: 48	ulex (Water flea)): 5.8 mg/l 3 h
Toxicity plants	to algae/aquatic	:	ErC50 (Desmode Exposure time: 72 Method: OECD Te	
	to daphnia and other invertebrates (Chron- ty)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD To	

according to GB/T 16483 and GB/T 17519



ersion 0	Revision Date: 2024/09/28		9S Number: 853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15		
Toxici	ty to microorganisms	:	EC50 (activated s Exposure time: 3 Method: OECD Te	h		
Nony	Iphenol, ethoxylated:					
Toxici	ty to fish	:	Exposure time: 96	s promelas (fathead minnow)): > 0.1 - 1 mg/l 5 h on data from similar materials		
	ty to daphnia and other ic invertebrates	:	Exposure time: 48	nia dubia (water flea)): > 0.1 - 1 mg/l 5 h on data from similar materials		
Toxici plants	ty to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD Te			
			Exposure time: 72 Method: OECD Te			
	ctor (Acute aquatic tox-	:	1			
icity) Toxici icity)	ty to fish (Chronic tox-	:	Exposure time: 10	tipes (Japanese medaka)): > 0.1 - 1 mg/l 00 d on data from similar materials		
Toxici aquati ic toxi	ty to daphnia and other ic invertebrates (Chron- city)	:	NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0 mg/l Exposure time: 28 d Remarks: Based on data from similar materials			
M-Fac toxicit	ctor (Chronic aquatic	:	10			
Metha						
	ty to fish	:	LC50 (Lepomis m Exposure time: 96	acrochirus (Bluegill sunfish)): 15,400 mg/l 5 h		
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Method: DIN 38412			
Toxici plants	ty to algae/aquatic	:	ErC50 (Raphidoce 22,000 mg/l Exposure time: 96 Method: OECD Te			

according to GB/T 16483 and GB/T 17519



Version 2.0	Revision Date: 2024/09/28		DS Number: 1853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15
Toxic	ity to microorganisms	:	Exposure time: 3 Test substance: I	sludge): > 1,000 mg/l h Neutralised product Test Guideline 209
II Persi	istence and degradabi	ilitv		
	ponents:			
	methrin (ISO):			
	lity in water	:	Hydrolysis: 0 %(3	30 d)
Form	naldehyde:			
Biode	egradability	:	Result: Readily b Biodegradation: Exposure time: 2 Method: OECD T	99 %
Nony	/Iphenol, ethoxylated:			
Biode	egradability	:	Result: Not readil Remarks: Based	ly biodegradable. on data from similar materials
Meth	anol:			
Biode	egradability	:	Result: Readily b Biodegradation: Exposure time: 2	95 %
Bioa	ccumulative potential			
Com	ponents:			
delta	methrin (ISO):			
Bioac	ccumulation	:		s macrochirus (Bluegill sunfish) factor (BCF): 1,800
	ion coefficient: n- nol/water	:	log Pow: 4.6	
	naldehyde:			
	ion coefficient: n- ol/water	:	log Pow: 0.35 Remarks: Calcula	ation
Nony	Iphenol, ethoxylated:			
octan	ion coefficient: n- nol/water	:	log Pow: 4.48	
	anol:		<b>.</b>	
Bioac	ccumulation	:	Species: Leucisc	us idus (Golden orfe)

according to GB/T 16483 and GB/T 17519



Version 2.0	Revision Date: 2024/09/28		DS Number: 853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15		
Ш			Bioconcentration	factor (BCF): < 10		
	ion coefficient: n- ol/water	:	log Pow: -0.77			
Mobi	lity in soil					
<u>Com</u>	ponents:					
delta	methrin (ISO):					
	bution among environ- al compartments	:	log Koc: 7.2			
Othe	r adverse effects					
No da	ata available					
13. DISPC	SAL CONSIDERATION	١S				
Dispo	osal methods					
•	e from residues	:	Do not dispose o	f waste into sewer.		
			Dispose of in acc	ordance with local regulations.		
Conta	aminated packaging	<ul> <li>Empty containers should be taken to an approved waste h dling site for recycling or disposal.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>				
14. TRAN	SPORT INFORMATION	I				
Interi	national Regulations					
UNR						
	umber	:	UN 3082			
Prope	er shipping name	:	ENVIRONMENT	ALLY HAZARDOUS SUBSTANCE, LIQUID,		
			(deltamethrin (IS	GO))		
Class		:	9			
Packi Label	ing group	:	 9			
	onmentally hazardous	÷	yes			
	-DGR					
UN/IE		:	UN 3082			
	er shipping name	:	(deltamethrin (IS	hazardous substance, liquid, n.o.s. ;O))		
Class	s ing group	:	9 III			
Label		÷	Miscellaneous			
Packi aircra	ing instruction (cargo ift)	:	964			
	ing instruction (passen- ircraft)	:	964			
	onmentally hazardous	:	yes			

according to GB/T 16483 and GB/T 17519



## **Deltamethrin (1%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/26
2.0	2024/09/28	10853019-00009	Date of first issue: 2022/09/15

### IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(deltamethrin (ISO))
Class	:	9
Packing group	:	
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

#### GB 6944/12268

UN number Proper shipping name	<ul> <li>: UN 3082</li> <li>: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.</li> <li>(deltamethrin (ISO))</li> </ul>
Class	: 9
Packing group	: III
Labels	: 9
Marine pollutant	: no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **15. REGULATORY INFORMATION**

#### National regulatory information Law on the Prevention and Control of Occupational Diseases

#### **Regulations on Safety Management of Hazardous Chemicals**

Catalogue of Hazardous Chemicals :	This product is not listed in the cata- logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de- termination.
Identification of Major Hazard Installations for Hazardous C 18218)	Chemicals (GB : Not listed
Hazardous Chemicals for Priority Management under : SAWS	Not listed

according to GB/T 16483 and GB/T 17519



ersion .0	Revision Date: 2024/09/28	-	0S Number: 853019-00009	Date of last issue: 2024/06/26 Date of first issue: 2022/09/15
	I <b>lations on Labour Pro</b> o ogue of Highly Toxic Ch		-	es where Toxic Substances are Used : Not listed
			anagement on th	e First Import of Chemicals and the Impo
China	Export of Toxic Chemic a Severely Restricted To Export		Chemicals for Imp	ort : Not listed
Regu	llation on the Administ	trati	on of Precursor (	Chemicals
Catal	ogue and Classification	of P	recursor Chemica	Is : Not listed
Yang	tze River Protection La	aw		
-			/ dangerous chem	nicals prohibited for inland river transport.
			-	the following inventories:
AICS	• •	:	not determined	
DSL		:	not determined	
IECS	с	:	not determined	
6. OTHE	R INFORMATION			
Revis	ion Date	:	2024/09/28	
Furth	er information			
	ces of key data used to ile the Safety Data t	:		I data, data from raw material SDSs, OECD earch results and European Chemicals Agen uropa.eu/
	where changes have be ment by two vertical line		made to the previ	ous version are highlighted in the body of th
Date	format	:	yyyy/mm/dd	
Full t	ext of other abbreviati	ons		
ACGI ACGI CN O	H BEI	:	ACGIH - Biologic Occupational exp	reshold Limit Values (TLV) cal Exposure Indices (BEI) posure limits for hazardous agents in the mical hazardous agents.
ACGI CN O CN O	H / TWA H / STEL ÞEL / PC-TWA ÞEL / PC-STEL ÞEL / MAC		8-hour, time-weig Short-term expose Permissible cond Permissible cond	ghted average



## **Deltamethrin (1%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/26
2.0	2024/09/28	10853019-00009	Date of first issue: 2022/09/15

AIIC - Australian Inventory of Industrial Chemicals: ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN