

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Deltamethrin (1%) Liquid Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Acute toxicity (Inhalation) : Category 5

Skin sensitisation : Category 1

Carcinogenicity : Category 1B

Specific target organ toxicity - : Category 2 (Central nervous system, Immune system)  
repeated exposure (Oral)

Specific target organ toxicity - : Category 2 (Central nervous system)  
repeated exposure  
(Inhalation)


Short-term (acute) aquatic : Category 1  
hazard

Long-term (chronic) aquatic : Category 1  
hazard

##### GHS label elements

## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : H317 May cause an allergic skin reaction.  
H333 May be harmful if inhaled.  
H350 May cause cancer.  
H373 May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.  
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.  
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**  
P203 Obtain, read and follow all safety instructions before use.  
P260 Do not breathe mist or vapours.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P317 IF INHALED: Get medical help.  
P318 IF exposed or concerned, get medical advice.  
P333 + P317 If skin irritation or rash occurs: Get medical help.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.
- Storage:**  
P405 Store locked up.
- Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
deltamethrin (ISO)	52918-63-5	>= 1 - < 2.5

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

Formaldehyde	50-00-0	$\geq 0.25 - < 1$
Nonylphenol, ethoxylated	9016-45-9	$\geq 0.1 - < 0.25$
Methanol	67-56-1	$\geq 0.1 - < 1$

### 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
May be harmful if inhaled.  
May cause cancer.  
May cause damage to organs through prolonged or repeated exposure if swallowed.  
May cause damage to organs through prolonged or repeated exposure if inhaled.  
This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Bromine compounds
- Specific extinguishing method : Use extinguishing measures that are appropriate to local cir-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.1	03.11.2023	10853022-00005	Date of first issue: 15.09.2022

ods cumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Formaldehyde	50-00-0	STEL	2 ppm 3 mg/m <sup>3</sup>	IN OEL
Further information: Suspected human carcinogens				
		TWA	1 ppm 1.5 mg/m <sup>3</sup>	IN OEL
Further information: Suspected human carcinogens				
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH
Methanol	67-56-1	TWA	200 ppm 260 mg/m <sup>3</sup>	IN OEL
Further information: Potential contribution to the overall exposure by the cutaneous route including mucous membranes and eye.				
		STEL	250 ppm 310 mg/m <sup>3</sup>	IN OEL
Further information: Potential contribution to the overall exposure by the cutaneous route including mucous membranes and eye.				
		TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Methanol	67-56-1	Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and inorganic gas/vapour type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : suspension
- Colour : white
- Odour : No data available
- Odour Threshold : No data available
- pH : 6.4 - 7.4

## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	0.994 - 1.014 (20 °C)
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	230 - 320 mm <sup>2</sup> /s No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.

## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### **Acute toxicity**

May be harmful if inhaled.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 25 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### **Components:**

##### **deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

##### **Formaldehyde:**

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 100 ppm  
Exposure time: 4 h  
Test atmosphere: gas  
Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

### **Nonylphenol, ethoxylated:**

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

### **Methanol:**

Acute oral toxicity : Acute toxicity estimate (Humans): 300 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 3 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

Acute dermal toxicity : Acute toxicity estimate (Humans): 300 mg/kg  
Method: Expert judgement

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **deltamethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

#### **Formaldehyde:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes to 1 hour of exposure

#### **Nonylphenol, ethoxylated:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Methanol:**

Species : Rabbit  
Result : No skin irritation

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### **deltamethrin (ISO):**

Species : Rabbit  
Result : Moderate eye irritation

##### **Formaldehyde:**

Species : Rabbit  
Result : Irreversible effects on the eye

##### **Nonylphenol, ethoxylated:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

##### **Methanol:**

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitisation

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Components:

##### **deltamethrin (ISO):**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : negative

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Dermal  
Species : Humans  
Result : positive

##### **Formaldehyde:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in humans

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

### **Nonylphenol, ethoxylated:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

### **Methanol:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **deltamethrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Test system: Escherichia coli  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Concentration: LOAEL: 20 mg/kg  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

### Formaldehyde:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: positive
- Test Type: Chromosome aberration test in vitro  
Result: positive
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Inhalation  
Result: positive
- Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### Nonylphenol, ethoxylated:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

### Methanol:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

May cause cancer.

### Components:

#### **deltamethrin (ISO):**

- Species : Mouse, male and female  
Application Route : oral (feed)  
Exposure time : 104 weeks  
NOAEL : 8 mg/kg body weight  
LOAEL : 4 mg/kg body weight  
Result : positive  
Target Organs : Lymph nodes
- Species : Rat, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

Result : negative

Species : Dog, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
NOAEL : 1 mg/kg body weight  
Result : negative

### Formaldehyde:

Species : Rat  
Application Route : inhalation (gas)  
Exposure time : 28 Months  
Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

### Methanol:

Species : Mouse  
Application Route : inhalation (vapour)  
Exposure time : 18 Months  
Result : negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
Early Embryonic Development: NOAEL: 50 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity  
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 1 mg/kg body weight  
Symptoms: Effects on fertility  
Target Organs: Testes

Effects on foetal development : Test Type: Development  
Species: Mouse

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

Application Route: oral (gavage)  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Skeletal malformations  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat, female  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Symptoms: No effects on foetal development

Test Type: Development  
Species: Rabbit, female  
Application Route: oral (gavage)  
Developmental Toxicity: NOAEL: 16 mg/kg body weight  
Symptoms: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### Formaldehyde:

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (gas)  
Result: negative

### Methanol:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: positive  
Remarks: The effects were seen only at maternally toxic doses.

### STOT - single exposure

Not classified based on available information.

### Components:

#### deltamethrin (ISO):

Assessment : May cause respiratory irritation.

#### Formaldehyde:

Assessment : May cause respiratory irritation.

#### Methanol:

Target Organs : Eye, Central nervous system

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

Assessment : Causes damage to organs.

### STOT - repeated exposure

May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

### Components:

#### deltamethrin (ISO):

Exposure routes : Ingestion  
Target Organs : Central nervous system, Immune system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

#### Formaldehyde:

Exposure routes : inhalation (gas)  
Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

### Components:

#### deltamethrin (ISO):

Species : Rat, male and female  
NOAEL : 1 mg/kg  
LOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Nervous system  
Symptoms : hyperexcitability

Species : Rat  
LOAEL : 3 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 wk / 5 d/wk / 6 h/d  
Symptoms : Local irritation, respiratory tract irritation

Species : Dog  
NOAEL : 0.1 mg/kg  
LOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Nervous system  
Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

Species : Rat  
NOAEL : 14 mg/kg  
LOAEL : 54 mg/kg  
Application Route : Oral  
Exposure time : 91 d  
Target Organs : Nervous system

Species : Mouse  
LOAEL : 6 mg/kg  
Application Route : Oral  
Exposure time : 12 Weeks  
Target Organs : Immune system  
Symptoms : immune system effects

### Formaldehyde:

Species : Rat  
NOAEL : 6 ppm  
LOAEL : 10 ppm  
Application Route : inhalation (gas)  
Exposure time : 28 Days

### Methanol:

Species : Rat  
NOAEL : 1.06 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 90 Days

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### **deltamethrin (ISO):**

Inhalation : Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching  
Skin contact : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions  
Ingestion : Symptoms: muscle pain, Small pupils

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **deltamethrin (ISO):**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048

---



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

		mg/l
		Exposure time: 96 h
		LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l
		Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l Exposure time: 48 h
		EC50 (Daphnia magna (Water flea)): 0.0035 mg/l Exposure time: 48 h
		LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 ( Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic toxicity)	:	1,000,000
Toxicity to fish (Chronic toxicity)	:	NOEC: 0.000022 mg/l Exposure time: 36 d Species: Pimephales promelas (fathead minnow)
		NOEC: 0.000017 mg/l Exposure time: 260 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.0041 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	1,000,000
<b>Formaldehyde:</b>		
Toxicity to fish	:	LC50: 6.7 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 5.8 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 ( Desmodesmus subspicatus (green algae)): 4.89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50: 34.1 mg/l Exposure time: 120 h

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

Toxicity to fish (Chronic toxicity) : NOEC:  $\geq 48$  mg/l  
Exposure time: 28 d  
Species: *Oryzias latipes* (Orange-red killifish)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC:  $\geq 6.4$  mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Method: OECD Test Guideline 211

### **Nonylphenol, ethoxylated:**

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)):  $> 0.1 - 1$  mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Ceriodaphnia dubia* (water flea)):  $> 0.1 - 1$  mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (*Selenastrum capricornutum* (green algae)):  $> 1 - 10$  mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (*Selenastrum capricornutum* (green algae)):  $> 1$  mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC:  $> 0.1 - 1$  mg/l  
Exposure time: 100 d  
Species: *Oryzias latipes* (Japanese medaka)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC:  $> 0.001 - 0.01$  mg/l  
Exposure time: 28 d  
Species: *Mysidopsis bahia* (opossum shrimp)  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

### **Methanol:**

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 15,400 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)):  $> 10,000$  mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): 22,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : IC50: > 1,000 mg/l  
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 15,800 mg/l  
Exposure time: 200 h  
Species: Oryzias latipes (Orange-red killifish)

### Persistence and degradability

#### Components:

##### **deltamethrin (ISO):**

Stability in water : Hydrolysis: 0 %(30 d)

##### **Formaldehyde:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 91 %  
Exposure time: 14 d  
Method: OECD Test Guideline 301C  
Remarks: Based on data from similar materials

##### **Nonylphenol, ethoxylated:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

##### **Methanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 95 %  
Exposure time: 20 d

### Bioaccumulative potential

#### Components:

##### **deltamethrin (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

##### **Formaldehyde:**

Partition coefficient: n-octanol/water : log Pow: 0.35  
Remarks: Calculation

## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

### **Nonylphenol, ethoxylated:**

Partition coefficient: n-octanol/water : log Pow: 4.48

### **Methanol:**

Bioaccumulation : Species: Leuciscus idus (Golden orfe)  
Bioconcentration factor (BCF): < 10

Partition coefficient: n-octanol/water : log Pow: -0.77

### **Mobility in soil**

#### **Components:**

#### **deltamethrin (ISO):**

Distribution among environmental compartments : log Koc: 7.2

#### **Other adverse effects**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(deltamethrin (ISO))  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### **IATA-DGR**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(deltamethrin (ISO))  
Class : 9  
Packing group : III  
Labels : Miscellaneous

---

## Deltamethrin (1%) Liquid Formulation

Version 2.1      Revision Date: 03.11.2023      SDS Number: 10853022-00005      Date of last issue: 30.09.2023  
Date of first issue: 15.09.2022

---

Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (deltamethrin (ISO))  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 03.11.2023

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
IN OEL : India. Permissible levels of certain chemical substances in

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Deltamethrin (1%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.1	03.11.2023	10853022-00005	Date of first issue: 15.09.2022

work environment.

ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
IN OEL / TWA	:	Time-Weighted Average Concentration (TWA) (8 hrs.)
IN OEL / STEL	:	Short-term exposure Limit STEL (15 min)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN