

Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2024
5.0	28.09.2024	10853158-00009	Date of first issue: 15.09.2022

## **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Trade name:Deltamethrin (1%) Liquid Formulation

Other means of identification : Wipeout (A004558)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Veterinary product
Recommended restrictions on use	: Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company	:	MSD Kilsheelan Clonmel Tipperary, IE
Telephone	:	353-51-601000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

### **1.4 Emergency telephone number**

+1-908-423-6000

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 1B	H350: May cause cancer.
Specific target organ toxicity - repeated	H373: May cause damage to organs through pro-
exposure, Category 2	longed or repeated exposure.
Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat-	H410: Very toxic to aquatic life with long lasting
egory 1	effects.

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Deltamethrin (1%) Liquid Formulation**

Version 5.0	Revision Date: 28.09.2024	SDS Number: 10853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Haza	rd pictograms		!
Signa	l word	: Danger	• •
Haza	rd statements	H350 May ca H373 May ca repeated expo	ause an allergic skin reaction. ause cancer. ause damage to organs through prolonged or sure. oxic to aquatic life with long lasting effects.
Preca	autionary statements	P273 Avoid	special instructions before use. release to the environment. protective gloves/ protective clothing/ eye protec- iction.
		Response:	
		P308 + P313 attention. P333 + P313 advice/ attentic P391 Collect	IF exposed or concerned: Get medical advice/ If skin irritation or rash occurs: Get medical on. spillage.

Hazardous components which must be listed on the label: deltamethrin (ISO) Formaldehyde

Restricted to professional users.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2024
5.0	28.09.2024	10853158-00009	Date of first issue: 15.09.2022

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

## Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
deltamethrin (ISO)	52918-63-5 258-256-6 607-319-00-X	Acute Tox. 3; H301 Acute Tox. 3; H331 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Repr. 2; H361fd STOT SE 3; H335 STOT RE 1; H372 (Central nervous system) STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute	>= 1 - < 2,5
		aquatic toxicity): 1.000.000 M-Factor (Chronic aquatic toxicity): 1.000.000	
Formaldehyde	50-00-0 200-001-8 605-001-00-5 01-2119488953-20	Flam. Gas 1B; H221 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Muta. 2; H341 Carc. 1B; H350 STOT SE 3; H335	>= 0,2 - < 1
		specific concentra- tion limit Skin Corr. 1B; H314	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ersion D	Revision Date: 28.09.2024	SDS Number: 10853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Nonyl	phenol, ethoxylated	9016-45-9	$ \begin{array}{l} >= 25 \% \\ Skin Irrit. 2; H315 \\ 5 - < 25 \% \\ Eye Irrit. 2; H319 \\ 5 - < 25 \% \\ STOT SE 3; H335 \\ >= 5 \% \\ Skin Sens. 1A; \\ H317 \\ >= 0,2 \% \\ \hline \\ \hline \\ \hline \\ Acute toxicity estimate \\ Acute oral toxicity: 100 mg/kg \\ Acute inhalation toxicity (gas): 100 \\ ppm \\ Acute dermal toxicity (gas): 100 \\ ppm \\ Acute dermal toxicity (gas): 100 \\ ppm \\ Acute Tox. 4; H302 \\ Eye Dam. 1; H318 \\ Aquatic Acute 1; \\ H400 \\ Aquatic Chronic 1; \\ H410 \\ \hline \\ \hline \\ \hline \\ M-Factor (Acute aquatic toxicity): 1 \\ \hline \end{array} \right) = 0,1 - < 0, $
Metha	anol	67-56-1 200-659-6 603-001-00	aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10 Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 STOT SE 1; H370 (optic nerve, Cen- tral nervous sys- tem) specific concentra- tion limit STOT SE 1; H370 >= 10 % STOT SE 2; H371
			3 - < 10 % Acute toxicity esti- mate

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Deltamethrin (1%) Liquid Formulation**

Version 5.0	Revision Date: 28.09.2024	SDS Number: 10853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022	
			Acute oral toxicity: 300 mg/kg Acute inhalation toxicity (vapour): 3 mg/l Acute dermal toxici- ty: 300 mg/kg	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

4.1 Description of first aid measure	es
General advice :	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders :	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled :	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact :	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact :	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed :	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
4.2 Most important symptoms and	effects, both acute and delayed
Risks :	May cause an allergic skin reaction. May cause cancer. May cause damage to organs through prolonged or repeated exposure. This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

## 4.3 Indication of any immediate medical attention and special treatment needed



Version 5.0	Revision Date: 28.09.2024		DS Number: 853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Treatn	nent	:	Treat symptomat	ically and supportively.
SECTION	5: Firefighting meas	sur	es	
5.1 Exting	uishing media			
Suitable extinguishing media		:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuit media	able extinguishing	:	None known.	
5.2 Specia	I hazards arising from	the	e substance or mi	xture
Specific hazards during fire- fighting		:	Exposure to com	bustion products may be a hazard to health.
Hazardous combustion prod- ucts		:	Carbon oxides Nitrogen oxides ( Bromine compou	
5.3 Advice	for firefighters			
	al protective equipment fighters	:		e, wear self-contained breathing apparatus. tective equipment.
Specific extinguishing meth- ods		:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions		
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2024
5.0	28.09.2024	10853158-00009	Date of first issue: 15.09.2022

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
		certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	<ul> <li>If sufficient ventilation is unavailable, use with local exhaust ventilation.</li> </ul>
Advice on safe handling	<ul> <li>Do not get on skin or clothing.</li> <li>Do not breathe mist or vapours.</li> <li>Do not swallow.</li> <li>Avoid contact with eyes.</li> <li>Wash skin thoroughly after handling.</li> <li>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment</li> <li>Keep container tightly closed.</li> <li>Do not eat, drink or smoke when using this product.</li> <li>Take care to prevent spills, waste and minimize release to the environment.</li> </ul>
Hygiene measures	<ul> <li>If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use.</li> <li>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</li> </ul>

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Keep in properly labelled containers. Store locked up. Keep		
areas and containers		tightly closed. Store in accordance with the particular national		
		regulations.		



Version 5.0	Revision Date: 28.09.2024	SDS Number: 10853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Advice	e on common storage	Strong oxidizing	bstances and mixtures
•	<b>c end use(s)</b> ic use(s)	: No data availab	le

# **SECTION 8: Exposure controls/personal protection**


## 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
Propylene glycol	57-55-6	TWA	25 ppm	FOR-2011-			
			79 mg/m3	12-06-1358			
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m3 (OEB 3)	Internal			
	Further inform	ation: DSEN, Skin					
		Wipe limit	100 µg/100 cm²	Internal			
Formaldehyde	50-00-0	TWA	0,3 ppm	FOR-2011-			
-			0,37 mg/m3	12-06-1358			
	considered to	evoke allergies whe	onsidered to be carcinogenic n coming into touch with the	eyes or air-			
	ways or evoking allergies after coming into contact with the skin						
		STEL	0,6 ppm	FOR-2011-			
	0,74 mg/m3 12-06-1358						
	Further information: Substances considered to be carcinogenic, Substances						
	considered to evoke allergies when coming into touch with the eyes or air- ways or evoking allergies after coming into contact with the skin						
	waye or even	TWA 0,3 ppm 20					
			0,37 mg/m3	200 0000			
	Further information: Dermal sensitisation, Carcinogens or mutagens						
		STEL	0,6 ppm	2004/37/EC			
			0,74 mg/m3				
	Further inform	ation: Dermal sensit	isation, Carcinogens or muta	igens			
Methanol	67-56-1	TWA	100 ppm	FOR-2011-			
			130 mg/m3	12-06-1358			
	Further information: Chemicals that can be absorbed through the skin.						
		TWA	200 ppm 260 mg/m3	2006/15/EC			
Further information: Indicative, Identifies the possibility of significative, through the skin				ficant uptake			

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
----------------	---------	-----------------	-------------------------------	-------





rsion )	Revision Date: 28.09.2024			of last issue: 26.06.2024 of first issue: 15.09.2022	
Propy	lene glycol	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
		Workers	Inhalation	Long-term systemic effects	168 mg/m3
		Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
		Consumers	Inhalation	Long-term systemic effects	50 mg/m3
Forma	aldehyde	Workers	Inhalation	Long-term systemic effects	9 mg/m3
		Workers	Inhalation	Long-term local ef- fects	0,375 mg/m3
		Workers	Inhalation	Acute local effects	0,75 mg/m3
		Workers	Skin contact	Long-term systemic effects	240 mg/kg bw/day
		Workers	Skin contact	Long-term local ef- fects	0,037 mg/cm
		Consumers	Inhalation	Long-term systemic effects	3,2 mg/m3
		Consumers	Inhalation	Long-term local ef- fects	0,1 mg/m3
		Consumers	Skin contact	Long-term systemic effects	102 mg/kg bw/day
		Consumers	Skin contact	Long-term local ef- fects	0,012 mg/cm
		Consumers	Ingestion	Long-term systemic effects	4,1 mg/kg bw/day
Metha	anol	Workers	Inhalation	Long-term systemic effects	130 mg/m3
		Workers	Inhalation	Acute systemic ef- fects	130 mg/m3
		Workers	Inhalation	Long-term local ef- fects	130 mg/m3
		Workers	Inhalation	Acute local effects	130 mg/m3
		Workers	Skin contact	Long-term systemic effects	20 mg/kg bw/day
		Workers	Skin contact	Acute systemic ef- fects	20 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	26 mg/m3
		Consumers	Inhalation	Acute systemic ef- fects	26 mg/m3
		Consumers	Inhalation	Long-term local ef- fects	26 mg/m3
		Consumers	Inhalation	Acute local effects	26 mg/m3
		Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
		Consumers	Skin contact	Acute systemic ef- fects	4 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
		Consumers	Ingestion	Acute systemic ef-	4 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Deltamethrin (1%) Liquid Formulation**

Version 5.0	Revision Date: 28.09.2024	SDS Number: 10853158-00009	Date of last issue: 26 Date of first issue: 15	
11			fects	bw/day
Predi	cted No Effect Conc	entration (PNEC) acc	ording to Regulation (I	EC) No. 1907/2006
Subst	tance name	Environmenta	Compartment	Value
Propy	lene glycol	Fresh water		260 mg/l
		Freshwater - i	ntermittent	183 mg/l
		Marine water		26 mg/l
		Sewage treatr	nent plant	20000 mg/l
			Fresh water sediment	
			Marine sediment	
		Soil		weight (d.w.) 50 mg/kg dry weight (d.w.)
Form	aldehyde	Fresh water	Fresh water	
		Freshwater - i	ntermittent	0,44 mg/l 4,44 mg/l
		Marine water		0,44 mg/l
		Sewage treatr	Sewage treatment plant	
			Fresh water sediment	
		Marine sedime	ent	2,3 mg/kg dry weight (d.w.)
				0,2 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

### **Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

#### Personal protective equipment

Eye/face protection :		Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Deltamethrin (1%) Liquid Formulation**

Version 5.0	Revision Date: 28.09.2024		S Number: 853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Respi	ratory protection	:	contaminated clo If adequate local sure assessment ommended guid	degowning techniques to remove potentially othing. I exhaust ventilation is not available or expo- t demonstrates exposures outside the rec- elines, use respiratory protection. Id conform to NS EN 14387
Filter type		:		ulates and organic vapour type (A-P)

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	:	suspension
Colour	:	white
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	6,4 - 7,4
Viscosity Viscosity, kinematic	:	230 - 320 mm2/s No data available
Solubility(ies) Water solubility	:	No data available

Commission Regulation (EU) 2020/878



# **Deltamethrin (1%) Liquid Formulation**

Vei 5.0	rsion	Revision Date: 28.09.2024		S Number: 353158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
	Partition coefficient: n- octanol/water		:	Not applicable	
	Vapour	pressure	:	No data available	e
	Relativ	e density	:	0,994 - 1,014 (20	) °C)
	Density	/	:	No data available	e
	Relative vapour density		:	No data available	9
	Particle characteristics Particle size		:	Not applicable	
9.2	9.2 Other information				
	Explos	ives	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Evapor	ration rate	:	No data available	e
	Molecu	ılar weight	:	No data available	e

## **SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b> Not classified as a reactivity haza	rd.			
<b>10.2 Chemical stability</b> Stable under normal conditions.				
10.3 Possibility of hazardous reaction	ons			
Hazardous reactions :	Can react with strong oxidizing agents.			
<b>10.4 Conditions to avoid</b> Conditions to avoid :	None known.			
10.5 Incompatible materials				
Materials to avoid :	Oxidizing agents			
<b>10.6 Hazardous decomposition products</b> No hazardous decomposition products are known.				

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of	:	Inhalation
exposure		Skin contact

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ersion 6.0	Revision Date: 28.09.2024		9S Number: 853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
			Ingestion Eye contact	
	e <b>toxicity</b> assified based on availa	ble	information.	
<u>Prodι</u>	<u>ict:</u>			
Acute	oral toxicity	:	Acute toxicity estin Method: Calculation	mate: > 2.000 mg/kg on method
Acute	inhalation toxicity	:	Acute toxicity estin Exposure time: 4 Test atmosphere: Method: Calculation	h vapour
Acute	dermal toxicity	:	Acute toxicity estin Method: Calculation	mate: > 2.000 mg/kg on method
Comp	oonents:			
deltar	nethrin (ISO):			
Acute	oral toxicity	:	LD50 (Rat): 66,7 r	mg/kg
			LD50 (Rat): 9 - 13	39 mg/kg
			LD50 (Mouse): 19	9 - 34 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 0,8 m Exposure time: 2 Test atmosphere:	ĥ
Acute	dermal toxicity	:	LD50 (Rabbit): 2.0	000 mg/kg
			LD50 (Rat): > 800	) mg/kg
	toxicity (other routes of istration)	:	LD50 (Rat): 2,5 m Application Route	
			LD50 (Mouse): 10 Application Route	
Forma	aldehyde:			
	oral toxicity	:	Acute toxicity estin Method: Expert ju Remarks: Based o	
Acute	inhalation toxicity	:	Acute toxicity estin Exposure time: 4 Test atmosphere: Method: Expert ju	gas
Acute	dermal toxicity	:	LD50 (Rabbit): 27	′0 mg/kg



<section-header>         Nonlyhenol, ethoxylates:         Acute oral toxicity       H. LD50 (Rat): 500 - 2.000 mg/kg         Acute oral toxicity       K. LD50 (Rat): 500 - 2.000 mg/kg         Methanol:       Methanol:         Acute oral toxicity       K. Acute toxicity estimate (Humans): 300 mg/kg         Acute inhalation toxicity       K. Acute toxicity estimate: 3 mg/l         Exposure time: 4 h       Exposure time: 4 h         Method:       Expert judgement         Test atmosphere: vapour       Method:         Remarks:       Based on national or regional regulation.         Acute dermal toxicity       Acute toxicity estimate: 300 mg/kg         Method:       Expert judgement         Remarks:       Based on national or regional regulation.         Soncorosion/irritation       Method:         Not classified based on available information.       Sonponents:         defamethrin (ISO):       Species         Species       R abbit         Method:       Expectivation of exposure         Remarks:       Based on national or regional regulation.         Species       R abbit         Method:       Expectivation         Based on national or regional regulation.         Besult       Method:         Species       R abbit</section-header>	Version 5.0	Revision Date: 28.09.2024		9S Number: 853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Nonylphenol, ethoxylated: Acute oral toxicity :: LD50 (Rat): 500 - 2.000 mg/kg Methanol: Acute oral toxicity :: Acute toxicity estimate (Humans): 300 mg/kg Method: Expert judgement Acute inhalation toxicity :: Acute toxicity estimate: 3 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Expert judgement Remarks: Based on national or regional regulation. Acute dermal toxicity :: Acute toxicity estimate: 300 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation. Acute dermal toxicity :: Acute toxicity estimate: 300 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation. Skin corrosion/irritation Not classified based on available information. Components: deltamethrin (ISO): Species :: Rabbit Result :: No skin irritation Formaldehyde: Result :: No skin irritation Nonylphenol, ethoxylated: Species :: Rabbit Method :: OECD Test Guideline 404 Result :: No skin irritation Methanol: Species :: Rabbit Result :: No skin irritation	п				
Acute oral toxicity       Acute toxicity estimate (Humans): 300 mg/kg         Acute inhalation toxicity       Acute toxicity estimate: 3 mg/l         Exposure time: 4 h       Exposure time: 4 h         Generation toxicity       Acute toxicity estimate: 300 mg/kg         Method: Expert judgement       Remarks: Based on national or regional regulation.         Acute dermal toxicity       Acute toxicity estimate: 300 mg/kg         Method: Expert judgement       Remarks: Based on national or regional regulation.         Acute dermal toxicity       Acute toxicity estimate: 300 mg/kg         Method: Expert judgement       Remarks: Based on national or regional regulation.         Skin corrosion/irritation       Remarks: Based on national or regional regulation.         Species       Rabbit         Result       No skin irritation         Formaldehyde:       Result         Result       Corrosive after 3 minutes to 1 hour of exposure         Remarks       Based on national or regional regulation.         Nonylphenol, ethoxylated:       No skin irritation         Methanol:       OECD Test Guideline 404         Result       No skin irritation         Methanol:       No skin irritation         Species       Rabbit         Methanol:       No skin irritation         Species	Nony	•	:	LD50 (Rat): 500 -	2.000 mg/kg
Acute oral toxicity       Acute toxicity estimate (Humans): 300 mg/kg         Acute inhalation toxicity       Acute toxicity estimate: 3 mg/l         Exposure time: 4 h       Exposure time: 4 h         Generation toxicity       Acute toxicity estimate: 300 mg/kg         Method: Expert judgement       Remarks: Based on national or regional regulation.         Acute dermal toxicity       Acute toxicity estimate: 300 mg/kg         Method: Expert judgement       Remarks: Based on national or regional regulation.         Acute dermal toxicity       Acute toxicity estimate: 300 mg/kg         Method: Expert judgement       Remarks: Based on national or regional regulation.         Skin corrosion/irritation       Remarks: Based on national or regional regulation.         Species       Rabbit         Result       No skin irritation         Formaldehyde:       Result         Result       Corrosive after 3 minutes to 1 hour of exposure         Remarks       Based on national or regional regulation.         Nonylphenol, ethoxylated:       No skin irritation         Methanol:       OECD Test Guideline 404         Result       No skin irritation         Methanol:       No skin irritation         Species       Rabbit         Methanol:       No skin irritation         Species	II Moth	analı			
Exposure time: 4 h Test atmosphere: vapour Method: Expert judgement Remarks: Based on national or regional regulation. Acute dermal toxicity : Acute toxicity estimate: 300 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation. <b>Skin corrosion/irritation</b> Not classified based on available information. <b>Components:</b> deltamethrin (ISO): Expecies : Rabbit Result : No skin irritation Formaldehyde: Result : Corrosive after 3 minutes to 1 hour of exposure Remarks : Based on national or regional regulation. <b>Nonylphenol, ethoxylated:</b> Expecies : Rabbit Method : OECD Test Guideline 404 Result : No skin irritation <b>Methanol:</b> Expecies : Rabbit Result : No skin irritation Methanol: Expecies : Rabbit Result : No skin irritation Methanol: Expecies : Rabbit Result : No skin irritation Methanol: Expecies : Rabbit Result : No skin irritation			:		
Method: Expert judgement Remarks: Based on national or regional regulation.         Skin corrosion/irritation         Not classified based on available information.         Components:         deltamethrin (ISO):         Species       : Rabbit         Result       : No skin irritation         Formaldehyde:         Result       : Corrosive after 3 minutes to 1 hour of exposure         Remarks       : Based on national or regional regulation.         Nonylphenol, ethoxylated:         Species       : Rabbit         Method       : OECD Test Guideline 404         Result       : No skin irritation         Methanol:       : No skin irritation         Species       : Rabbit         Methanol:       : No skin irritation         Species       : Rabbit         Methanol:       : No skin irritation         Species       : Rabbit         Methanol:       : No skin irritation         Serious eye damage/eye irritation       : No skin irritation         Components:       : No skin irritation         dettamethrin (ISO):       : Species         Species       : Rabbit	Acute	e inhalation toxicity	:	Exposure time: 4 Test atmosphere: Method: Expert ju	h vapour dgement
Not classified based on available information.   Components:   deltamethrin (ISO):   Species Rabbit   Result No skin irritation   Formaldehyde:   Result Corrosive after 3 minutes to 1 hour of exposure   Remarks Based on national or regional regulation.   Nonylphenol, ethoxylated:   Species Rabbit   Method OECD Test Guideline 404   Result No skin irritation   Methanol:   Species Rabbit   Result No skin irritation   Methanol:   Species No skin irritation   Methanol:   Species No skin irritation   Methanol:   Methanol:   Methanol:   Methanol:   Species   Methanol:   Species   Species   Result   Species   Result   Species   Result   Species   Species   Result   Species	Acute	e dermal toxicity	:	Method: Expert ju	dgement
deltamethrin (ISO):         Species       :         Result       :         No skin irritation         Formaldehyde:         Result       :         Result       :         Corrosive after 3 minutes to 1 hour of exposure         Remarks       :         Based on national or regional regulation.         Nonylphenol, ethoxylated:         Species       :         Methaod       :         Methanol:         Species       :         Result       :         No skin irritation         Methanol:         Species       :         Result       :         No skin irritation         Sterious eye damage/eye irritation         Not classified based on available information.         Components:         deltamethrin (ISO):         Species       :         Result       :         Species       :         Result       :         Not classified based on available information.         Demponents:         Bereise       :         Result       :         Result       :         Result	•••••		able	information.	
Species       : Rabbit         Result       : No skin irritation         Formaldehyde:       :         Result       : Corrosive after 3 minutes to 1 hour of exposure         Remarks       : Based on national or regional regulation.         Nonylphenol, ethoxylated:       :         Species       : Rabbit         Method       : OECD Test Guideline 404         Result       : No skin irritation         Methanol:       :         Species       : Rabbit         Result       : No skin irritation         Methanol:       :         Species       : Rabbit         Result       : No skin irritation         Methanol:       :         Species       : Rabbit         Result       : No skin irritation         Sterious eye damage/eye irritation         Not classified based on available information.         Components:         deltamethrin (ISO):         Species       : Rabbit	<u>Com</u>	ponents:			
Result       : No skin irritation         Formaldehyde:	delta	methrin (ISO):			
Result       : Corrosive after 3 minutes to 1 hour of exposure         Remarks       : Based on national or regional regulation.         Nonylphenol, ethoxylated:       .         Species       : Rabbit         Method       : OECD Test Guideline 404         Result       : No skin irritation         Methanol:       .         Species       : Rabbit         Result       : No skin irritation         Methanol:       .         Species       : Rabbit         Result       : No skin irritation         Methanol:       .         Species       : Rabbit         Result       : No skin irritation         Species       : Rabbit         Result       : No skin irritation         Stricus eye damage/eye irritation         Not classified based on available information.         Components:         deltamethrin (ISO):         Species       : Rabbit			:		
Result       : Corrosive after 3 minutes to 1 hour of exposure         Remarks       : Based on national or regional regulation.         Nonylphenol, ethoxylated:       .         Species       : Rabbit         Method       : OECD Test Guideline 404         Result       : No skin irritation         Methanol:       .         Species       : Rabbit         Result       : No skin irritation         Methanol:       .         Species       : Rabbit         Result       : No skin irritation         Methanol:       .         Species       : Rabbit         Result       : No skin irritation         Species       : Rabbit         Result       : No skin irritation         Strious eye damage/eye irritation         Not classified based on available information.         Components:         deltamethrin (ISO):         Species       : Rabbit	Form	naldehyde:			
Species       :       Rabbit         Method       :       OECD Test Guideline 404         Result       :       No skin irritation         Methanol:       .       .         Species       :       Rabbit         Result       :       No skin irritation         Species       :       Rabbit         Result       :       No skin irritation         Serious eye damage/eye irritation       .         Not classified based on available information.       .         Components:       .         deltamethrin (ISO):       .         Species       :         Result       :         Result       :         Result       :         Result       :         No skin irritation       .         Result       :         Result       :         Result       :         Result       :         Result       :         Not classified based on available information.         Species       :         Result       :         Result       :         Species       :         Result       :	Resu	llt	:		
Species : Rabbit   Method : OECD Test Guideline 404   Result : No skin irritation     Methanol:   Species : Rabbit   Result : No skin irritation     Species : Rabbit   Result : No skin irritation     Species : Rabbit   Result : No skin irritation   Serious eye damage/eye irritation   Not classified based on available information.   Components: Image: Components:   deltamethrin (ISO): :   Species :   Rabbit	Nony	/lphenol, ethoxylated:			
Species       : Rabbit         Result       : No skin irritation         Serious eye damage/eye irritation         Not classified based on available information.         Components:         deltamethrin (ISO):         Species       : Rabbit	Spec Meth	ies od	:	OECD Test Guide	eline 404
Result       : No skin irritation         Serious eye damage/eye irritation         Not classified based on available information.         Components:         deltamethrin (ISO):         Species       : Rabbit	Meth	anol:			
Not classified based on available information.  Components: deltamethrin (ISO): Species : Rabbit			:		
deltamethrin (ISO): Species : Rabbit					
Species : Rabbit	<u>Com</u>	ponents:			
	delta	methrin (ISO):			
			:		ation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 5.0	Revision Date: 28.09.2024	SDS Number: 10853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022		
Form	aldehyde:				
Resul Rema		: Irreversible effe : Based on skin			
Nony	Iphenol, ethoxylated	:			
Speci Metho Resul	bd	: Rabbit : OECD Test Gu : Irreversible effe			
Metha	anol:				
Speci Resul		: Rabbit : No eye irritation	ı		
Resp	iratory or skin sensi	isation			
	sensitisation ause an allergic skin	eaction.			
-	Respiratory sensitisation Not classified based on available information.				
Comp	oonents:				
delta	methrin (ISO):				
Test T Expos Speci Resul	sure routes es	: Maximisation T : Dermal : Guinea pig : negative	est		
Test Expos Speci Resul	sure routes es	: Human repeat : Dermal : Humans : positive	insult patch test (HRIPT)		
Form	aldehyde:				
Test T Expos Speci Resul	sure routes es	: Human repeat : Skin contact : Humans : positive	insult patch test (HRIPT)		
Asses	ssment	: Probability or e mans	vidence of high skin sensitisation rate in hu-		
Nony	Iphenol, ethoxylated	:			
Test T Expos Speci Resul Rema	sure routes es t	: Maximisation T : Skin contact : Guinea pig : negative : Based on data	est from similar materials		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Methanol:         Test Type       ::::::::::::::::::::::::::::::::::::	Version 5.0	Revision Date: 28.09.2024	SDS Number:Date of last iss10853158-00009Date of first iss				
Not classified based on available information. Components: deltamethrin (ISO): Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: DNA Repair Test Type: DNA Repair Test Type: Chromosomal aberration Test Type: Chromosomal aberration Test Type: In vitro mammalian cell gene mutation test Test Type: In vitro mammalian cell gene mutation test Test Type: Noticonucleus test Species: Mouse Application Route: Oral Result: negative Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative Test Type: Sister chromatid exchange assay Species: Mouse Application Route: Oral Result: negative Test Type: Sister chromatid exchange assay Species: Mouse Application Route: Oral Result: negative Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test Result: positive	Test T Expos Specie	ype sure routes es	: Skin contact : Guinea pig				
deltamethrin (ISO):       Senotoxicity in vitro       : Test Type: Bacterial reverse mutation assay (AMES) Result: negative         Test Type: DNA Repair Test system: Escherichia coli Result: negative       : Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative         Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg Result: positive         Genotoxicity in vivo       : Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative         Test Type: in vitro mannatid exchange assay Species: Mouse Application Route: Oral Result: negative         Test Type: sister chromatid exchange assay Species: Mouse Application Route: Oral Result: negative         Test Type: soler chromatid exchange assay Species: Mouse Application Route: Oral Result: negative         Test Type: Bone marrow Application Route: Oral Result: negative         Test Type: Bone marrow Application Route: Oral Result: negative         Formaldehyde:         Genotoxicity in vitro       : Test Type: Bacterial reverse mutation assay (AMES) Result: positive         Ferture:       : Test Type: In vitro mammalian cell gene mutation test Result: positive	Not cl	assified based on avail	ble information.				
Genotoxicity in vitro       : Test Type: Bacterial reverse mutation assay (AMES) Result: negative         Test Type: DNA Repair Test system: Escherichia coli Result: negative       : Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative         Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg Result: positive         Genotoxicity in vivo       : Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative         Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative         Test Type: Bone marrow Application Route: Oral Result: negative         Test Type: Bacterial reverse mutation assay (AMES) Result: positive         Test Type: In vitro mammalian cell gene mutation test Result: positive							
Test system: Escherichia coli         Result: negative         Test Type: Chromosomal aberration         Test system: Chinese hamster ovary cells         Result: negative         Test Type: In vitro mammalian cell gene mutation test         Test system: Chinese hamster lung cells         Concentration: LOAEL: 20 mg/kg         Result: positive         Genotoxicity in vivo         Test Type: Micronucleus test         Species: Mouse         Application Route: Oral         Result: negative         Test Type: ister chromatid exchange assay         Species: Mouse         Application Route: Oral         Result: negative         Test Type: ister chromatid exchange assay         Species: Mouse         Application Route: Oral         Result: negative         Test Type: sister chromatid exchange assay         Species: Mouse         Cell type: Bone marrow         Application Route: Oral         Result: negative         Test Type: Bacterial reverse mutation assay (AMES)         Result: positive         Test Type: In vitro mammalian cell gene mutation test         Result: positive				tion assay (AMES)			
Test system: Chinese hamster ovary cells         Result: negative         Test Type: In vitro mammalian cell gene mutation test         Test system: Chinese hamster lung cells         Concentration: LOAEL: 20 mg/kg         Result: positive         Genotoxicity in vivo       : Test Type: Micronucleus test         Species: Mouse         Application Route: Oral         Result: negative         Test Type: dominant lethal test         Species: Mouse         Application Route: Oral         Result: negative         Test Type: sister chromatid exchange assay         Species: Mouse         Cell type: Bone marrow         Application Route: Oral         Result: negative         Test Type: Bone marrow         Application Route: Oral         Result: negative         Test Type: Bone marrow         Application Route: Oral         Result: negative         Senotoxicity in vitro         :       Test Type: Bacterial reverse mutation assay (AMES)         Result: positive         Test Type: In vitro mammalian cell gene mutation test         Result: positive			Test system: Escherichia coli				
Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg Result: positive         Genotoxicity in vivo       : Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative         Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative         Test Type: sister chromatid exchange assay Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative         Formaldehyde:         Genotoxicity in vitro       : Test Type: Bacterial reverse mutation assay (AMES) Result: positive         Test Type: In vitro mammalian cell gene mutation test Result: positive			Test system: Chinese hamster ov				
Species: Mouse         Application Route: Oral         Result: negative         Test Type: dominant lethal test         Species: Mouse         Application Route: Oral         Result: negative         Test Type: sister chromatid exchange assay         Species: Mouse         Cell type: Bone marrow         Application Route: Oral         Result: negative         Formaldehyde:         Genotoxicity in vitro         :       Test Type: Bacterial reverse mutation assay (AMES)         Result: positive         Test Type: In vitro mammalian cell gene mutation test         Result: positive			Test system: Chinese hamster lur Concentration: LOAEL: 20 mg/kg				
Species: Mouse         Application Route: Oral         Result: negative         Test Type: sister chromatid exchange assay         Species: Mouse         Cell type: Bone marrow         Application Route: Oral         Result: negative         Formaldehyde:         Genotoxicity in vitro         :       Test Type: Bacterial reverse mutation assay (AMES)         Result: positive         Test Type: In vitro mammalian cell gene mutation test         Result: positive	Genot	oxicity in vivo	Species: Mouse Application Route: Oral				
Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative Formaldehyde: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: positive Test Type: In vitro mammalian cell gene mutation test Result: positive			Species: Mouse Application Route: Oral				
Genotoxicity in vitro       : Test Type: Bacterial reverse mutation assay (AMES) Result: positive         Test Type: In vitro mammalian cell gene mutation test Result: positive			Species: Mouse Cell type: Bone marrow Application Route: Oral	nge assay			
Genotoxicity in vitro       : Test Type: Bacterial reverse mutation assay (AMES) Result: positive         Test Type: In vitro mammalian cell gene mutation test Result: positive	Forma	aldehyde:					
Result: positive		-		tion assay (AMES)			
Test Type: Chromosome aberration test in vitro				I gene mutation test			
			Test Type: Chromosome aberration	on test in vitro			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version Revision Date: 5.0 28.09.2024	SDS Number:Date of last issue: 26.06.202410853158-00009Date of first issue: 15.09.2022
1	Result: positive
Genotoxicity in vivo	: Test Type: In vivo mammalian alkaline comet assay Species: Mouse Application Route: Inhalation Result: positive
Germ cell mutagenicity- As- sessment	: Positive result(s) from in vivo mammalian somatic cell muta- genicity tests.
Nonylphenol, ethoxylated:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
Methanol:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: in vitro micronucleus test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative
Carcinogenicity	
May cause cancer.	
Components:	
deltamethrin (ISO):	
Species Application Route	: Mouse, male and female : oral (feed)
Exposure time	: 104 weeks
NOAEL LOAEL	<ul> <li>8 mg/kg body weight</li> <li>4 mg/kg body weight</li> </ul>
Result	: positive
Target Organs	: Lymph nodes
Species Application Route Exposure time Result	<ul> <li>Rat, male and female</li> <li>oral (feed)</li> <li>2 Years</li> <li>negative</li> </ul>

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 5.0	Revision Date: 28.09.2024	SDS Number: 10853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Species Application Route Exposure time NOAEL Result		<ul> <li>Dog, male and fe</li> <li>oral (feed)</li> <li>2 Years</li> <li>1 mg/kg body we</li> <li>negative</li> </ul>	
Forma	ldehyde:		
	ation Route ure time	: Rat : inhalation (gas) : 28 Months : positive	
Carcine ment	ogenicity - Assess-	: Sufficient evidence	ce of carcinogenicity in animal experiments
Metha	nol:		
	es ation Route ure time	: Monkey : inhalation (vapou : 7 Months : negative	r)
deltam	onents: nethrin (ISO): s on fertility		-generation reproduction toxicity study
deltam	nethrin (ISO):	Species: Rat Application Route	e: oral (feed)
		weight Symptoms: No ef	Development: NOAEL: 50 mg/kg body fects on fertility, Embryo-foetal toxicity cant toxicity observed in testing
		Test Type: Two-g Species: Rat Application Route	eneration reproduction toxicity study e: Oral
		weight	Development: LOAEL: 84 - 149 mg/kg body fects on fertility, Embryo-foetal toxicity
		Test Type: Fertilit Species: Rat, ma Application Route Fertility: LOAEL: Symptoms: Effec Target Organs: T	le e: Oral 1 mg/kg body weight ts on fertility
Effects ment	on foetal develop-	: Test Type: Devel Species: Mouse Application Route	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 5.0	Revision Date: 28.09.2024		umber:  58-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
		Re	sult: Skeletal r	oxicity: LOAEL: 1 mg/kg body weight nalformations al toxicity observed.
		Spe Apj De	velopmental T	
Repro sessr	oductive toxicity - As- nent			f adverse effects on sexual function and development, based on animal experiments.
Form	aldehyde:			
	ts on foetal develop-	Sp Ap	ecies: Rat	vo-foetal development e: inhalation (gas)
Meth	anol:			
Effec	ts on fertility	Sp Ap	ecies: Monkey	eneration reproduction toxicity study e: inhalation (vapour)
Effec ment	ts on foetal develop-	tes Spe Apj	t ecies: Monkey	duction/Developmental toxicity screening
II STOT	Γ - single exposure			
	lassified based on avai	lable info	mation.	
Com	ponents:			
delta	methrin (ISO):			
Asse	ssment	: Ma	y cause respir	atory irritation.
Form	aldehyde:			
	ssment	: Ma	y cause respir	atory irritation.
Meth	anol:			
Targe	et Organs ssment		ic nerve, Cent uses damage	ral nervous system to organs.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Deltamethrin (1%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2024
5.0	28.09.2024	10853158-00009	Date of first issue: 15.09.2022

# STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

## Components:

## deltamethrin (ISO):

Exposure routes Target Organs Assessment Exposure routes Target Organs Assessment	<ul> <li>Ingestion</li> <li>Central nervous system, Immune system</li> <li>Causes damage to organs through prolonged or repeated exposure.</li> <li>inhalation (dust/mist/fume)</li> <li>Central nervous system</li> <li>Causes damage to organs through prolonged or repeated exposure.</li> </ul>
Repeated dose toxicity	
Components:	
deltamethrin (ISO): Species NOAEL LOAEL Application Route Exposure time Target Organs Symptoms	<ul> <li>Rat, male and female</li> <li>1 mg/kg</li> <li>2,5 mg/kg</li> <li>Oral</li> <li>13 Weeks</li> <li>Nervous system</li> <li>hyperexcitability</li> </ul>
Species LOAEL Application Route Exposure time Symptoms	<ul> <li>Rat</li> <li>3 mg/m3</li> <li>inhalation (dust/mist/fume)</li> <li>2 wk / 5 d/wk / 6 h/d</li> <li>Local irritation, respiratory tract irritation</li> </ul>
Species NOAEL LOAEL Application Route Exposure time Target Organs Symptoms	<ul> <li>Dog</li> <li>0,1 mg/kg</li> <li>1 mg/kg</li> <li>Oral</li> <li>13 Weeks</li> <li>Nervous system</li> <li>Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation</li> </ul>
Species NOAEL LOAEL Application Route Exposure time Target Organs	<ul> <li>Rat</li> <li>14 mg/kg</li> <li>54 mg/kg</li> <li>Oral</li> <li>91 d</li> <li>Nervous system</li> </ul>

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Deltamethrin (1%) Liquid Formulation**

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 26.06.2024
5.0		10853158-00009	Date of first issue: 15.09.2022
Spec LOAE Appli Expo Targe Symp	EL cation Route sure time et Organs	: Mouse : 6 mg/kg : Oral : 12 Weeks : Immune syste : immune syste	

## Aspiration toxicity

Not classified based on available information.

### 11.2 Information on other hazards

## **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Experience with human exposure

### **Components:**

#### deltamethrin (ISO):

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	:	Symptoms: Skin irritation, Erythema, pruritis, Headache, Nau- sea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

### **SECTION 12: Ecological information**

## 12.1 Toxicity

### **Components:**

#### deltamethrin (ISO):

Toxicity to fish		LC50 (Cyprinodon variegatus (sheepshead minnow)): 0,00048 mg/l Exposure time: 96 h
		LC50 (Oncorhynchus mykiss (rainbow trout)): 0,00039 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Mysidopsis bahia (opossum shrimp)): 0,0037 µg/l Exposure time: 48 h
		EC50 (Daphnia magna (Water flea)): 0,0035 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 5.0	Revision Date: 28.09.2024		9S Number: 853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
			Exposure time: 48	3 h
			LC50 (Gammarus Exposure time: 96	fasciatus (freshwater shrimp)): 0,0003 μg/l δ h
Toxic plant	city to algae/aquatic s	:	mg/l Exposure time: 72 Method: OECD To	
M-Fa icity)	ctor (Acute aquatic tox-	:	1.000.000	
Toxic icity)	to fish (Chronic tox-	:	NOEC: 0,000022 Exposure time: 36 Species: Pimepha	
			NOEC: 0,000017 Exposure time: 26 Species: Pimepha	
	tity to daphnia and other tic invertebrates (Chron- cicity)	:	Exposure time: 21	
M-Fa toxic	ictor (Chronic aquatic ity)	:	1.000.000	
Forn	naldehyde:			
Τοχία	sity to fish	:	LC50 (Morone sa: Exposure time: 96	xatilis (striped bass)): 6,7 mg/l 5 h
	tity to daphnia and other tic invertebrates	:	EC50 (Daphnia p Exposure time: 48	ulex (Water flea)): 5,8 mg/l 3 h
Toxic plant	city to algae/aquatic s	:	ErC50 (Desmode: Exposure time: 72 Method: OECD Te	
Τοχία	city to microorganisms	:	EC50 (activated s Exposure time: 3 Method: OECD Te	h
aqua	tity to daphnia and other tic invertebrates (Chron- cicity)	:	NOEC: 1,04 mg/l Exposure time: 21 Species: Daphnia Method: OECD To	magna (Water flea)
Non	/Iphenol, ethoxylated:			
	sity to fish	:	Exposure time: 96	s promelas (fathead minnow)): > 0,1 - 1 mg/l 5 h on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 5.0	Revision Date: 28.09.2024		0S Number: 853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
Tovio	ty to dophnic and other		FCF0 (Coriedoph	$r_{1}$
	Toxicity to daphnia and other aquatic invertebrates		Exposure time: 48	nia dubia (water flea)): > 0,1 - 1 mg/l 3 h on data from similar materials
	Toxicity to algae/aquatic plants		ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials	
			Exposure time: 72 Method: OECD Te	
M-Fac icity)	ctor (Acute aquatic tox-	:	1	
Toxici icity)	ty to fish (Chronic tox-	:	Exposure time: 10 Species: Oryzias	
	ity to daphnia and other ic invertebrates (Chron- city)	:	Exposure time: 28 Species: Mysidop	
M-Fac toxicit	ctor (Chronic aquatic y)	:	: 10	
<b>Metha</b> Toxici	anol: ity to fish	:	LC50 (Lepomis m Exposure time: 96	acrochirus (Bluegill sunfish)): 15.400 mg/l 3 h
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: DIN 3842	
Toxici plants	ty to algae/aquatic	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 22.000 mg/l Exposure time: 96 h Method: OECD Test Guideline 201	
Toxici	ty to microorganisms	:	Exposure time: 3	leutralised product

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 5.0	Revision Date: 28.09.2024		DS Number: 0853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022		
12.2 Pers	12.2 Persistence and degradability					
<u>Com</u>	ponents:					
delta	amethrin (ISO):					
Stab	ility in water	:	Hydrolysis: 0 %(3	30 d)		
Forn	naldehyde:					
Biod	egradability	:	Result: Readily b Biodegradation: Exposure time: 2 Method: OECD T	99 %		
Non	ylphenol, ethoxylated:					
Biod	egradability	:	Result: Not readi Remarks: Based	ly biodegradable. on data from similar materials		
Meth	nanol:					
Biod	egradability	:	Result: Readily b Biodegradation: Exposure time: 2	95 %		
12.3 Bioa	accumulative potential					
<u>Com</u>	ponents:					
delta	amethrin (ISO):					
Bioa	ccumulation	:		s macrochirus (Bluegill sunfish) factor (BCF): 1.800		
	tion coefficient: n- nol/water	:	log Pow: 4,6			
	naldehyde:					
	tion coefficient: n- nol/water	:	log Pow: 0,35 Remarks: Calcula	ation		
Non	ylphenol, ethoxylated:					
	tion coefficient: n- nol/water	:	log Pow: 4,48			
Meth	nanol:					
Bioa	ccumulation	:	•	us idus (Golden orfe) factor (BCF): < 10		
	tion coefficient: n- nol/water	:	log Pow: -0,77			

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by



Commission Regulation (EU) 2020/878

# **Deltamethrin (1%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2024
5.0	28.09.2024	10853158-00009	Date of first issue: 15.09.2022

### 12.4 Mobility in soil

#### **Components:**

#### deltamethrin (ISO):

Distribution among environ- : log Koc: 7,2 mental compartments

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

Assessment

This substance/mixture contains components considered to : have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

### **Components:**

Nonylphenol, ethoxylated: Assessment The substance is considered to have endocrine disrupting : properties according to REACH Article 57(f) for the environment.

### 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes
		are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contominated postering	_	Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2024
5.0	28.09.2024	10853158-00009	Date of first issue: 15.09.2022

## **SECTION 14: Transport information**

Hazard Identification Number : 90

14.1 UN number or ID number			
ADN	:	UN 3082	
ADR	:	UN 3082	
RID	:	UN 3082	
IMDG	:	UN 3082	
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADN	:	ENVIRONMENTALLY N.O.S. (deltamethrin (ISO))	HAZARDOUS SUBSTANCE, LIQUID,
ADR	:	ENVIRONMENTALLY N.O.S. (deltamethrin (ISO))	HAZARDOUS SUBSTANCE, LIQUID,
RID	:	ENVIRONMENTALLY N.O.S. (deltamethrin (ISO))	HAZARDOUS SUBSTANCE, LIQUID,
IMDG	:	ENVIRONMENTALLY N.O.S. (deltamethrin (ISO))	HAZARDOUS SUBSTANCE, LIQUID,
ΙΑΤΑ	:	Environmentally hazard (deltamethrin (ISO))	dous substance, liquid, n.o.s.
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADN	:	9	
ADR	:	9	
RID	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADN Packing group Classification Code Hazard Identification Number Labels ADR Packing group Classification Code		III M6 90 9	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **Deltamethrin (1%) Liquid Formulation**

Versio 5.0	on	Revision Date: 28.09.2024		OS Number: 853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022
	abels unnel	restriction code	:	9 (-)	
P C H	Classifi	g group cation Code Identification Number	:	III M6 90 9	
P Li	MDG Packing abels mS C	g group ode	:	III 9 F-A, S-F	
P	Packing ircraft)	Cargo) g instruction (cargo g instruction (LQ)	:	964 Y964	
Р		g group	:	III Miscellaneous	
P gr P P	Packing Jer airc Packing	Passenger) g instruction (passen- raft) g instruction (LQ) g group	:	964 Y964 III Miscellaneous	
		nmental hazards			
	<b>DN</b> Enviror	mentally hazardous	:	yes	
	<b>DR</b> Inviror	mentally hazardous	:	yes	
	<b>RID</b> Enviror	mentally hazardous	:	yes	
	<b>MDG</b> /larine	pollutant	:	yes	
		Passenger) Imentally hazardous	:	yes	
		Cargo) Imentally hazardous	:	yes	

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2024
5.0	28.09.2024	10853158-00009	Date of first issue: 15.09.2022

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) REACH - Restrictions on the manufacture, placing on	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		Number on list 28: Formaldehyde
		Number on list 46b: Nonylphenol, ethoxylated
		Number on list 46a.: Nonylphenol, ethoxylated
REACH - Restrictions on the manufacture, placing on		Number on list 72: Formaldehyde
the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		Number on list 77: Formaldehyde
		Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not.
REACH - Candidate List of Substances of Very High	:	Nonylphenol, ethoxylated
Concern for Authorisation (Article 59). REACH - List of substances subject to authorisation (Annex XIV)	:	Nonylphenol, ethoxylated
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Nonylphenol, ethoxylated
Seveso III: Directive 2012/18/EU of the European Parlian	nent	and of the Council on the control of

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2



Version 5.0	Revision Date: 28.09.2024	SDS Number: 10853158-00009	Date of last issue: 2 Date of first issue: 1	
E1		ENVIRONMENTA HAZARDS	AL 100 t	200 t

## Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

#### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

Other information :		Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.	
Full text of H-Statements			
H221	:	Flammable gas.	
H225		Highly flammable liquid and vapour.	
H301	÷	Toxic if swallowed.	
H302	:	Harmful if swallowed.	
H311	:	Toxic in contact with skin.	
H314	:	Causes severe skin burns and eye damage.	
H317	:	May cause an allergic skin reaction.	
H318	:	Causes serious eye damage.	
H319	:	Causes serious eye irritation.	
H330	:	Fatal if inhaled.	
H331	:	Toxic if inhaled.	
H335	:	May cause respiratory irritation.	
H341	:	Suspected of causing genetic defects.	
H350	:	May cause cancer.	
H361fd		Suspected of damaging fertility. Suspected of damaging the unborn child.	
H370	:	Causes damage to organs.	
H372	:	Causes damage to organs through prolonged or repeated exposure if inhaled.	
H372	:	Causes damage to organs through prolonged or repeated exposure if swallowed.	
H400	:	Very toxic to aquatic life.	
H410	:	Very toxic to aquatic life with long lasting effects.	
Full toxt of other abbroviati	ions		

### Full text of other abbreviations

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Deltamethrin (1%) Liquid Formulation

Version 5.0	Revision Date: 28.09.2024	SDS Number: 10853158-00009	Date of last issue: 26.06.2024 Date of first issue: 15.09.2022		
Acute	Tox	: Acute toxicity			
			ute) aquatic hazard		
	ic Acute ic Chronic		ronic) aquatic hazard		
Carc.					
		: Carcinogenicit			
Eye D		: Serious eye da	amage		
Eye Ir		: Eye irritation			
Flam.		: Flammable ga			
Flam.	LIQ.	: Flammable liq			
Muta.			Germ cell mutagenicity		
Repr.		•	: Reproductive toxicity		
Skin C			: Skin corrosion		
Skin S			: Skin sensitisation		
STOT			: Specific target organ toxicity - repeated exposure		
STOT			<ul> <li>Specific target organ toxicity - single exposure</li> </ul>		
2004/37/EC			: Europe. Directive 2004/37/EC on the protection of workers		
		from the risks at work	related to exposure to carcinogens or mutagens		
2006/	15/EC	: Europe. Indica	tive occupational exposure limit values		
FOR-2011-12-06-1358			Norway. Occupational Exposure limits		
2004/37/EC / STEL			Short term exposure limit		
2004/37/EC / TWA			Long term exposure limit		
			Limit Value - eight hours		
	FOR-2011-12-06-1358 / : Long term exposure limit				
TWA					
FOR-2 STEL	2011-12-06-1358 /	: Short term exposure limit			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2024
5.0	28.09.2024	10853158-00009	Date of first issue: 15.09.2022

Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Classification of the mixture:		Classification procedure:
Skin Sens. 1	H317	Calculation method
Carc. 1B	H350	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN