according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/13	2656110-00017	Date of first issue: 2018/03/29


1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Deltamethrin (2.5%) Formulation				
Manufacturer or supplier's details Company : MSD						
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331				
Telephone	:	+1-908-740-4000				
Emergency telephone number	:	86-571-87268110				
E-mail address	:	EHSDATASTEWARD@msd.com				
Recommended use of the chemical and restrictions on use						
Recommended use Restrictions on use	:	Veterinary product Not applicable				

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance Colour Odour	: :	liquid yellow No data available				
Flammable liquid and vapour. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause drowsiness or dizziness. May cause genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.						
GHS Classification						
Flammable liquids	:	Category 3				
Acute toxicity (Oral)	:	Category 5				
Skin corrosion/irritation	:	Category 2				
Serious eye damage/eye irri- tation	:	Category 1				
Skin sensitisation	:	Category 1				
Germ cell mutagenicity	:	Category 1B				





Version 3.0	Revision Date: 2024/09/13		S Number: 66110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29
Carci	nogenicity	:	Category 1B	
Repro	oductive toxicity	:	Category 2	
	fic target organ toxicity - e exposure	:	Category 3	
	fic target organ toxicity - ted exposure	:	Category 2	
Aspira	ation hazard	:	Category 1	
Short- hazar	-term (acute) aquatic d	:	Category 1	
Long- hazar	term (chronic) aquatic d	:	Category 1	
	label elements rd pictograms	:		
Signa	l word	:	Danger	• • • •
Hazaı	rd statements	:	H303 May be h H304 May be fa H315 Causes s H317 May caus H318 Causes s H336 May caus H340 May caus H350 May caus H350 May caus H361 Suspecte H373 May caus peated exposur	se an allergic skin reaction. Berious eye damage. Se drowsiness or dizziness. Se genetic defects. Se cancer. Ed of damaging fertility or the unborn child. Se damage to organs through prolonged or re-
Preca	Precautionary statements		P202 Do not ha and understood P210 Keep awa No smoking. P233 Keep con	pecial instructions before use. andle until all safety precautions have been read l. ay from heat/ sparks/ open flames/ hot surfaces atainer tightly closed. osion-proof electrical/ ventilating/ lighting equip-

according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

Version 3.0	Revision Date: 2024/09/13	SDS Number: 2656110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29
		P243 Take pre P260 Do not b P264 Wash sk P271 Use only P272 Contamir the workplace. P273 Avoid rel	ease to the environment. otective gloves/ protective clothing/ eye protec-
		CENTER/ doct P303 + P361 + Iy all contamina P304 + P340 + and keep comf doctor if you fe P305 + P351 + water for sever and easy to do CENTER/ doct P312 Call a PC P331 Do NOT P333 + P313 If vice/ attention.	 P353 IF ON SKIN (or hair): Take off immediate- ated clothing. Rinse skin with water/ shower. P312 IF INHALED: Remove person to fresh air ortable for breathing. Call a POISON CENTER/ el unwell. P338 + P310 IF IN EYES: Rinse cautiously with ral minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON or. DISON CENTER/ doctor if you feel unwell. induce vomiting. f skin irritation or rash occurs: Get medical ad- Take off contaminated clothing and wash it before

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Flammable liquid and vapour.

Health hazards

May be harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/13	2656110-00017	Date of first issue: 2018/03/29

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Vapours may form explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS


Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light aromatic	64742-95-6	>= 50 -< 70
Benzenesulfonic acid, C10-13-alkyl derivs.,	Not Assigned	>= 3 -< 10
calcium salts		
4-Nonylphenol, branched, ethoxylated	127087-87-0	>= 3 -< 10
deltamethrin (ISO)	52918-63-5	>= 2.5 -< 3
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 1 -< 2.5

4. FIRST AID MEASURES

General advice	In the case of accident or if you feel unwell, seek medical ad- vice immediately.	
	When symptoms persist or in all cases of doubt seek medical advice.	
If inhaled	If inhaled, remove to fresh air. Get medical attention.	
In case of skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.	
In case of eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.	
If swallowed	If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.	
Most important symptoms and effects, both acute and delayed	May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause drowsiness or dizziness. May cause genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child.	





Version 3.0	Revision Date: 2024/09/13	-	OS Number: 56110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29
	Protection of first-aiders Notes to physician		May cause damage to organs through prolonged or rep exposure. This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carba or organophosphate poisoning. First Aid responders should pay attention to self-protec and use the recommended personal protective equipm when the potential for exposure exists (see section 8). Treat symptomatically and supportively.	
5. FIREF	IGHTING MEASURES			
Suit	able extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical	
Uns mec	uitable extinguishing lia	:	High volume wate	er jet
	Specific hazards during fire- fighting		fire. Flash back possib Vapours may forn	d water stream as it may scatter and spread ble over considerable distance. In explosive mixtures with air. Dustion products may be a hazard to health.
	Hazardous combustion prod- ucts		Carbon oxides Nitrogen oxides (1 Bromine compour Sulphur oxides Metal oxides	
Spe ods	cific extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	Special protective equipment for firefighters		In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.	
6. ACCI	DENTAL RELEASE MEAS	SUF	RES	
tive	Personal precautions, protec- : tive equipment and emer- gency procedures		Follow safe handl	es of ignition. tective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).

according to GB/T 16483 and GB/T 17519




Deltamethrin (2.5%) Formulation

Vers 3.0	ion	Revision Date: 2024/09/13		9S Number: 56110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29
				barriers). Retain and dispos	g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages ed.
	Methods and materials for containment and cleaning up		:	Soak up with iner Suppress (knock spray jet. For large spills, pr ment to keep mat be pumped, store Clean up remainin bent. Local or national posal of this mate employed in the o mine which regula Sections 13 and 1	s should be used. t absorbent material. down) gases/vapours/mists with a water rovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate container. ng materials from spill with suitable absor- regulations may apply to releases and dis- rial, as well as those materials and items leanup of releases. You will need to deter- ations are applicable. 5 of this SDS provide information regarding tional requirements.

7. HANDLING AND STORAGE

Handling	
Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	 If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip- ment.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Avoidance of contact	: Oxidizing agents





Deltamethrin (2.5%) Formulation

Version 3.0	n	Revision Date: 2024/09/13		S Number: 56110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29
Ste	orage	9			
Co	onditio	ons for safe storage	:	Store locked up. Keep tightly close Keep in a cool, we Store in accordan	abelled containers. d. ell-ventilated place. ce with the particular national regulations. neat and sources of ignition.
Ma	ateria	ls to avoid	:	Self-reactive subs Organic peroxides Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids	;
Pa	ackag	ing material	:	Unsuitable materi	al: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
deltamethrin (ISO)	52918-63-5	PC-TWA	0.03 mg/m3	CN OEL
		TWA	15 µg/m3 (OEB 3)	Internal
	Further information: DSEN, Skin			
		Wipe limit	100 µg/100 cm ²	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhal- able fraction and vapor)	2 mg/m3	ACGIH

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equip-

according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/13	2656110-00017	Date of first issue: 2018/03/29

ment.

Personal protective equip	nt	
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.)-
Filter type	: Combined particulates and organic vapour type	
Eye/face protection	 Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. 	;,
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentiall contaminated clothing.	
Hand protection		
Material	: Chemical-resistant gloves	
Remarks	: Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.	-
Hygiene measures	 If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work- ing place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. 	e

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	4 - 5
Melting point/freezing point	:	< -5 °C


according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

Vers 3.0	sion	Revision Date: 2024/09/13		S Number: 6110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29
	Initial b range	oiling point and boiling	:	No data available	
	Flash p	point	:	40 °C	
	Evapor	ation rate	:	No data available)
	Flamm	ability (solid, gas)	:	Not applicable	
	Flamm	ability (liquids)	:	Not applicable	
		explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	
	Vapour	rpressure	:	No data available)
	Relativ	e vapour density	:	No data available	9
	Relativ	e density	:	No data available	9
	Density	/	:	0.909 - 0.927 g/c	m³ (20 °C)
	Solubil	ity(ies) ter solubility		partly miscible	
		·			
	octano		•	Not applicable	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available)
	Viscosi Visc	ity cosity, kinematic	:	No data available)
	Explosi	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Molecu	ılar weight	:	No data available)
	Particle Particle	e characteristics e size	:	Not applicable	

10. STABILITY AND REACTIVITY





ersion .0	Revision Date: 2024/09/13		S Number: 56110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29			
	tivity nical stability bility of hazardous reac-	:	Stable under n Flammable liqu Vapours may f	as a reactivity hazard. ormal conditions. uid and vapour. orm explosive mixture with air. strong oxidizing agents.			
Conditions to avoid Incompatible materials Hazardous decomposition products		:	 Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known. 				
1. TOXIC	OLOGICAL INFORMAT	ΓΙΟΝ	I				
Expos	sure routes	:	Inhalation Skin contact Ingestion Eye contact				
	e toxicity be harmful if swallowed.						
	oral toxicity	:	Acute toxicity e Method: Calcul	stimate: 2,594 mg/kg ation method			
Acute	inhalation toxicity	:	Acute toxicity e Exposure time: Test atmospher Method: Calcul	e: dust/mist			
<u>Com</u>	oonents:						
Solve	ent naphtha (petroleum), lig	ght aromatic:				
Acute	oral toxicity	:	LD50 (Rat): > 5	,000 mg/kg			
Acute	inhalation toxicity	:	LC50 (Rat): > 5 Exposure time: Test atmosphere	4 h			
Acute	dermal toxicity	:	LD50 (Rabbit):	> 2,000 mg/kg			
Benz	enesulfonic acid, C10-	13-a	lkyl derivs., cal	cium salts:			
	oral toxicity		LD50 (Rat): 4,4				
Acute	dermal toxicity	:		,000 mg/kg Test Guideline 402 d on data from similar materials			
4-Noi	ylphenol, branched, e	tho	cylated:				
	oral toxicity	:	LD50 (Rat): > 2	,000 mg/kg			

according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/13	2656110-00017	Date of first issue: 2018/03/29

П

deltamethrin (ISO):		
Acute oral toxicity	:	LD50 (Rat): 66.7 mg/kg
		LD50 (Rat): 9 - 139 mg/kg
		LD50 (Mouse): 19 - 34 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.8 mg/l Exposure time: 2 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): 2,000 mg/kg
		LD50 (Rat): > 800 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 2.5 mg/kg Application Route: Intravenous
		LD50 (Mouse): 10 mg/kg Application Route: Intraperitoneal
2,6-Di-tert-butyl-p-cresol:		
Acute oral toxicity	:	LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

Solvent naphtha (petroleum), light aromatic:

Species	: Rabbit
Method	: OECD Test Guideline 404
Species Method Result	: Skin irritation

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Species Method Result	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

4-Nonylphenol, branched, ethoxylated:

Species	:	Rabbit
---------	---	--------

according to GB/T 16483 and GB/T 17519



Version 3.0	Revision Date: 2024/09/13	SDS Number: 2656110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29
Metho		: OECD Test G : No skin irritati	
Rema			a from similar materials
	methrin (ISO):	D 11 %	
Speci Resu		: Rabbit : No skin irritati	on
2,6-D	i-tert-butyl-p-cresol:		
Speci		: Rabbit	
Metho		: OECD Test G	
Resu Rema		: No skin irritati	on a from similar materials
Reina	11K5	. Daseu on ual	
	us eye damage/eye i es serious eye damag		
	, ,	с.	
Com	oonents:		
Solve	ent naphtha (petroleu	Im), light aromatic:	
Speci		: Rabbit	
Resu		: No eye irritati	
Metho	Da	: OECD Test G	Suideline 405
Benz	enesulfonic acid, C1	0-13-alkyl derivs., c	alcium salts:
Speci	es	: Rabbit	
Resu	lt	: Irreversible ef	
Metho	bd	: OECD Test G	uideline 405
4-Noi	nylphenol, branched	. ethoxvlated:	
Speci	•••	: Rabbit	
Resu		: No eye irritati	on
Metho		: OECD Test G	
Rema	arks	: Based on data	a from similar materials
delta	methrin (ISO):		
Speci	es	: Rabbit	
Resu	lt	: Moderate eye	irritation
2.6-D	i-tert-butyl-p-cresol:		
Speci		: Rabbit	
Resu		: No eye irritati	on
Metho		: OECD Test G	Juideline 405
Rema	arks	: Based on data	a from similar materials

according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/13	2656110-00017	Date of first issue: 2018/03/29

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Solvent naphtha (petroleum), light aromatic:

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Test Type Exposure routes Species Method Remarks	:	Magnusson-Kligman-Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Remarks	:	Based on data from similar materials

4-Nonylphenol, branched, ethoxylated:

I	Test Type	:	Maximisation Test
I	Exposure routes	:	Skin contact
	Species	:	Guinea pig
	Result	:	negative
	Test Type Exposure routes Species Result Remarks	:	Based on data from similar materials

deltamethrin (ISO):

Test Type Exposure routes Species Result	 Maximisation Test Dermal Guinea pig negative
Test Type Exposure routes Species Result	 Human repeat insult patch test (HRIPT) Dermal Humans positive

2,6-Di-tert-butyl-p-cresol:

Test Type Exposure routes Species Result	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: negative

according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/13	2656110-00017	Date of first issue: 2018/03/29

Germ cell mutagenicity

May cause genetic defects.

Components:

Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: positive
Genotoxicity in vivo	 Test Type: Sister chromatid exchange analysis in spermato- gonia Species: Mouse Application Route: Intraperitoneal injection Result: positive
Germ cell mutagenicity - Assessment	: Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: Directive 67/548/EEC, Annex, B.13/14 Result: negative Remarks: Based on data from similar materials
-----------------------	---

4-Nonylphenol, branched, ethoxylated:

Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
deltamethrin (ISO):	
Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: DNA Repair Test system: Escherichia coli

according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

rsion)	Revision Date: 2024/09/13	SDS Number: 2656110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29
		Result: negati	
			romosomal aberration Chinese hamster ovary cells ve
		Test system: (vitro mammalian cell gene mutation test Chinese hamster lung cells : LOAEL: 20 mg/kg e
Geno	toxicity in vivo	: Test Type: Mi Species: Mou Application Ro Result: negati	oute: Oral
		Test Type: do Species: Mou Application Ro Result: negati	oute: Oral
		Test Type: sis Species: Mou Cell type: Bon Application Ro Result: negati	e marrow oute: Oral
2,6-D	i-tert-butyl-p-cresol:	:	
Geno	toxicity in vitro	: Test Type: Ba Result: negati	cterial reverse mutation assay (AMES) ve
		Test Type: In Result: negati	vitro mammalian cell gene mutation test ve
		Test Type: Ch Result: negati	romosome aberration test in vitro ve
Geno	toxicity in vivo	cytogenetic te Species: Rat	itagenicity (in vivo mammalian bone-marrov st, chromosomal analysis) pute: Ingestion ve
	nogenicity cause cancer.		
-	oonents:		

Solvent naphtha (petroleum), light aromatic:

according to GB/T 16483 and GB/T 17519



ersion 0	Revision Date: 2024/09/13	SDS Nu 265611	umber: 0-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29
	ation Route		n contact	
Expos Result	sure time t	: 2 Ye : pos		
Carcir ment	nogenicity - Assess-	: Sufi	icient evider	nce of carcinogenicity in animal experimen
deltar	nethrin (ISO):			
Specie			ise, male an	id female
	ation Route		(feed)	
	sure time		weeks	
NOAE			g/kg body w	
LOAE			g/kg body w	eight
Result Targe	t Organs	: pos : Lym	inve iph nodes	
Specie	29	· Rat	male and fe	amale
	ation Route		(feed)	sinale
Expos	sure time	: 2 Ye		
Result			ative	
Specie		: Dog	, male and f	emale
Applic	ation Route		(feed)	
	sure time	: 2 Ye		
NOAE			g/kg body w	eight
Result	t	: neg	ative	
2,6-Di	-tert-butyl-p-cresol:			
Specie	es	: Rat		
	ation Route	: Inge	estion	
	sure time		Nonths	
Result	t	: neg	ative	
Repro	oductive toxicity			
	ected of damaging ferti	lity or the	unborn child	
<u>Comp</u>	onents:			
Solve	nt naphtha (petroleu	m), light a	romatic:	
Effects	s on fertility	test		roduction/Developmental toxicity screening
		App	cies: Rat lication Rou ult: negative	te: inhalation (vapour)
	s on foetal develop-			ryo-foetal development
ment		App		te: inhalation (vapour)
		Res	ult: negative	7

according to GB/T 16483 and GB/T 17519



ersion 0	Revision Date: 2024/09/13	SDS Number: 2656110-0001	Date of last issue: 2024/04/06 7 Date of first issue: 2018/03/29
	n ylphenol, branched oductive toxicity - As- nent	: Some evide	ence of adverse effects on sexual function and /or on development, based on animal experiments
II delta	methrin (ISO):		
deltamethrin (ISO): Effects on fertility		Species: Ra Application Early Embr weight Symptoms:	Three-generation reproduction toxicity study at Route: oral (feed) yonic Development: NOAEL: 50 mg/kg body No effects on fertility, Embryo-foetal toxicity Significant toxicity observed in testing
		Species: Ra Application Early Embr weight	Two-generation reproduction toxicity study at Route: Oral yonic Development: LOAEL: 84 - 149 mg/kg body No effects on fertility, Embryo-foetal toxicity
		Fertility: LO	at, male Route: Oral AEL: 1 mg/kg body weight Effects on fertility
Effects on foetal develop- ment		Species: M Application Developme Result: Ske	Development ouse Route: oral (gavage) ntal Toxicity: LOAEL: 1 mg/kg body weight letal malformations flaternal toxicity observed.
		Species: Ra Developme	Development at, female ntal Toxicity: NOAEL: 10 mg/kg body weight No effects on foetal development
		Species: Ra Application Developme	Development abbit, female Route: oral (gavage) ntal Toxicity: NOAEL: 16 mg/kg body weight No effects on foetal development
Repro sessr	oductive toxicity - As- nent		ence of adverse effects on sexual function and /or on development, based on animal experiments
	i-tert-butyl-p-cresol: ts on fertility	: Test Type:	Two-generation reproduction toxicity study

according to GB/T 16483 and GB/T 17519



Version 3.0	Revision Date: 2024/09/13		umber: 10-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29
Effec ment	ts on foetal develop-	Ap Re : Tes Sp Ap	ecies: Rat blication Route sult: negative st Type: Embry ecies: Rat blication Route sult: negative	vo-foetal development
May o	Γ - single exposure cause drowsiness or di ponents:		J	
	ent naphtha (petroleu ssment			iness or dizziness.
ASSE	SSITIETIL	. Ma	y cause drows	
	methrin (ISO): ssment	: Ma	y cause respir	atory irritation.
May o	F - repeated exposure cause damage to organized organized and the second sec		prolonged or	repeated exposure.
	methrin (ISO):			
Targe	sure routes et Organs ssment	: Ce : Ca		system, Immune system to organs through prolonged or repeated
Expo	sure routes	: inh	alation (dust/m	list/fume)
	et Organs ssment	: Ca	ntral nervous s uses damage posure.	system to organs through prolonged or repeated
2.6-D	i-tert-butyl-p-cresol:			
	ssment		significant hea is of 100 mg/k	alth effects observed in animals at concentra- g bw or less.
Rene	ated dose toxicity			
-	ponents:			
	ent naphtha (petroleu	m) liaht	aromatic	
Spec		: Ra		
LÒAE	EL	: 500) mg/kg	
	cation Route sure time		estion Days	
		. 20	Lays	

according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/13	2656110-00017	Date of first issue: 2018/03/29


4-Nonylphenol, branched, ethoxylated:

4 Nonyiphenoi, branonea,	
Species LOAEL Application Route Exposure time Method Remarks	 Rat 150 mg/kg Ingestion 90 Days OPPTS 870.3100 Based on data from similar materials
deltamethrin (ISO): Species NOAEL LOAEL Application Route Exposure time Target Organs Symptoms	 Rat, male and female 1 mg/kg 2.5 mg/kg Oral 13 Weeks Nervous system hyperexcitability
Species LOAEL Application Route Exposure time Symptoms	 Rat 3 mg/m3 inhalation (dust/mist/fume) 2 wk / 5 d/wk / 6 h/d Local irritation, respiratory tract irritation
Species NOAEL LOAEL Application Route Exposure time Target Organs Symptoms	 Dog 0.1 mg/kg 1 mg/kg Oral 13 Weeks Nervous system Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation
Species NOAEL LOAEL Application Route Exposure time Target Organs	: Rat : 14 mg/kg : 54 mg/kg : Oral : 91 d : Nervous system
Species LOAEL Application Route Exposure time Target Organs Symptoms	 Mouse 6 mg/kg Oral 12 Weeks Immune system immune system effects

2,6-Di-tert-butyl-p-cresol:

Species

: Rat





Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/13	2656110-00017	Date of first issue: 2018/03/29

NOAEL	:	25 mg/kg
Application Route	:	Ingestion
Exposure time	:	22 Months

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Components:

Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

deltamethrin (ISO):

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact		Symptoms: Skin irritation, Erythema, pruritis, Headache, Nau- sea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Solvent naphtha (petroleum), light aromatic:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 4.5 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201

according to GB/T 16483 and GB/T 17519



ersion .0	Revision Date: 2024/09/13	-	9S Number: 56110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29	
	ity to daphnia and other ic invertebrates (Chron- icity)	:	mg/l Exposure time: 96 Test substance: V Method: OECD T NOELR (Daphnia Exposure time: 2	Vater Accommodated Fraction est Guideline 201 magna (Water flea)): 2.6 mg/l 1 d Vater Accommodated Fraction	
Benz	enesulfonic acid, C10-	13-a	ılkvl derivs calci	um salts:	
	ity to fish		LC50 : > 1 - < 10 Exposure time: 90	mg/l	
	ity to daphnia and other ic invertebrates	:	Exposure time: 48 Method: OECD T		
Toxic plants	ity to algae/aquatic	:	100 mg/l Exposure time: 96	rchneriella subcapitata (green algae)): > 10 5 h on data from similar materials	
			1 mg/l Exposure time: 96	rchneriella subcapitata (green algae)): > 0.1 6 h on data from similar materials	
Toxici icity)	ity to fish (Chronic tox-	:	Exposure time: 72	ichus mykiss (rainbow trout)): > 0.1 - 1 mg/l 2 d on data from similar materials	
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Exposure time: 2	magna (Water flea)): > 1 mg/l 1 d on data from similar materials	
4-Nor	nylphenol, branched, e	tho	xylated:		
Toxic	ity to fish	:	Exposure time: 96	s promelas (fathead minnow)): > 0.1 - 1 mg 5 h on data from similar materials	
	ity to daphnia and other ic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials		
Toxic	ity to algae/aquatic	:	ErC50 (Selenastr	um capricornutum (green algae)): > 1 - 10	
			21 / 28		

Version

according to GB/T 16483 and GB/T 17519

Revision Date:



Date of last issue: 2024/04/06

Deltamethrin (2.5%) Formulation

SDS Number:

	2024/09/13		56110-00017	Date of first issue: 2018/03/29
plants			mg/l Exposure time: 72 Method: OECD T Remarks: Based	
			Exposure time: 72 Method: OECD T	
	r (Acute aquatic tox-	:	1	
icity) Toxicity t icity)	to fish (Chronic tox-	:	Exposure time: 10	ntipes (Japanese medaka)): > 0.1 - 1 mg/ 00 d on data from similar materials
	to daphnia and other nvertebrates (Chron- y)	:	mg/l Exposure time: 28	is bahia (opossum shrimp)): > 0.001 - 0.0 3 d on data from similar materials
M-Factor toxicity)	r (Chronic aquatic	:	10	
deltame	thrin (ISO):			
Toxicity 1	to fish	:	LC50 (Cyprinodor mg/l Exposure time: 96	n variegatus (sheepshead minnow)): 0.00 Sh
			LC50 (Oncorhynd Exposure time: 96	hus mykiss (rainbow trout)): 0.00039 mg 3 h
	to daphnia and other nvertebrates	:	EC50 (Mysidopsis Exposure time: 48	s bahia (opossum shrimp)): 0.0037 μg/l 3 h
			EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 0.0035 mg/l 3 h
			LC50 (Gammarus Exposure time: 96	s fasciatus (freshwater shrimp)): 0.0003 μ δ h
Toxicity f plants	to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD T	
M-Factor icity)	r (Acute aquatic tox-	:	1,000,000	
	to fish (Chronic tox-	:	NOEC (Pimephal mg/l Exposure time: 36	es promelas (fathead minnow)): 0.00002. S d

according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

ersion .0	Revision Date: 2024/09/13	-	DS Number: 56110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29	
			NOEC (Pimephal mg/l Exposure time: 26	es promelas (fathead minnow)): 0.000017 60 d	
	y to daphnia and other c invertebrates (Chron-	:	NOEC (Daphnia r Exposure time: 2 ²	magna (Water flea)): 0.0041 μg/l 1 d	
	tor (Chronic aquatic	:	1,000,000		
2,6-Di-	tert-butyl-p-cresol:				
Toxicit	Toxicity to fish				3 h
	y to daphnia and other c invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD T		
Toxicity plants	y to algae/aquatic	:	ErC50 (Pseudokin mg/l Exposure time: 72 Method: OECD T		
			NOEC (Pseudoki mg/l Exposure time: 72 Method: OECD T		
	tor (Acute aquatic tox-	:	1		
icity) Toxicity icity)	y to fish (Chronic tox-	:	NOEC (Oryzias la Exposure time: 30 Method: OECD T		
aquatio	Toxicity to daphnia and other aquatic invertebrates (Chron-		NOEC (Daphnia r Exposure time: 2 ²	magna (Water flea)): 0.316 mg/l 1 d	
	tor (Chronic aquatic	:	1		
toxicity Toxicity	') y to microorganisms	:	EC50: > 10,000 n Exposure time: 3 Method: OECD T	h	

Persistence and degradability

Components:

Solvent naphtha (petroleum), light aromatic:

Biodegradability : Result: Inherently biodegradable.

according to GB/T 16483 and GB/T 17519



ersion .0	Revision Date: 2024/09/13		S Number: 6110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29
			Biodegradation Exposure time:	
Benze	enesulfonic acid, C1	0-13-al	kyl derivs., cal	cium salts:
Biode	gradability		Biodegradation Exposure time:	
4-Nor	ylphenol, branched	l, ethox	ylated:	
Biode	gradability			dily biodegradable. d on data from similar materials
deltar	methrin (ISO):			
	ity in water	:	Hydrolysis: 0 %	o(30 d)
2,6-Di	i-tert-butyl-p-cresol:			
Biode	gradability		Biodegradation Exposure time:	
Bioad	cumulative potentia	al		
Comr	oonents:			
		0 42 -1		
	enesulfonic acid, C1 on coefficient: n-		log Pow: 2.89	cium saits.
	ol/water			
deltar	methrin (ISO):			
Bioac	cumulation			nis macrochirus (Bluegill sunfish) n factor (BCF): 1,800
	on coefficient: n- ol/water	:	log Pow: 4.6	
2,6-D	i-tert-butyl-p-cresol:			
Bioac	cumulation			nus carpio (Carp) on factor (BCF): 330 - 1,800
	on coefficient: n- ol/water	:	log Pow: 5.1	
Mobil	ity in soil			
Comp	oonents:			

according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

Version 3.0	Revision Date: 2024/09/13	SDS Number: 2656110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29		
	oution among environ-	: log Koc: 7.2			
menta	al compartments				
Other adverse effects					
No da	ta available				
13. DISPO	SAL CONSIDERATIO	NS			
Dispo	osal methods				
Waste from residues		-	1		
Conta	minated packaging	: Empty contain dling site for re Empty contain Do not pressur pose such con of ignition. The	accordance with local regulations. ers should be taken to an approved waste han- ecycling or disposal. ers retain residue and can be dangerous. rize, cut, weld, braze, solder, drill, grind, or ex- tainers to heat, flame, sparks, or other sources by may explode and cause injury and/or death. e specified: Dispose of as unused product.		

14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels Environmentally hazardous	: : : : : : : : : : : : : : : : : : : :	UN 3295 HYDROCARBONS, LIQUID, N.O.S. 3 III 3 no
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		UN 3295 Hydrocarbons, liquid, n.o.s. 3 III Flammable Liquids 366 355
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant		UN 3295 HYDROCARBONS, LIQUID, N.O.S. (deltamethrin (ISO), 2,6-Di-tert-butyl-p-cresol) 3 III 3 F-E, S-D yes

according to GB/T 16483 and GB/T 17519



Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/13	2656110-00017	Date of first issue: 2018/03/29

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number	:	UN 3295
Proper shipping name	:	HYDROCARBONS, LIQUID, N.O.S.
Class	:	3
Packing group	:	III
Labels	:	3
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of H	azardous Chemicals	:	Listed		
Identification of	Major Hazard Installations for Hazardo	ous C	Chemicals (GB 18218)		
No. / Code	Chemical name / Category		Threshold quantity		
W5.4	Flammable liquids		5,000 t		
Hazardous Chemicals for Priority Management under : Listed SAWS					
SAWS					

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:



according to GB/T 16483 and GB/T 17519

Deltamethrin (2.5%) Formulation

Version 3.0	Revision Date: 2024/09/13		DS Number: 56110-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/03/29		
AICS		:	not determined			
DSL		:	not determined			
IECS	C	:	not determined			
16. OTHER INFORMATION						
Revis	Revision Date :		2024/09/13			
Furth	Further information					
compi	Sources of key data used to : compile the Safety Data Sheet		Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/			
	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.					
Date f	Date format		www/mm/dd			

Date format :		yyyy/mm/dd				
Full text of other abbreviations						
ACGIH CN OEL	:	USA. ACGIH Threshold Limit Values (TLV) Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.				
ACGIH / TWA CN OEL / PC-TWA	:	8-hour, time-weighted average Permissible concentration - time weighted average				

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No



according to GB/T 16483 and GB/T 17519

Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/09/13	2656110-00017	Date of first issue: 2018/03/29

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN