

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Deltamethrin (2.5%) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

<b>Appearance</b>	: liquid
<b>Colour</b>	: yellow
<b>Odour</b>	: No data available

Flammable liquid and vapour. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause drowsiness or dizziness. May cause genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

#### GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 5

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 1B

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

Carcinogenicity : Category 1B

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3


Specific target organ toxicity - repeated exposure : Category 2

Aspiration hazard : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H303 May be harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H336 May cause drowsiness or dizziness.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use only non-sparking tools.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

P243 Take precautionary measures against static discharge.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P312 Call a POISON CENTER/ doctor if you feel unwell.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Flammable liquid and vapour.

### Health hazards

May be harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

### Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version 2.9      Revision Date: 2023/11/07      SDS Number: 2656110-00015      Date of last issue: 2023/09/30  
Date of first issue: 2018/03/29

### Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).  
Vapours may form explosive mixture with air.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light aromatic	64742-95-6	>= 50 -< 70
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	Not Assigned	>= 3 -< 10
4-Nonylphenol, branched, ethoxylated	127087-87-0	>= 3 -< 10
deltamethrin (ISO)	52918-63-5	>= 2.5 -< 3
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 1 -< 2.5

### 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
May cause drowsiness or dizziness.  
May cause genetic defects.  
May cause cancer.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

Suspected of damaging fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.  
This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Bromine compounds  
Sulphur oxides  
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## 7. HANDLING AND STORAGE

### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version 2.9      Revision Date: 2023/11/07      SDS Number: 2656110-00015      Date of last issue: 2023/09/30  
Date of first issue: 2018/03/29

- Materials to avoid : Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.  
Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Flammable gases  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Poisonous gases  
Explosives
- Packaging material : Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
deltamethrin (ISO)	52918-63-5	PC-TWA	0.03 mg/m <sup>3</sup>	CN OEL
		TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m <sup>3</sup>	ACGIH

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.  
Use explosion-proof electrical, ventilating and lighting equipment.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or expo-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : yellow

Odour : No data available

Odour Threshold : No data available

pH : 4 - 5

Melting point/freezing point : < -5 °C

Initial boiling point and boiling range : No data available

Flash point : 40 °C



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.917 - 0.919 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	partly miscible
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

Conditions to avoid : Heat, flames and sparks.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

May be harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 2,594 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### **Solvent naphtha (petroleum), light aromatic:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat): 4,445 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

##### **4-Nonylphenol, branched, ethoxylated:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

##### **deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

LD50 (Rat): 9 - 139 mg/kg

LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

**2,6-Di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Causes skin irritation.

### Components:

#### **Solvent naphtha (petroleum), light aromatic:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

#### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

#### **4-Nonylphenol, branched, ethoxylated:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

### **deltamethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

### **2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Components:**

#### **Solvent naphtha (petroleum), light aromatic:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

#### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

#### **4-Nonylphenol, branched, ethoxylated:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

### **deltamethrin (ISO):**

Species : Rabbit  
Result : Moderate eye irritation

### **2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

### Respiratory sensitisation

Not classified based on available information.

### Components:

#### **Solvent naphtha (petroleum), light aromatic:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

#### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Test Type	:	Magnusson-Kligman-Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Remarks	:	Based on data from similar materials

#### **4-Nonylphenol, branched, ethoxylated:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

#### **deltamethrin (ISO):**

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	negative

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Dermal
Species	:	Humans
Result	:	positive

#### **2,6-Di-tert-butyl-p-cresol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	negative

### Germ cell mutagenicity

May cause genetic defects.

### Components:

#### **Solvent naphtha (petroleum), light aromatic:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Result: positive
- Genotoxicity in vivo : Test Type: Sister chromatid exchange analysis in spermatogonia  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: positive
- Germ cell mutagenicity - Assessment : Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals

### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: Directive 67/548/EEC, Annex, B.13/14  
Result: negative  
Remarks: Based on data from similar materials

### **4-Nonylphenol, branched, ethoxylated:**

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials
- Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials
- Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

### **deltamethrin (ISO):**

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: DNA Repair  
Test system: Escherichia coli  
Result: negative
- Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Concentration: LOAEL: 20 mg/kg  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

### 2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Carcinogenicity

May cause cancer.

### Components:

#### **Solvent naphtha (petroleum), light aromatic:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 2 Years  
Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

### deltamethrin (ISO):

Species : Mouse, male and female  
Application Route : oral (feed)  
Exposure time : 104 weeks  
NOAEL : 8 mg/kg body weight  
LOAEL : 4 mg/kg body weight  
Result : positive  
Target Organs : Lymph nodes

Species : Rat, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative

Species : Dog, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
NOAEL : 1 mg/kg body weight  
Result : negative

### 2,6-Di-tert-butyl-p-cresol:

Species : Rat  
Application Route : Ingestion  
Exposure time : 22 Months  
Result : negative

### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

### Components:

#### Solvent naphtha (petroleum), light aromatic:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

#### 4-Nonylphenol, branched, ethoxylated:

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### deltamethrin (ISO):



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

- Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
Early Embryonic Development: NOAEL: 50 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity  
Remarks: Significant toxicity observed in testing
- Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity
- Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 1 mg/kg body weight  
Symptoms: Effects on fertility  
Target Organs: Testes
- Effects on foetal development : Test Type: Development  
Species: Mouse  
Application Route: oral (gavage)  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Skeletal malformations  
Remarks: Maternal toxicity observed.
- Test Type: Development  
Species: Rat, female  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Symptoms: No effects on foetal development
- Test Type: Development  
Species: Rabbit, female  
Application Route: oral (gavage)  
Developmental Toxicity: NOAEL: 16 mg/kg body weight  
Symptoms: No effects on foetal development
- Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
- 2,6-Di-tert-butyl-p-cresol:**
- Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative
- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

Application Route: Ingestion  
Result: negative

### STOT - single exposure

May cause drowsiness or dizziness.

#### Components:

##### **Solvent naphtha (petroleum), light aromatic:**

Assessment : May cause drowsiness or dizziness.

##### **deltamethrin (ISO):**

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Components:

##### **deltamethrin (ISO):**

Exposure routes : Ingestion  
Target Organs : Central nervous system, Immune system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

##### **2,6-Di-tert-butyl-p-cresol:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

##### **Solvent naphtha (petroleum), light aromatic:**

Species : Rat  
LOAEL : 500 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

##### **4-Nonylphenol, branched, ethoxylated:**

Species : Rat  
LOAEL : 150 mg/kg  
Application Route : Ingestion

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version 2.9      Revision Date: 2023/11/07      SDS Number: 2656110-00015      Date of last issue: 2023/09/30  
Date of first issue: 2018/03/29

---

Exposure time : 90 Days  
Method : OPPTS 870.3100  
Remarks : Based on data from similar materials

### **deltamethrin (ISO):**

Species : Rat, male and female  
NOAEL : 1 mg/kg  
LOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Nervous system  
Symptoms : hyperexcitability

Species : Rat  
LOAEL : 3 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 wk / 5 d/wk / 6 h/d  
Symptoms : Local irritation, respiratory tract irritation

Species : Dog  
NOAEL : 0.1 mg/kg  
LOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Nervous system  
Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation

Species : Rat  
NOAEL : 14 mg/kg  
LOAEL : 54 mg/kg  
Application Route : Oral  
Exposure time : 91 d  
Target Organs : Nervous system

Species : Mouse  
LOAEL : 6 mg/kg  
Application Route : Oral  
Exposure time : 12 Weeks  
Target Organs : Immune system  
Symptoms : immune system effects

### **2,6-Di-tert-butyl-p-cresol:**

Species : Rat  
NOAEL : 25 mg/kg  
Application Route : Ingestion  
Exposure time : 22 Months

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Components:

#### **Solvent naphtha (petroleum), light aromatic:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

### Components:

#### **deltamethrin (ISO):**

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	:	Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### **Solvent naphtha (petroleum), light aromatic:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 4.5 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
		NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l Exposure time: 96 h

---

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 2.6 mg/l  
Exposure time: 21 d  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 211

### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Toxicity to fish : LC50 : > 1 - < 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l  
Exposure time: 72 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

### **4-Nonylphenol, branched, ethoxylated:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

- EC10 (*Selenastrum capricornutum* (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC (*Oryzias latipes* (Japanese medaka)): > 0.1 - 1 mg/l  
Exposure time: 100 d  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Mysidopsis bahia* (opossum shrimp)): > 0.001 - 0.01 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials
- M-Factor (Chronic aquatic toxicity) : 10
- deltamethrin (ISO):**
- Toxicity to fish : LC50 (*Cyprinodon variegatus* (sheepshead minnow)): 0.00048 mg/l  
Exposure time: 96 h
- LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.00039 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Mysidopsis bahia* (opossum shrimp)): 0.0037 µg/l  
Exposure time: 48 h
- EC50 (*Daphnia magna* (Water flea)): 0.0035 mg/l  
Exposure time: 48 h
- LC50 (*Gammarus fasciatus* (freshwater shrimp)): 0.0003 µg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 9.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility
- M-Factor (Acute aquatic toxicity) : 1,000,000
- Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.000022 mg/l  
Exposure time: 36 d
- NOEC (*Pimephales promelas* (fathead minnow)): 0.000017 mg/l  
Exposure time: 260 d

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1,000,000

### 2,6-Di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l  
Exposure time: 30 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.316 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

#### **Solvent naphtha (petroleum), light aromatic:**

Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 94 %  
Exposure time: 25 d

#### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### 4-Nonylphenol, branched, ethoxylated:

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

### deltamethrin (ISO):

Stability in water : Hydrolysis: 0 %(30 d)

### 2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

## Bioaccumulative potential

### Components:

#### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Partition coefficient: n-octanol/water : log Pow: 2.89

#### **deltamethrin (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

#### **2,6-Di-tert-butyl-p-cresol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

## Mobility in soil

### Components:

#### **deltamethrin (ISO):**

Distribution among environmental compartments : log Koc: 7.2

## Other adverse effects

No data available



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

- UN number : UN 3295  
Proper shipping name : HYDROCARBONS, LIQUID, N.O.S.  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : no

##### IATA-DGR

- UN/ID No. : UN 3295  
Proper shipping name : Hydrocarbons, liquid, n.o.s.  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

##### IMDG-Code

- UN number : UN 3295  
Proper shipping name : HYDROCARBONS, LIQUID, N.O.S.  
(deltamethrin (ISO), 2,6-Di-tert-butyl-p-cresol)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

**GB 6944/12268**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

UN number : UN 3295  
Proper shipping name : HYDROCARBONS, LIQUID, N.O.S.  
Class : 3  
Packing group : III  
Labels : 3  
Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed

#### Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code	Chemical name / Category	Threshold quantity
W5.4	Flammable liquids	5,000 t

### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## 16. OTHER INFORMATION

Revision Date : 2023/11/07

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
2.9	2023/11/07	2656110-00015	Date of first issue: 2018/03/29

---

ACGIH / TWA : 8-hour, time-weighted average  
CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN