



Versio 4.3			S Number: 56113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
1. PR	ODUCT AND COMPANY IDE	INT	IFICATION	
F	Product name	:	Deltamethrin (2.5	i%) Formulation
N	lanufacturer or supplier's d	etai	ils	
C	Company	:	MSD	
Δ	ddress	:	126 E. Lincoln Av Rahway, New Je	venue rsey U.S.A. 07065
Т	elephone	:	908-740-4000	
E	mergency telephone number	:	1-908-423-6000	
E	-mail address	:	EHSDATASTEW	'ARD@msd.com
F	ecommended use of the ch	em	ical and restriction	ons on use
-	Recommended use Restrictions on use	:	Veterinary produ Not applicable	ct

2. HAZARDS IDENTIFICATION

GHS Classification		Ostanov 2
Flammable liquids	÷	Category 3
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Germ cell mutagenicity	:	Category 1B
Carcinogenicity	:	Category 1B
Reproductive toxicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3
Specific target organ toxicity - repeated exposure (Oral)	:	Category 2 (Central nervous system, Immune system)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Central nervous system)









Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/07
4.3	2024/09/13	2656113-00016	Date of first issue: 2018/03/29

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Vapours may form explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light aromatic	64742-95-6	>= 30 -< 60
Benzenesulfonic acid, C10-13-alkyl derivs.,	Not Assigned	>= 3 -< 10
calcium salts		
4-Nonylphenol, branched, ethoxylated	127087-87-0	>= 3 -< 10
deltamethrin (ISO)	52918-63-5	>= 2.5 -< 3
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 0.25 -< 2.5

4. FIRST AID MEASURES

General advice

: In the case of accident or if you feel unwell, seek medical ad-



Version 4.3	Revision Date: 2024/09/13	SDS Number: 2656113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
		vice immedia When sympto	tely. oms persist or in all cases of doubt seek medical
lf inha	aled		nove to fresh air.
In cas	e of skin contact	for at least 15 and shoes. Get medical a Wash clothing	ntact, immediately flush skin with plenty of water 5 minutes while removing contaminated clothing
In cas	se of eye contact	: In case of con for at least 15 If easy to do,	ntact, immediately flush eyes with plenty of wate 5 minutes. remove contact lens, if worn.
lf swa	llowed	: If swallowed, If vomiting oc Call a physici Rinse mouth	attention immediately. DO NOT induce vomiting. curs have person lean forward. an or poison control centre immediately. thoroughly with water. hything by mouth to an unconscious person.
	important symptoms ffects, both acute and ed	: May be fatal i Causes skin i May cause an Causes serio May cause du May cause da Suspected of May cause da exposure if su May cause da exposure if in This product Pyrethroid po	if swallowed and enters airways. irritation. In allergic skin reaction. I seve damage. Fowsiness or dizziness. enetic defects. ancer. damaging fertility or the unborn child. amage to organs through prolonged or repeated wallowed. amage to organs through prolonged or repeated
Prote	ction of first-aiders	and use the r	onders should pay attention to self-protection, ecommended personal protective equipment ential for exposure exists (see section 8).
Notes	to physician		matically and supportively.
5. FIREFIC	GHTING MEASURES		
Suitat	ble extinguishing media	: Water spray Alcohol-resist Carbon dioxid Dry chemical	de (CO2)
Unsui media	table extinguishing	: High volume	water jet
Speci fightin	fic hazards during fire- ng	fire.	solid water stream as it may scatter and spread



/ersion .3	Revision Date: 2024/09/13		9S Number: 56113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
				n explosive mixtures with air. bustion products may be a hazard to health.
Haza ucts	rdous combustion prod-	:	Carbon oxides Nitrogen oxides (Bromine compou Sulphur oxides Metal oxides	
Speci ods	fic extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to c
	al protective equipment efighters	:		e, wear self-contained breathing apparatus. tective equipment.
. ACCIDE	ENTAL RELEASE MEAS	SUF	RES	
tive e	onal precautions, protec- quipment and emer- / procedures	:	Follow safe hand	es of ignition. tective equipment. ling advice (see section 7) and personal pro t recommendations (see section 8).
Enviro	onmental precautions	:	Prevent spreadin barriers). Retain and dispo	eakage or spillage if safe to do so. g over a wide area (e.g. by containment or o se of contaminated wash water. should be advised if significant spillages
	ods and materials for inment and cleaning up	:	Soak up with iner Suppress (knock spray jet. For large spills, p ment to keep ma be pumped, store Clean up remain bent. Local or national posal of this mate employed in the o mine which regul	Is should be used. t absorbent material. down) gases/vapours/mists with a water rovide dyking or other appropriate contain- terial from spreading. If dyked material can e recovered material in appropriate containe ng materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- ations are applicable. 15 of this SDS provide information regarding ational requirements



Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/07
4.3	2024/09/13	2656113-00016	Date of first issue: 2018/03/29

7. HANDLING AND STORAGE	
Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	 If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip- ment.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	 Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.
Materials to avoid	 Do not store with the following product types: Self-reactive substances and mixtures Organic peroxides Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Poisonous gases Explosives

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Solvent naphtha (petroleum), light aromatic	64742-95-6	TŴA	200 mg/m3 (total hydrocarbon vapor)	ACGIH





Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/07	
4.3	2024/09/13	2656113-00016	Date of first issue: 2018/03/29	

deltamethrin (ISO)		52918-63-5	TWA	15 µg/m3 (OEB 3)	Internal
		Further informa	ation: DSEN, Sk		I
		400.07.0	Wipe limit	100 µg/100 cm ²	Internal
2,6-Di-tert-butyl-p-cresol		128-37-0	TWA (Inhal- able fraction	2 mg/m3	ACGIH
			and vapor)		
Engineering measures	:	technologies t less quick con All engineerin design and op protect produc Containment t are required to the compound tainment devic Minimize oper	o control airborr inections). g controls should berated in accord cts, workers, and echnologies sui o control at sour t to uncontrolled ces). h handling.	controls and manufactive concentrations (e. d be implemented by dance with GMP prind the environment. table for controlling of ce and to prevent mi areas (e.g., open-fa	g., drip- r facility ciples to compounds gration of ce con-
		ment.	i-proof electrical	, ventilating and light	ing equip-
Personal protective equipm	nent				
Respiratory protection Filter type	:	sure assessm ommended gu	ent demonstrate uidelines, use re	tilation is not availabl es exposures outside spiratory protection. ganic vapour type	
Hand protection					
Material	:	Chemical-resi	stant gloves		
Remarks	:			e note that the produ selection of hand pro	
Eye protection	:	Wear safety g If the work env mists or aeros Wear a facesh	lasses with side vironment or act ols, wear the ap nield or other full	shields or goggles. ivity involves dusty copropriate goggles. I face protection if the he face with dusts, m	onditions, ere is a
Skin and body protection	:	Additional boo task being per posable suits)	formed (e.g., sle to avoid expose te degowning te	at. uld be used based u eevelets, apron, gaur ed skin surfaces. echniques to remove	ntlets, dis-
Hygiene measures	:	If exposure to eye flushing s ing place. When using d Contaminated workplace.	chemical is like ystems and safe o not eat, drink o	hould not be allowed	the work-



	t issue: 2023/11/07 t issue: 2018/03/29
--	--

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	4 - 5
Melting point/freezing point	:	< -5 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	40 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.909 - 0.927 g/cm ³ (20 °C)
Solubility(ies) Water solubility	:	partly miscible
Partition coefficient: n- octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available





Versi 4.3	ion	Revision Date: 2024/09/13	-	S Number: 56113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
	Decom	position temperature	:	No data available	
	Viscosi Visc	ty cosity, kinematic	:	No data available	9
	Explosive properties : Not explosive				
	Oxidiziı	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	9
	Particle Particle	e characteristics e size	:	Not applicable	
10. S	STABIL	ITY AND REACTIVITY	,		
		rity cal stability lity of hazardous reac-	:	Stable under nor Flammable liquid Vapours may for	
	Incomp	ons to avoid atible materials ous decomposition ts	:	Heat, flames and Oxidizing agents No hazardous de	
11. T	OXICC	LOGICAL INFORMAT		1	
	Informa exposu	ation on likely routes of re	:	Inhalation Skin contact Ingestion Eye contact	
		toxicity			
		ssified based on availa	ble	information.	
	Produce Acute c	<u>er:</u> oral toxicity	:	Acute toxicity esti Method: Calculati	mate: > 2,000 mg/kg on method
	Acute i	nhalation toxicity	:	Acute toxicity esti Exposure time: 4 Test atmosphere: Method: Calculati	h dust/mist
	<u>Compo</u>	onents:			
	-	t naphtha (petroleum), liç	ght aromatic:	
	Acute o	oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg

SAFETY DATA SHEET



Deltamethrin (2.5%) Formulation

rsion B	Revision Date: 2024/09/13		S Number: 56113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
Acute	inhalation toxicity	:	LC50 (Rat): > 5.6 Exposure time: 4 Test atmosphere	h
Acute	e dermal toxicity	:	LD50 (Rabbit): >	2,000 mg/kg
Benz	enesulfonic acid, C10-1	I 3-a	lkyl derivs., calci	ium salts:
Acute	e oral toxicity	:	LD50 (Rat): 4,44	5 mg/kg
Acute	e dermal toxicity	:		000 mg/kg Test Guideline 402 on data from similar materials
4-Noi	nylphenol, branched, et	tho	cylated:	
Acute	e oral toxicity	:	LD50 (Rat): > 2,0	000 mg/kg
delta	methrin (ISO):			
Acute	oral toxicity	:	LD50 (Rat): 66.7	mg/kg
			LD50 (Rat): 9 - 1	39 mg/kg
			LD50 (Mouse): 1	9 - 34 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 0.8 n Exposure time: 2 Test atmosphere	h
Acute	e dermal toxicity	:	LD50 (Rabbit): 2,	000 mg/kg
			LD50 (Rat): > 80	0 mg/kg
	e toxicity (other routes of nistration)	:	LD50 (Rat): 2.5 n Application Route	
			LD50 (Mouse): 1 Application Route	
2,6-D	i-tert-butyl-p-cresol:			
Acute	e oral toxicity	:	LD50 (Rat): > 6,0 Method: OECD T	000 mg/kg Test Guideline 401
Acute	e dermal toxicity	:		000 mg/kg est Guideline 402 substance or mixture has no acute derma

Causes skin irritation.



ersion 3	Revision Date: 2024/09/13	SDS Number: 2656113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
<u>Comp</u>	oonents:		
Solve	ent naphtha (petrole	um), light aromatic:	
Speci		: Rabbit	
Metho		: OECD Test Gu	ideline 404
Resul	t	: Skin irritation	
Benzo	enesulfonic acid, C1	0-13-alkyl derivs., cal	cium salts:
Speci	es	: Rabbit	
Metho		: OECD Test Gu	ideline 404
Resul	t	: Skin irritation	
4-Nor	nylphenol, branched	l, ethoxylated:	
Speci		: Rabbit	
Metho		: OECD Test Gu	
Resul		: No skin irritation	
Rema	Irks	: Based on data	from similar materials
delta	methrin (ISO):		
Speci		: Rabbit	
Resul	t	: No skin irritatior	1
2,6-D	i-tert-butyl-p-cresol:	1	
Speci	es	: Rabbit	
Metho	bd	: OECD Test Gui	
Resul	•	: No skin irritation	
Rema	arks	: Based on data	from similar materials
Serio	us eye damage/eye	irritation	
	es serious eye damaç	je.	
	oonents:		
	• •	um), light aromatic:	
Speci Resul		: Rabbit : No eye irritatior	
Metho		: OECD Test Gu	
weut		. 0200 1631 90	
		0-13-alkyl derivs., cal	cium salts:
Speci		: Rabbit	ate on the over
Resul Metho		: Irreversible effe : OECD Test Gu	
/ b 1	Number of the second		
	nylphenol, branched	· •	
Speci Resul		: Rabbit	
Metho		: No eye irritation : OECD Test Gui	
weuld	Ju	. OECD Test Gu	



/ersion 1.3	Revision Date: 2024/09/13	SDS Number: 2656113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
D			f
Rema	arks	: Based on data	from similar materials
	methrin (ISO):		
Speci Resul		: Rabbit : Moderate eye ir	rritation
1 COOU		. Wederate eye i	
	i-tert-butyl-p-cresol		
Speci		: Rabbit	
Resu		: No eye irritation	
Metho Rema		: OECD Test Gui	Ideline 405 from similar materials
Neme		. Dased on data	nom similar materials
Resp	iratory or skin sens	itisation	
•••••	sensitisation		
May o	ause an allergic skin	reaction.	
•	iratory sensitisatior lassified based on av		
Com	oonents:		
Solve	ent naphtha (petrole	um), light aromatic:	
Test		: Buehler Test	
	sure routes	: Skin contact	
Speci		: Guinea pig	
Resul		: negative	
Benz	enesulfonic acid. C [⁄]	0-13-alkyl derivs., cal	cium salts:
Test		: Magnusson-Klig	
	sure routes	: Skin contact	
Speci		: Guinea pig	
Metho		: OECD Test Gu	ideline 406
Rema	arks	: Based on data	from similar materials
4-Nor	nylphenol, branched	I, ethoxylated:	
Test	Гуре	: Maximisation T	est
	sure routes	: Skin contact	
Speci	es	: Guinea pig	
Resul		: negative	
Rema	arks	: Based on data	from similar materials
delta	methrin (ISO):		
Test		: Maximisation T	est
	sure routes	: Dermal	
Speci		: Guinea pig	
Resul		: negative	
Test	Гуре	: Human repeat i	nsult patch test (HRIPT)
		12 / 27	





/ersion 1.3	Revision Date: 2024/09/13	SDS Number: 2656113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
Expos Speci Resul		: Dermal : Humans : positive	
Test	sure routes es	: Human repe : Skin contac : Humans : negative	eat insult patch test (HRIPT) t
May o	a cell mutagenicity cause genetic defects. conents:		
	ent naphtha (petroleu	m), light aromatio	
Geno	toxicity in vitro	: Test Type: I Result: neg	Bacterial reverse mutation assay (AMES) ative
		Test Type: l Result: posi	In vitro mammalian cell gene mutation test tive
Geno	toxicity in vivo	gonia Species: Mo	Route: Intraperitoneal injection
	cell mutagenicity -	: Positive res tests in mar	ult(s) from in vivo heritable germ cell mutagenicity nmals
Benz	enesulfonic acid, C1	0-13-alkyl derivs.,	calcium salts:
Geno	toxicity in vitro	Method: Dir Result: neg	Bacterial reverse mutation assay (AMES) ective 67/548/EEC, Annex, B.13/14 ative ased on data from similar materials
4-Nor	nylphenol, branched	ethoxylated:	
Geno	toxicity in vitro	Method: OE Result: neg	Bacterial reverse mutation assay (AMES) CD Test Guideline 471 ative ased on data from similar materials
		Method: OE Result: neg	Chromosome aberration test in vitro CD Test Guideline 473 ative ased on data from similar materials
			In vitro mammalian cell gene mutation test CD Test Guideline 476
		13	/ 27



Versior 4.3	n Revision Date: 2024/09/13	SDS Number:Date of last issue: 2023/11/072656113-00016Date of first issue: 2018/03/29	
		Result: negative Remarks: Based on data from similar materials	
	Itamethrin (ISO): enotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative	
		Test Type: DNA Repair Test system: Escherichia coli Result: negative	
		Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative	
		Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg Result: positive	
Ge	enotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative	
		Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative	
		Test Type: sister chromatid exchange assay Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative	
•	6-Di-tert-butyl-p-cresol: enotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative	
		Test Type: In vitro mammalian cell gene mutation test Result: negative	
		Test Type: Chromosome aberration test in vitro Result: negative	
Ge	enotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marror cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative	W



rsion B	Revision Date: 2024/09/13	SDS Number: 2656113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
Carci	nogenicity		
May c	ause cancer.		
Comp	oonents:		
Solve	nt naphtha (petrole	um), light aromatic:	
	ation Route sure time	: Mouse : Skin contact : 2 Years : positive	
Carcir ment	nogenicity - Assess-	: Sufficient evider	nce of carcinogenicity in animal experime
deltar	nethrin (ISO):		
Specie Applic Expos NOAE LOAE Resul	es cation Route sure time L L	: Mouse, male an : oral (feed) : 104 weeks : 8 mg/kg body w : 4 mg/kg body w : positive : Lymph nodes	eight
	ation Route sure time	: Rat, male and fe : oral (feed) : 2 Years : negative	emale
	ation Route sure time L	Dog, male and f oral (feed) 2 Years 1 mg/kg body w negative	
2.6-Di	-tert-butyl-p-cresol:		
Speci Applic	es ation Route sure time	: Rat : Ingestion : 22 Months : negative	

Components:

Solvent naphtha (petroleum), light aromatic:

Effects on fertility	:	Test Type: Reproduction/Developmental toxicity screening test Species: Rat
		Application Route: inhalation (vapour)



Version 4.3	Revision Date: 2024/09/13	SDS Number: 2656113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
		Result: negat	tive
Effec ment	ts on foetal develop-	Species: Rat	oute: inhalation (vapour)
4-No	nylphenol, branched	ethoxylated:	
Repr sessi	oductive toxicity - As- ment		ce of adverse effects on sexual function and or on development, based on animal experiments
delta	methrin (ISO):		
Effec	ts on fertility	Species: Rat Application R Early Embryc weight Symptoms: N	nree-generation reproduction toxicity study coute: oral (feed) onic Development: NOAEL: 50 mg/kg body lo effects on fertility, Embryo-foetal toxicity gnificant toxicity observed in testing
		Species: Rat Application R Early Embryc weight	wo-generation reproduction toxicity study coute: Oral onic Development: LOAEL: 84 - 149 mg/kg body lo effects on fertility, Embryo-foetal toxicity
			, male oute: Oral EL: 1 mg/kg body weight :ffects on fertility
Effec ment	ts on foetal develop-	Development Result: Skele	
		Development	





ersion .3	Revision Date: 2024/09/13		OS Number: 56113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29			
Repro sessm	oductive toxicity - As- nent	:		e of adverse effects on sexual function and on development, based on animal experiments			
2.6-Di	i-tert-butyl-p-cresol:						
•	s on fertility	:	Test Type: Two Species: Rat Application Rou Result: negative				
Effect ment	s on foetal develop-	:	Test Type: Emb Species: Rat Application Rou Result: negative	5			
	- single exposure ause drowsiness or diz	zzine	SS.				
-	oonents:						
Solve	ent naphtha (petroleur	n), li	ght aromatic:				
	Assessment		: May cause drowsiness or dizziness.				
deltar	methrin (ISO):						
	ssment	:	May cause resp	biratory irritation.			
STOT	- repeated exposure						
	• •	is (Ce	entral nervous sy	rstem, Immune system) through prolonged or			
	ted exposure if swallov ause damage to organ		entral nervous sv	rstem) through prolonged or repeated exposur			
if inha		(-					
<u>Comp</u>	oonents:						
	methrin (ISO):						
Targe	sure routes it Organs ssment	:		s system, Immune system e to organs through prolonged or repeated			
Targe	sure routes t Organs ssment	:	inhalation (dust Central nervous Causes damag exposure.				
2.6-Di	i-tert-butyl-p-cresol:						
	ssment	:	No significant h tions of 100 mg	ealth effects observed in animals at concentra /kg bw or less.			



Version 4.3	Revision Date: 2024/09/13	SDS Number: 2656113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29	
	ated dose toxicity			
	ent naphtha (petroleu	m) light aromatic:		
Speci LOAE Applic	es	: Rat : 500 mg/kg : Ingestion : 28 Days		
4-Nor	ylphenol, branched,	ethoxylated:		
	L cation Route sure time od	 Rat 150 mg/kg Ingestion 90 Days OPPTS 870.31 Based on data 	100 from similar materials	
deltar	methrin (ISO):			
Speci NOAE LOAE Applic Expos	es EL EL cation Route sure time t Organs	 Rat, male and 1 mg/kg 2.5 mg/kg Oral 13 Weeks Nervous systel hyperexcitabilities 	m	
	L cation Route sure time	: Rat : 3 mg/m3 : inhalation (dus : 2 wk / 5 d/wk / : Local irritation,		

Symptoms Local initiation, respiratory tract itatic Species : Dog NOAEL 0.1 mg/kg : LOAEL : 1 mg/kg Application Route Oral : Exposure time 13 Weeks : Target Organs Nervous system : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Saliva-Symptoms : tion Species Rat : 14 mg/kg NOAEL : LOAEL : 54 mg/kg Application Route : Oral : Exposure time 91 d Target Organs : Nervous system Species : Mouse LÖAEL : 6 mg/kg





Version	Revision Date: 2024/09/13	SDS Number:	Date of last issue: 2023/11/07
4.3		2656113-00016	Date of first issue: 2018/03/29

2,6-Di-tert-butyl-p-cresol:

Species	:	Rat
NOAEL	:	25 mg/kg
Application Route	:	Ingestion
Exposure time	:	22 Months

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Components:

Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

deltamethrin (ISO):	
Inhalation	: Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling,
	Palpitation, Blurred vision, muscle twitching
Skin contact	: Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching,
	Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	: Symptoms: muscle pain, Small pupils

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Solvent naphtha (petroleum), light aromatic:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 4.5 mg/l Exposure time: 48 h



Version 4.3	Revision Date: 2024/09/13		0S Number: 56113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
	ity to algae/aquatic	:	Method: OECD EL50 (Pseudok	: Water Accommodated Fraction Test Guideline 202 irchneriella subcapitata (microalgae)): 3.1 mg/l
plants	5		Method: OECD	Water Accommodated Fraction Test Guideline 201
			mg/l Exposure time: Test substance	okirchneriella subcapitata (microalgae)): 0.5 96 h : Water Accommodated Fraction Test Guideline 201
	ity to daphnia and other tic invertebrates (Chron- icity)	:	Exposure time: Test substance	ia magna (Water flea)): 2.6 mg/l 21 d : Water Accommodated Fraction Test Guideline 211
Benz	enesulfonic acid, C10-	13-a	alkyl derivs., cal	cium salts:
	ity to fish	:	LC50 : > 1 - < 1 Exposure time:	0 mg/l
	ity to daphnia and other tic invertebrates	:	Exposure time: Method: OECD	magna (Water flea)): > 1 - 10 mg/l 48 h Test Guideline 202 d on data from similar materials
Toxic plants	ity to algae/aquatic s	:	100 mg/l Exposure time:	kirchneriella subcapitata (green algae)): > 10 - 96 h d on data from similar materials
			1 mg/l Exposure time:	kirchneriella subcapitata (green algae)): > 0.1 - 96 h d on data from similar materials
Toxic icity)	ity to fish (Chronic tox-	:	Exposure time:	ynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l 72 d d on data from similar materials
	ity to daphnia and other tic invertebrates (Chron- icity)	:	Exposure time:	a magna (Water flea)): > 1 mg/l 21 d d on data from similar materials
4-No	nylphenol, branched, e	tho	xvlated.	
	ity to fish	:	LC50 (Pimepha Exposure time:	les promelas (fathead minnow)): > 0.1 - 1 mg/l 96 h d on data from similar materials



Vers 4.3	sion	Revision Date: 2024/09/13		S Number: 56113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29	
		v to daphnia and other invertebrates	:	Exposure time: 48	nia dubia (water flea)): > 0.1 - 1 mg/l b h on data from similar materials	
	Toxicity to algae/aquatic plants		:	ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials		
				Exposure time: 72 Method: OECD Te		
	M-Facto icity)	or (Acute aquatic tox-	:	1		
		to fish (Chronic tox-	:	Exposure time: 10	tipes (Japanese medaka)): > 0.1 - 1 mg/l 00 d on data from similar materials	
		to daphnia and other invertebrates (Chron- ty)	:	NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials		
	M-Facto toxicity)	or (Chronic aquatic	:	10		
	deltam	ethrin (ISO):				
	Toxicity	v to fish	:	LC50 (Cyprinodor mg/l Exposure time: 96	n variegatus (sheepshead minnow)): 0.00048 6 h	
				LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 0.00039 mg/l 5 h	
		to daphnia and other invertebrates	:	EC50 (Mysidopsis Exposure time: 48	s bahia (opossum shrimp)): 0.0037 μg/l β h	
				EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 0.0035 mg/l sh	
				LC50 (Gammarus Exposure time: 96	fasciatus (freshwater shrimp)): 0.0003 µg/l bh	
	Toxicity plants	v to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD Te		





Versior 4.3	Revision Date: 2024/09/13		0S Number: 56113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
M- icit	``	:	1,000,000	
	xicity to fish (Chronic tox-	:	NOEC (Pimephale mg/l Exposure time: 36	es promelas (fathead minnow)): 0.000022 S d
			NOEC (Pimephale mg/l Exposure time: 26	es promelas (fathead minnow)): 0.000017 60 d
aq	xicity to daphnia and other uatic invertebrates (Chron- toxicity)	:	NOEC (Daphnia r Exposure time: 21	nagna (Water flea)): 0.0041 µg/l I d
M-	Factor (Chronic aquatic (icity)	:	1,000,000	
2,6	6-Di-tert-butyl-p-cresol:			
То	xicity to fish	:	Exposure time: 96	(zebra fish)): > 0.57 mg/l 3 h 67/548/EEC, Annex V, C.1.
	xicity to daphnia and other uatic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
	xicity to algae/aquatic ants	:	ErC50 (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
			NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
	N N	:	1	
icit To icit	xicity to fish (Chronic tox-	:	NOEC (Oryzias la Exposure time: 30 Method: OECD Te	
aq	xicity to daphnia and other uatic invertebrates (Chron- toxicity)	:	NOEC (Daphnia r Exposure time: 21	nagna (Water flea)): 0.316 mg/l I d
M-	Factor (Chronic aquatic	:	1	
	kicity) xicity to microorganisms	:	EC50: > 10,000 m Exposure time: 3 Method: OECD Te	ĥ





rsion B	Revision Date: 2024/09/13		DS Number: 56113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
Doroi	stance and degrade	bility		
	stence and degrada ponents <u>:</u>	DIIIty		
		、 .		
	ent naphtha (petrole gradability	um), li :	-	
Benz	enesulfonic acid, C1	0-13-	alkyl derivs., cal	cium salts:
	gradability	:	Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 28 d Method: OECD Test Guideline 301B	
4-Noi	nylphenol, branched	l. etho	xvlated:	
	gradability	:	: Result: Not readily biodegradable. Remarks: Based on data from similar materials	
delta	methrin (ISO):			
	lity in water	:	Hydrolysis: 0 %	(30 d)
2,6-D	i-tert-butyl-p-cresol:			
Biode	gradability	:	 Result: Not readily biodegradable. Biodegradation: 4.5 % Exposure time: 28 d Method: OECD Test Guideline 301C 	
Bioad	cumulative potentia	al		
<u>Com</u>	oonents:			
Benz	enesulfonic acid, C1	0-13-a	alkyl derivs., cal	cium salts:
	ion coefficient: n- ol/water	:	log Pow: 2.89	
	methrin (ISO):			
Bioac	cumulation	:		nis macrochirus (Bluegill sunfish) n factor (BCF): 1,800
	ion coefficient: n- ol/water	:	log Pow: 4.6	
	i-tert-butyl-p-cresol:			
Bioac	cumulation	:		nus carpio (Carp) n factor (BCF): 330 - 1,800
	ion coefficient: n- ol/water	:	log Pow: 5.1	



Version 4.3	Revision Date: 2024/09/13	-	S Number: 56113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
<u>Con</u> delt Dist men Othe	Dility in soil Apponents: amethrin (ISO): ribution among environ- tal compartments er adverse effects data available	:	log Koc: 7.2	
13. DISP	OSAL CONSIDERATION	NS		
Was	bosal methods ate from residues taminated packaging	:	Dispose of in acc Empty containers dling site for recy Empty containers Do not pressurize pose such contain of ignition. They n	waste into sewer. ordance with local regulations. should be taken to an approved waste han- cling or disposal. retain residue and can be dangerous. , cut, weld, braze, solder, drill, grind, or ex- ners to heat, flame, sparks, or other sources hay explode and cause injury and/or death. becified: Dispose of as unused product.
	NSPORT INFORMATION	I		
UNF UN Prop Clas Pac Labo	RTDG number ber shipping name ss king group	:	UN 3295 HYDROCARBON 3 III 3 no	IS, LIQUID, N.O.S.
UN/ Prop Clas Pac Labo Pac aircr Pac	king group els king instruction (cargo	:	UN 3295 Hydrocarbons, liq 3 III Flammable Liquic 366 355	
IMD UN Prop Class	G-Code number ber shipping name	:		IS, LIQUID, N.O.S. D), 2,6-Di-tert-butyl-p-cresol)





Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/07
4.3	2024/09/13	2656113-00016	Date of first issue: 2018/03/29

Labels	:	3
EmS Code	:	F-E, S-D
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	:	Not applicable
Prohibited substances	:	Not applicable
Restricted substances	:	Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and : Not applicable control, Annex I

Type of hazardous materials subject to distribution and : Not applicable control, Annex II

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION



Version 4.3	Revision Date: 2024/09/13		OS Number: 56113-00016	Date of last issue: 2023/11/07 Date of first issue: 2018/03/29
Rev	vision Date	:	2024/09/13	
Fur	rther information			
	urces of key data used to npile the Safety Data eet	:		data, data from raw material SDSs, OECD arch results and European Chemicals Agen- ropa.eu/
Dat	te format	:	yyyy/mm/dd	
Full text of other abbreviations				
AC	GIH	:	USA. ACGIH Thre	eshold Limit Values (TLV)
AC	GIH / TWA	:	8-hour, time-weig	hted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their





Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/07
4.3	2024/09/13	2656113-00016	Date of first issue: 2018/03/29

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN