



| Version | Revision Date: 2024/09/13 | SDS Number: | Date of last issue: 2024/04/06 |
|---------|---------------------------|---------------|---------------------------------|
| 7.0 | | 2656116-00017 | Date of first issue: 2018/03/29 |
| - | | | |

1. PRODUCT AND COMPANY IDENTIFICATION

| Chemical product name | : | Deltamethrin (2.5%) Formulation |
|---|---|--|
| Supplier's company name, ac Company name of supplier | | |
| Address | : | Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory |
| Telephone | : | 048-588-8411 |
| E-mail address | : | EHSDATASTEWARD@msd.com |
| Emergency telephone number | : | +1-908-423-6000 |

Recommended use of the chemical and restrictions on use

| Recommended use | : | Veterinary product |
|---------------------|---|--------------------|
| Restrictions on use | : | Not applicable |

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

| Flammable liquids | : | Category 3 |
|---|---|--|
| Skin corrosion/irritation | : | Category 2 |
| Serious eye damage/eye irri- tation | : | Category 1 |
| Skin sensitisation | : | Category 1 |
| Germ cell mutagenicity | : | Category 1B |
| Carcinogenicity | : | Category 1B |
| Reproductive toxicity | : | Category 2 |
| Specific target organ toxicity - single exposure | : | Category 3 |
| Specific target organ toxicity - repeated exposure (Oral) | : | Category 2 (Central nervous system, Immune system) |
| Specific target organ toxicity - repeated exposure (Inhala- tion) | : | Category 2 (Central nervous system) |



| Version 7.0 | Revision Date: 2024/09/13 | SDS Number: 2656116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|----------------|---------------------------------|--|---|
| 1 or 2 | rotion boroud | . Cotoron 1 | |
| | ration hazard | : Category 1 | |
| Shoi haza | rt-term (acute) aquatic ard | : Category 1 | |
| Lono haza | g-term (chronic) aquatic ard | : Category 1 | |
| GHS | label elements | | |
| Haza | ard pictograms | | |
| Sign | al word | : Danger | |
| Haza | ard statements | H304 May be H315 Causes H317 May cau H318 Causes H336 May cau H340 May cau H350 May cau H361 Suspect H373 May cau Immune syste swallowed. H373 May cau through prolor | ise an allergic skin reaction. serious eye damage. ise drowsiness or dizziness. ise genetic defects. |
| Prec | autionary statements | P202 Do not h and understoo P210 Keep aw and other ignit P233 Keep co P241 Use exp ment. P242 Use non P243 Take ac P260 Do not b P264 Wash sk P271 Use only P272 Contami the workplace P273 Avoid re | vay from heat, hot surfaces, sparks, open flames ion sources. No smoking. ntainer tightly closed. losion-proof electrical/ ventilating/ lighting equipsparking tools. tion to prevent static discharges. treathe mist or vapours. tin thoroughly after handling. v outdoors or in a well-ventilated area. nated work clothing should not be allowed out of . lease to the environment. otective gloves/ protective clothing/ eye protec- |



Deltamethrin (2.5%) Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 2024/04/06 |
|---------|----------------|---------------|---------------------------------|
| 7.0 | 2024/09/13 | 2656116-00017 | Date of first issue: 2018/03/29 |

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and out- : Cutaneous sensations may occur, such as burning or stinging lines of the emergency ason the face and mucosae. However, these sensations cause no sumed lesions and are of a transitory nature (max. 24 hours). Vapours may form explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture :

Components

| Chemical name | CAS-No. | Concentration (% w/w) | ENCS No. |
|---|--------------|-----------------------|---------------|
| Solvent naphtha (petroleum), light aromatic | 64742-95-6 | 54.5 | 9-1700 |
| Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts | Not Assigned | >= 3 - < 10 | 3-1949 |
| 4-Nonylphenol, branched, ethox- ylated | 127087-87-0 | 3 | 7-172 |
| deltamethrin (ISO) | 52918-63-5 | >= 2.5 - < 3 | |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | 1 | 3-540, 9-1805 |



| 7.0 2024/09/13 2656116-00017 Date of first issue: 2018/03/29 | Version 7.0 | Revision Date: 2024/09/13 | SDS Number: 2656116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|--|----------------|---------------------------|------------------------------|---|
|--|----------------|---------------------------|------------------------------|---|

| FIRST AID MEASURES | |
|---|---|
| General advice | In the case of accident or if you feel unwell, seek medical ad vice immediately. When symptoms persist or in all cases of doubt seek medica advice. |
| If inhaled | : If inhaled, remove to fresh air. Get medical attention. |
| In case of skin contact | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. |
| In case of eye contact | In case of contact, immediately flush eyes with plenty of wat for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately. |
| If swallowed | If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause drowsiness or dizziness. May cause drowsiness or dizziness. May cause genetic defects. May cause genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed. May cause damage to organs through prolonged or repeated exposure if inhaled. This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. |
| Protection of first-aiders | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : Treat symptomatically and supportively. |
| FIREFIGHTING MEASURES | |
| Suitable extinguishing media | : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical |
| | |



| Version 7.0 | Revision Date: 2024/09/13 | | 0S Number: 56116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|---|---|-----|---|---|
| media | | | | |
| Specif fightin | fic hazards during fire- g | : | fire. Flash back possik Vapours may forn | d water stream as it may scatter and spread ble over considerable distance. n explosive mixtures with air. bustion products may be a hazard to health. |
| Hazar ucts | dous combustion prod- | : | Carbon oxides Nitrogen oxides (I Bromine compour Sulphur oxides Metal oxides | |
| Specif ods | fic extinguishing meth- | : | cumstances and t Use water spray t | measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to o |
| Special protective equipment for firefighters | | : | In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. | |
| . ACCIDE | NTAL RELEASE MEAS | SUF | RES | |
| tive ec | Personal precautions, protec- : tive equipment and emer- gency procedures | | Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and person tective equipment recommendations (see section 8). | |
| Enviro | onmental precautions | : | Prevent spreading barriers). Retain and dispos | akage or spillage if safe to do so. g over a wide area (e.g. by containment or o se of contaminated wash water. should be advised if significant spillages |

| Methods and materials for containment and cleaning up | : | Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water |
|--|---|--|
| | | spray jet. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- |
| | | bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- |



| Version 7.0 | Revision Date: 2024/09/13 | SDS Number: 2656116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|-----------------------|-------------------------------------|---|---|
| | | Sections 13 a | gulations are applicable. nd 15 of this SDS provide information regarding r national requirements. |
| 7. HANDL | ING AND STORAGE | | |
| Hand | ling | | |
| | nical measures | : See Engineer CONTROLS/I | ing measures under EXPOSURE PERSONAL PROTECTION section. |
| Local/ | Total ventilation | ventilation. | ntilation is unavailable, use with local exhaust |
| Advice | e on safe handling | : Do not get on Do not breath Do not swallo Do not get in Wash skin tho Handle in acc practice, base sessment Non-sparking Keep containe Keep away fro other ignition Take precauti Do not eat, dr | |
| | ance of contact ne measures | flushing syste place. When using d Contaminated workplace. Wash contam The effective engineering c appropriate de industrial hygi | nts chemical is likely during typical use, provide eye ms and safety showers close to the working o not eat, drink or smoke. I work clothing should not be allowed out of the inated clothing before re-use. operation of a facility should include review of ontrols, proper personal protective equipment, egowning and decontamination procedures, ene monitoring, medical surveillance and the strative controls. |
| Stora Condi | ge tions for safe storage | Store locked u Keep tightly c Keep in a coo Store in accor | losed. I, well-ventilated place. dance with the particular national regulations. |
| Mater | ials to avoid | | om heat and sources of ignition. vith the following product types: |



| | Number:Date of last issue: 2024/04/060116-00017Date of first issue: 2018/03/29 |
|--|--|
|--|--|

Oxidizing solids Oxidizing liquids

Packaging material

: Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Concentra- tion standard / Permissible con- centration | Basis |
|---|-----------------|--|---|-------------------------|
| Solvent naphtha (petroleum), light aromatic | 64742-95-6 | TWA | 200 mg/m3 (total hydrocarbon vapor) | ACGIH |
| deltamethrin (ISO) | 52918-63-5 | TWA | 15 µg/m3 (OEB 3) | Internal |
| | Further informa | ation: DSEN, Sk | in | |
| | | Wipe limit | 100 µg/100 cm² | Internal |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | 8h-OEL-M | 10 mg/m3 | JP ISHL OEL 577-2(2) |
| | | TWA (Inhal- able fraction and vapor) | 2 mg/m3 | ACGIH |

| Engineering measures | : | Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling. |
|--------------------------------|-----|--|
| | | Use explosion-proof electrical, ventilating and lighting equip- ment. |
| Personal protective equipm | ent | |
| Respiratory protection | : | If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. |
| Filter type Hand protection | : | Combined particulates and organic vapour type |
| Material | : | Chemical-resistant gloves |
| Remarks | : | Consider double gloving. Take note that the product is flam- |
| | | |



| Version 7.0 | Revision Date: 2024/09/13 | SDS Number: 2656116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|----------------|------------------------------|---|--|
| Eye pr | rotection | : Wear safety gla If the work envir mists or aerosol Wear a faceshie | ay impact the selection of hand protection. sses with side shields or goggles. conment or activity involves dusty conditions, ls, wear the appropriate goggles. eld or other full face protection if there is a ect contact to the face with dusts, mists, or |
| Skin a | nd body protection | : Work uniform or Additional body task being perfo posable suits) to | r laboratory coat. garments should be used based upon the prmed (e.g., sleevelets, apron, gauntlets, dis- p avoid exposed skin surfaces. e degowning techniques to remove potentially othing. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical state | : | liquid |
|---|---|--|
| Colour | : | yellow |
| Odour | : | No data available |
| Odour Threshold | : | No data available |
| Melting point/freezing point | : | < -5 °C |
| Boiling point, initial boiling point and boiling range | : | No data available |
| Flammability (solid, gas) | : | Not applicable |
| Flammability (liquids) | : | Not applicable |
| Lower explosion limit and uppe Upper explosion limit / Up- per flammability limit | | xplosion limit / flammability limit No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Flash point | : | 40 °C |
| Decomposition temperature | : | No data available |
| рН | : | 4 - 5 |
| Evaporation rate | : | No data available |
| Auto-ignition temperature | : | No data available |
| Viscosity Viscosity, kinematic | : | No data available |



| Vers 7.0 | ion | Revision Date: 2024/09/13 | | 5 Number: 6116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|-------------|----------------------|--|--------|-------------------------|---|
| | | | | | |
| | | | | | |
| | Solubilit Wate | ty(ies) er solubility | : | partly miscible | |
| | Partitior octanol | n coefficient: n- /water | : | Not applicable | |
| | Vapour | pressure | : | No data available | |
| | | and / or relative densit tive density | у : | No data available | |
| | Den | sity | : | 0.909 - 0.927 g/c | m³ (20 °C) |
| I I | Relative | e vapour density | : | No data available | |
| | Explosi | ve properties | : | Not explosive | |
| | Oxidizir | ng properties | : | The substance or | mixture is not classified as oxidizing. |
| | Molecul | ar weight | : | No data available | |
| | | characteristics icle size | : | Not applicable | |

10. STABILITY AND REACTIVITY

| Reactivity Chemical stability Possibility of hazardous reac- tions | : : | Not classified as a reactivity hazard. Stable under normal conditions. Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents. |
|--|-----|--|
| Conditions to avoid Incompatible materials Hazardous decomposition products | : | |

11. TOXICOLOGICAL INFORMATION

| Information on likely routes of | : | Inhalation |
|---------------------------------|---|--------------|
| exposure | | Skin contact |
| | | Ingestion |
| | | Eye contact |

Acute toxicity

Not classified based on available information.

Product:



| Version 7.0 | Revision Date: 2024/09/13 | | 9S Number: 56116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|----------------|--|-------------|--|---|
| | | | | |
| Acut | e oral toxicity | : | Acute toxicity estir Method: Calculation | mate: > 2,000 mg/kg on method |
| Acut | e inhalation toxicity | : | Acute toxicity estir Exposure time: 4 I Test atmosphere: Method: Calculatio | n dust/mist |
| Com | iponents: | | | |
| Solv | ent naphtha (petroleum |), li | ght aromatic: | |
| Acut | e oral toxicity | : | LD50 (Rat): > 5,00 | 00 mg/kg |
| Acut | e inhalation toxicity | : | LC50 (Rat): > 5.67 Exposure time: 4 I Test atmosphere: | n |
| Acut | e dermal toxicity | : | LD50 (Rabbit): > 2 | 2,000 mg/kg |
| Benz | zenesulfonic acid, C10-1 | 3- a | ılkyl derivs., calciı | um salts: |
| | e oral toxicity | : | | |
| Acut | e dermal toxicity | : | LD50 (Rat): > 2,00 Method: OECD Te Remarks: Based o | |
| 4-No | onylphenol, branched, e | tho | xvlated: | |
| | e oral toxicity | : | LD50 (Rat): > 2,00 | 00 mg/kg |
| delta | amethrin (ISO): | | | |
| | e oral toxicity | : | LD50 (Rat): 66.7 r | ng/kg |
| | | | LD50 (Rat): 9 - 13 | 9 mg/kg |
| | | | LD50 (Mouse): 19 | - 34 mg/kg |
| Acut | e inhalation toxicity | : | LC50 (Rat): 0.8 m Exposure time: 2 l Test atmosphere: | ۔ ٦ |
| Acut | e dermal toxicity | : | LD50 (Rabbit): 2,0 | 000 mg/kg |
| | | | LD50 (Rat): > 800 | mg/kg |
| | e toxicity (other routes of inistration) | : | LD50 (Rat): 2.5 m Application Route | |
| | | | LD50 (Mouse): 10 Application Route | |
| 11 | | | | |



| ersion) | Revision Date: 2024/09/13 | SDS Number: 2656116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|-------------------------------|---|--|--|
| | | | |
| 2,6-D | vi-tert-butyl-p-cresol | : | |
| Acute | e oral toxicity | : LD50 (Rat): > 0 Method: OECE | 6,000 mg/kg) Test Guideline 401 |
| Acute | e dermal toxicity | | 2,000 mg/kg) Test Guideline 402 'he substance or mixture has no acute derma |
| _ | corrosion/irritation es skin irritation. | | |
| Com | ponents: | | |
| | ent naphtha (petrole | um), light aromatic: | |
| Spec | | : Rabbit | |
| Meth Resu | | : OECD Test Gu : Skin irritation | uideline 404 |
| Benz Spec Metho Resu | ies od | 10-13-alkyl derivs., ca : Rabbit : OECD Test Gu : Skin irritation | |
| | | | |
| 4-No | nylphenol, branched | i, ethoxylated: : Rabbit | |
| Meth | | : OECD Test Gu | uideline 404 |
| Resu | | : No skin irritatio | |
| Rema | arks | : Based on data | from similar materials |
| delta | methrin (ISO): | | |
| Spec | ies | : Rabbit | |
| Resu | lt | : No skin irritatio | n |
| 2,6-D | vi-tert-butyl-p-cresol: | : | |
| Spec | ies | : Rabbit | |
| Meth | | : OECD Test Gu | |
| Resu | | : No skin irritatio | |
| Rema | arks | : Based on data | from similar materials |
| | ous eye damage/eye | | |
| | es serious eye damaç | ge. | |
| | ponents: | | |
| | ent naphtha (petrole | | |
| Spec | Ies | : Rabbit | |





| Version 7.0 | Revision Date: 2024/09/13 | SDS Number: 2656116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|------------------|---------------------------|---------------------------------------|---|
| | | | |
| | | | |
| Metho | d | : OECD Test Gu | uideline 405 |
| Benze | enesulfonic acid, C1 | 0-13-alkyl derivs., ca | Icium salts: |
| Specie | | : Rabbit | |
| Result Metho | | : Irreversible effe : OECD Test Gu | |
| Metho | iu - | . DECD Test Gt | |
| 4-Non | ylphenol, branched, | ethoxylated: | |
| Specie | | : Rabbit | |
| Result Metho | | : No eye irritatio : OECD Test Gu | |
| Rema | | | from similar materials |
| | | | |
| | nethrin (ISO): | | |
| Specie Result | | : Rabbit : Moderate eye i | irritation |
| i vesui | L | . Moderate eye | intation |
| 2,6-Di | -tert-butyl-p-cresol: | | |
| Specie | | : Rabbit | |
| Result | t | : No eye irritatio : OECD Test Gu | |
| Rema | rks | | from similar materials |
| | | | |
| Respi | ratory or skin sensit | isation | |
| Skin s | sensitisation | | |
| May c | ause an allergic skin i | eaction. | |
| Respi | ratory sensitisation | | |
| Not cla | assified based on ava | ilable information. | |
| <u>Comp</u> | onents: | | |
| Solve | nt naphtha (petroleu | m), light aromatic: | |
| Test T | уре | : Buehler Test | |
| | sure routes | : Skin contact | |
| Specie | es F | : Guinea pig : negative | |
| i vesui | L | . negative | |
| Benze | enesulfonic acid, C1 | 0-13-alkyl derivs., ca | Icium salts: |
| Test T | | : Magnusson-Kl | igman-Test |
| Expos | sure routes | : Skin contact | |
| Specie Metho | | : Guinea pig : OECD Test Gu | uideline 406 |
| Rema | - | | from similar materials |
| | | | |

4-Nonylphenol, branched, ethoxylated:

| Test Type | : Maximisation Tes | st |
|-----------|--------------------|----|
|-----------|--------------------|----|





| ersion D | Revision Date: 2024/09/13 | SDS Number: 2656116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|---------------------------------|---|--|--|
| Expos Speci Resul Rema | lt | : Skin contac : Guinea pig : negative : Based on da | t ata from similar materials |
| delta | methrin (ISO): | | |
| Test | Гуре sure routes es | : Maximisatio : Dermal : Guinea pig : negative | n Test |
| Test Expos Speci Resu | sure routes es | : Human repe : Dermal : Humans : positive | eat insult patch test (HRIPT) |
| 2,6-D | i-tert-butyl-p-cresol | : | |
| Test Expos Speci Resu | sure routes es | : Human repe : Skin contac : Humans : negative | eat insult patch test (HRIPT) t |
| May o | a cell mutagenicity cause genetic defects conents: | | |
| - | ent naphtha (petrole | um), light aromatic | : |
| Geno | toxicity in vitro | : Test Type: I Result: nega | Bacterial reverse mutation assay (AMES) ative |
| | | Test Type: I Result: posi | n vitro mammalian cell gene mutation test tive |
| Geno | toxicity in vivo | gonia Species: Mo | Route: Intraperitoneal injection |
| | cell mutagenicity - ssment | : Positive res tests in mar | ult(s) from in vivo heritable germ cell mutagenici nmals |
| Benz | enesulfonic acid, C ⁴ | 0-13-alkyl derivs., | calcium salts: |
| Geno | toxicity in vitro | Method: Dir Result: nega | Bacterial reverse mutation assay (AMES) ective 67/548/EEC, Annex, B.13/14 ative ased on data from similar materials |





| Version 7.0 | Revision Date: 2024/09/13 | | DS Number: 56116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|----------------|---|------|---|--|
| | | | | |
| 4-Noi | nylphenol, branched, o | etho | xylated: | |
| | toxicity in vitro | : | Test Type: Bacter Method: OECD T Result: negative | rial reverse mutation assay (AMES) est Guideline 471 on data from similar materials |
| | | | Method: OECD To Result: negative | nosome aberration test in vitro est Guideline 473 on data from similar materials |
| | | | Method: OECD To Result: negative | o mammalian cell gene mutation test est Guideline 476 on data from similar materials |
| delta | methrin (ISO): | | | |
| | toxicity in vitro | : | Test Type: Bacter Result: negative | rial reverse mutation assay (AMES) |
| | | | Test Type: DNA F Test system: Escl Result: negative | |
| | | | | nosomal aberration nese hamster ovary cells |
| | | | | o mammalian cell gene mutation test nese hamster lung cells DAEL: 20 mg/kg |
| Geno | toxicity in vivo | : | Test Type: Micror Species: Mouse Application Route Result: negative | |
| | | | Test Type: domin Species: Mouse Application Route Result: negative | |
| | | | Test Type: sister Species: Mouse Cell type: Bone m Application Route Result: negative | |
| | i-tert-butyl-p-cresol: toxicity in vitro | : | Test Type: Bacter | rial reverse mutation assay (AMES) |



| ersion 0 | Revision Date: 2024/09/13 | SDS Numl 2656116-0 | | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|---------------|---------------------------|-----------------------------|-----------------------------|---|
| | | | | |
| | | | | |
| | | Result | : negative | |
| | | | ype: In vitro : negative | o mammalian cell gene mutation test |
| | | | ype: Chron : negative | nosome aberration test in vitro |
| Geno | toxicity in vivo | cytoge Specie Applica | netic test, s: Rat | enicity (in vivo mammalian bone-marrow chromosomal analysis) :: Ingestion |
| Carci | inogenicity | | | |
| | cause cancer. | | | |
| Com | ponents: | | | |
| Solve | ent naphtha (petroleu | ım), light aro | matic: | |
| Speci | ies | : Mouse | | |
| Applie | cation Route | : Skin co | | |
| | sure time | : 2 Year | | |
| Resu | It | : positive | е | |
| Carci ment | nogenicity - Assess- | : Sufficie | ent evidend | e of carcinogenicity in animal experiments |
| delta | methrin (ISO): | | | |
| Speci | | : Mouse | , male and | female |
| | cation Route | : oral (fe | | |
| | sure time | : 104 we | | |
| NOA | | | g body we | |
| LOAE Resu | | : 4 mg/k : positive | g body we | gnt |
| | et Organs | | nodes | |
| | ioo | . Det | مام ممط فح | |
| Speci | es cation Route | : Rat, m : oral (fe | ale and fer | แลเษ |
| Expo | sure time | : 2 Year | , | |
| Resu | | : negativ | | |
| Speci | | | nale and fe | male |
| | cation Route | : Dog, fi : oral (fe | | |
| Expo | sure time | : 2 Year | | |
| NOA | | | g body we | ght |
| Resu | | : negativ | | - |
| 2,6-D | i-tert-butyl-p-cresol: | | | |
| Speci | ies | : Rat | | |
| Appli | cation Route | : Ingesti | | |
| Expo | sure time | : 22 Moi | oths | |





| ersion 0 | Revision Date: 2024/09/13 | SDS Number: 2656116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|---------------------|--|--|--|
| Resu | lt | : negative | |
| Repr Susp | oductive toxicity ected of damaging ferti ponents: | - | nild. |
| Solve | ent naphtha (petroleu | m). light aromatic: | |
| | ts on fertility | : Test Type: R test Species: Rat | eproduction/Developmental toxicity screening Route: inhalation (vapour) |
| Effect ment | ts on foetal develop- | Species: Rat | Route: inhalation (vapour) |
| 4-No | nylphenol, branched, | ethoxylated: | |
| | oductive toxicity - As- | : Some evider | nce of adverse effects on sexual function and or on development, based on animal experimer |
| delta | methrin (ISO): | | |
| | ts on fertility | Species: Rat Application F Early Embryo weight Symptoms: N | hree-generation reproduction toxicity study Route: oral (feed) onic Development: NOAEL: 50 mg/kg body No effects on fertility, Embryo-foetal toxicity gnificant toxicity observed in testing |
| | | Species: Rat Application F Early Embryo weight | |
| | | | , male Route: Oral EL: 1 mg/kg body weight Effects on fertility |
| Effect ment | ts on foetal develop- | Developmen | |



| 0 | Revision Date: 2024/09/13 | SDS Number: 2656116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|--|--|--|--|
| | | | |
| 11 | | Remarks: Mate | rnal toxicity observed. |
| | | | |
| | | | |
| | | Developmental | |
| | | | |
| | oductive toxicity - As- ment | | of adverse effects on sexual function and on development, based on animal experiments |
| 2,6-[| Di-tert-butyl-p-cresol: | | |
| Effec | cts on fertility | : Test Type: Two Species: Rat Application Rou Result: negative | |
| Effect ment | cts on foetal develop- t | : Test Type: Emb Species: Rat Application Rou Result: negative | |
| | | | |
| | T - single exposure | | |
| Мау | cause drowsiness or dia | zziness. | |
| May <u>Com</u> | cause drowsiness or dia ponents: | | |
| May <u>Com</u> Solv | cause drowsiness or dia ponents: ent naphtha (petroleur | m), light aromatic: | |
| May <u>Com</u> Solv | cause drowsiness or dia ponents: | m), light aromatic: | wsiness or dizziness. |
| May <u>Com</u> Solv Asse | cause drowsiness or dia ponents: ent naphtha (petroleur | m), light aromatic: | wsiness or dizziness. |
| May <u>Com</u> Solv Asse | cause drowsiness or dia ponents: ent naphtha (petroleur essment | m), light aromatic: : May cause drow | wsiness or dizziness. Diratory irritation. |
| May <u>Com</u> Solv Asse delta | cause drowsiness or dia ponents: ent naphtha (petroleur essment amethrin (ISO): essment | m), light aromatic: : May cause drov : May cause resp | |
| May Com Solv Masse delta Masse STO May repea May | cause drowsiness or dia ponents: ent naphtha (petroleur essment amethrin (ISO): essment T - repeated exposure cause damage to organ ated exposure if swallow cause damage to organ | m), light aromatic: : May cause drov : May cause resp s (Central nervous sy ved. | piratory irritation. stem, Immune system) through prolonged or |
| May <u>Com</u> Solv Masse delta Masse STO May repea May if inh | cause drowsiness or dia ponents: ent naphtha (petroleur essment amethrin (ISO): essment T - repeated exposure cause damage to organ ated exposure if swallow cause damage to organ aled. | m), light aromatic: : May cause drov : May cause resp s (Central nervous sy ved. | piratory irritation. |
| May <u>Com</u> Solv Masse STO May repea May if inh <u>Com</u> | cause drowsiness or dia ponents: ent naphtha (petroleur essment amethrin (ISO): essment T - repeated exposure cause damage to organ ated exposure if swallow cause damage to organ | m), light aromatic: : May cause drov : May cause resp s (Central nervous sy ved. | piratory irritation. stem, Immune system) through prolonged or |



| sion | Revision Date: 2024/09/13 | SDS Number:Date of last issue: 2024/04/062656116-00017Date of first issue: 2018/03/29 | | | | | | |
|--------------|---------------------------|---|------------------|--|--|--|--|--|
| | | | | | | | | |
| | | exposure. | | | | | | |
| Expos | sure routes | : inhalation (dust/mist/fume) | | | | | | |
| Targe | t Organs | : Central nervous system | | | | | | |
| Asses | ssment | : Causes damage to organs through prolonged or exposure. | repeated | | | | | |
| 2,6-D | i-tert-butyl-p-cresol | | | | | | | |
| Asses | ssment | : No significant health effects observed in animals tions of 100 mg/kg bw or less. | at concen | | | | | |
| Repe | ated dose toxicity | | | | | | | |
| <u>Comp</u> | oonents: | | | | | | | |
| Solve | ent naphtha (petrole | um), light aromatic: | | | | | | |
| Speci | | : Rat | | | | | | |
| LOAE | ation Route | : 500 mg/kg : Ingestion | | | | | | |
| | sure time | : 28 Days | | | | | | |
| | ylphenol, branched | l, ethoxylated: | | | | | | |
| Speci | | : Rat | | | | | | |
| LOAE | L cation Route | : 150 mg/kg : Ingestion | | | | | | |
| | sure time | : 90 Days | | | | | | |
| Metho | | : OPPTS 870.3100 | : OPPTS 870.3100 | | | | | |
| Rema | ırks | : Based on data from similar materials | | | | | | |
| delta | methrin (ISO): | | | | | | | |
| Speci | | : Rat, male and female | | | | | | |
| NOAE LOAE | | : 1 mg/kg | | | | | | |
| | ation Route | : 2.5 mg/kg : Oral | | | | | | |
| | sure time | : 13 Weeks | | | | | | |
| Targe | t Organs | : Nervous system | | | | | | |
| Symp | toms | : hyperexcitability | | | | | | |
| Speci | | : Rat | | | | | | |
| LOAE | | : 3 mg/m3 | | | | | | |
| | cation Route sure time | : inhalation (dust/mist/fume) : 2 wk / 5 d/wk / 6 h/d | | | | | | |
| Symp | | : Local irritation, respiratory tract irritation | | | | | | |
| Speci | | : Dog | | | | | | |
| NOAE LOAE | | : 0.1 mg/kg | | | | | | |
| | cation Route | : 1 mg/kg : Oral | | | | | | |
| | | : 13 Weeks | | | | | | |
| Expos | | . 10 WCCR3 | | | | | | |

Version

7.0



Date of last issue: 2024/04/06

Date of first issue: 2018/03/29

Deltamethrin (2.5%) Formulation

SDS Number:

2656116-00017

Revision Date:

2024/09/13

| Symptoms | : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Saliva- tion |
|---|---|
| Species NOAEL LOAEL Application Route Exposure time Target Organs | : Rat : 14 mg/kg : 54 mg/kg : Oral : 91 d : Nervous system |
| Species LOAEL Application Route Exposure time Target Organs Symptoms | Mouse 6 mg/kg Oral 12 Weeks Immune system immune system effects |
| 2,6-Di-tert-butyl-p-cresol | : |
| Species NOAEL Application Route Exposure time | : Rat : 25 mg/kg : Ingestion : 22 Months |
| Aspiration toxicity | |
| May be fatal if swallowed | and enters airways. |
| Product: | |
| | is known to cause human aspiration toxicity hazards or has to be re- iman aspiration toxicity hazard. |
| Components: | |
| Solvent naphtha (petrole | eum), light aromatic: |
| The substance or mixture | is known to cause human aspiration toxicity hazards or has to be re- iman aspiration toxicity hazard. |
| Experience with human | exposure |
| Components: | |
| deltamethrin (ISO): | |
| Inhalation | : Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching |
| Skin contact | : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nau- sea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions |
| Ingestion | : Symptoms: muscle pain, Small pupils |
| | 10/20 |
| | 19 / 29 |



| VersionRevision Date:SDS Number:Date of last issue: 2024/04/067.02024/09/132656116-00017Date of first issue: 2018/03/29 | | | | | |
|---|--|--|--|--|--|
|---|--|--|--|--|--|

II

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Solvent naphtha (petroleum), light aromatic:

| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction |
|---|---|--|
| Toxicity to daphnia and other aquatic invertebrates | : | EL50 (Daphnia magna (Water flea)): 4.5 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 |
| | | NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 |
| Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity) | : | NOELR (Daphnia magna (Water flea)): 2.6 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211 |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

| Toxicity to fish | : | LC50 : > 1 - < 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 |
|---|----|---|
| Toxicity to daphnia and other aquatic invertebrates | r: | EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials |
| | | NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l |



| ersion .0 | Revision Date: 2024/09/13 | | 9S Number: 56116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|--------------------|---|-----|---|---|
| | | | | |
| | | | Exposure time: 96 Remarks: Based o | ծ հ on data from similar materials |
| Toxicit icity) | y to fish (Chronic tox- | : | Exposure time: 72 | chus mykiss (rainbow trout)): > 0.1 - 1 mg/l 2 d on data from similar materials |
| | y to daphnia and other c invertebrates (Chron- ity) | : | Exposure time: 21 | nagna (Water flea)): > 1 mg/l l d on data from similar materials |
| 4-Non | ylphenol, branched, e | tho | xvlated: | |
| ' | y to fish | : | LC50 (Pimephales Exposure time: 96 | s promelas (fathead minnow)): > 0.1 - 1 mg/l S h on data from similar materials |
| | y to daphnia and other c invertebrates | : | Exposure time: 48 | nia dubia (water flea)): > 0.1 - 1 mg/l 3 h on data from similar materials |
| Toxicit plants | y to algae/aquatic | : | mg/l Exposure time: 72 Method: OECD To | |
| | | | Exposure time: 72 Method: OECD Te | |
| M-Fact icity) | tor (Acute aquatic tox- | : | 1 | |
| | y to fish (Chronic tox- | : | Exposure time: 10 | itipes (Japanese medaka)): > 0.1 - 1 mg/l 00 d on data from similar materials |
| | y to daphnia and other c invertebrates (Chron- ity) | : | mg/l Exposure time: 28 | is bahia (opossum shrimp)): > 0.001 - 0.01 3 d on data from similar materials |
| M-Fact toxicity | tor (Chronic aquatic | : | 10 | |
| deltarr | nethrin (ISO): | | | |
| Toxicit | y to fish | : | LC50 (Cyprinodor mg/l Exposure time: 96 | n variegatus (sheepshead minnow)): 0.00048 Sh |
| | | | LC50 (Oncorhync Exposure time: 96 | hus mykiss (rainbow trout)): 0.00039 mg/l ን h |





| sion | Revision Date: 2024/09/13 | | S Number: 56116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|----------------------------|---|---|--|---|
| _ | | _ | | |
| | ty to daphnia and other ic invertebrates | : | EC50 (Mysidop Exposure time: | sis bahia (opossum shrimp)): 0.0037 μg/l 48 h |
| | | | EC50 (Daphnia Exposure time: | magna (Water flea)): 0.0035 mg/l 48 h |
| | | | LC50 (Gammar Exposure time: | us fasciatus (freshwater shrimp)): 0.0003 96 h |
| Toxici plants | ty to algae/aquatic | : | mg/l Exposure time: Method: OECD | irchneriella subcapitata (green algae)): > 72 h Test Guideline 201 xicity at the limit of solubility |
| | ctor (Acute aquatic tox- | : | 1,000,000 | |
| icity) Toxici icity) | ty to fish (Chronic tox- | : | NOEC (Pimeph mg/l Exposure time: | ales promelas (fathead minnow)): 0.0000 36 d |
| | | | NOEC (Pimeph mg/l Exposure time: | ales promelas (fathead minnow)): 0.0000 260 d |
| | ty to daphnia and other ic invertebrates (Chron- | : | NOEC (Daphnia Exposure time: | a magna (Water flea)): 0.0041 μg/l 21 d |
| | ctor (Chronic aquatic | : | 1,000,000 | |
| <i>'</i> | i-tert-butyl-p-cresol: | | | |
| Toxici | ty to fish | : | Exposure time: | io (zebra fish)): > 0.57 mg/l 96 h /e 67/548/EEC, Annex V, C.1. |
| | ty to daphnia and other ic invertebrates | : | Exposure time: | magna (Water flea)): 0.48 mg/l 48 h Test Guideline 202 |
| Toxici plants | ty to algae/aquatic | : | mg/l Exposure time: | kirchneriella subcapitata (green algae)): > 72 h Test Guideline 201 |
| | | | mg/l Exposure time: | kirchneriella subcapitata (green algae)): 0 72 h Test Guideline 201 |
| M-Fac icity) | ctor (Acute aquatic tox- | : | 1 | |

SAFETY DATA SHEET



| ersion .0 | Revision Date: 2024/09/13 | - | DS Number: 56116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|----------------------------|---------------------------------|-------|--|---|
| | | | | |
| Toxic icity) | ity to fish (Chronic tox- | : | NOEC (Oryzias la Exposure time: 30 Method: OECD To | |
| aquat | ic invertebrates (Chron- | : | NOEC (Daphnia r Exposure time: 21 | nagna (Water flea)): 0.316 mg/l I d |
| ic toxi M-Fa toxicit | ctor (Chronic aquatic | : | 1 | |
| | ity to microorganisms | : | EC50: > 10,000 m Exposure time: 3 Method: OECD Te | h |
| Persi | stence and degradabili | ty | | |
| Com | oonents: | | | |
| Solve | ent naphtha (petroleum |), li | ght aromatic: | |
| Biode | gradability | : | Result: Inherently Biodegradation: S Exposure time: 25 | 94 % |
| Benz | enesulfonic acid, C10-1 | 13-a | alkyl derivs., calci | um salts: |
| Biode | gradability | : | Result: Readily bi Biodegradation: Exposure time: 28 Method: OECD To | 100 % |
| 4-Noi | nylphenol, branched, e | tho | xylated: | |
| | gradability | : | Result: Not readily | y biodegradable. on data from similar materials |
| delta | methrin (ISO): | | | |
| Stabil | lity in water | : | Hydrolysis: 0 %(3 | 0 d) |
| 2,6-D | i-tert-butyl-p-cresol: | | | |
| Biode | egradability | : | Result: Not readily Biodegradation: 4 Exposure time: 28 Method: OECD Te | 4.5 % |
| Bioad | cumulative potential | | | |
| <u>Com</u> | oonents: | | | |
| Benz | enesulfonic acid, C10-1 | 3-a | alkyl derivs., calci | um salts: |
| | ion coefficient: n- ol/water | : | log Pow: 2.89 | |



| Version 7.0 | Revision Date: 2024/09/13 | | DS Number: 56116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 | | |
|----------------|--|----|--------------------------------------|---|--|--|
| | | | | | | |
| delta | methrin (ISO): | | | | | |
| Bioad | cumulation | : | | s macrochirus (Bluegill sunfish) factor (BCF): 1,800 | | |
| | ion coefficient: n- ol/water | : | log Pow: 4.6 | log Pow: 4.6 | | |
| 2,6-D | i-tert-butyl-p-cresol: | | | | | |
| Bioac | ccumulation | : | Species: Cyprinu Bioconcentration | is carpio (Carp) factor (BCF): 330 - 1,800 | | |
| | ion coefficient: n- iol/water | : | log Pow: 5.1 | | | |
| Mobi | lity in soil | | | | | |
| Com | ponents: | | | | | |
| delta | methrin (ISO): | | | | | |
| Distri | bution among environ- al compartments | : | log Koc: 7.2 | | | |
| | rdous to the ozone lay | er | | | | |
| Othe | r adverse effects | | | | | |
| No da | ata available | | | | | |
| 13. DISPO | SAL CONSIDERATION | NS | | | | |
| | | | | | | |
| Disp | osal methods | | | | | |
| | | | | | | |

| Waste from residues | : | Dispose of in accordance with local regulations. Do not dispose of waste into sewer. |
|------------------------|---|---|
| Contaminated packaging | : | Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex- pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product. |

14. TRANSPORT INFORMATION

International Regulations



| Version 7.0 | Revision Date: 2024/09/13 | | DS Number: 56116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 |
|--|--|---|--|---|
| Class Packi Label Packi aircra | No. In shipping name Ing group s Ing instruction (cargo ft) Ing instruction (passen- | | UN 3295 Hydrocarbons, lic 3 III Flammable Liquid 366 355 | |
| UN nu Prope Class | ng group | | | IS, LIQUID, N.O.S. O), 2,6-Di-tert-butyl-p-cresol) |
| EmS Code Marine pollutant | | : | F-E, S-D yes | |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 128

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Group 4, Type 2 petroleums, Water insoluble liquid, (1000 litre), Hazardous rank III

Chemical Substance Control Law

Priority Assessment Chemical Substance

| Chemical name | Number |
|--|--------|
| alpha-(Nonylphenyl)-omega-hydroxypoly(oxyethylene) | 86 |
| 2,6-Di-tert-butyl-4-methylphenol | 64 |

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable





| ersion .0 | Revision Date: 2024/09/13 | SDS Number: 2656116-00017 | Date of last issue: 202 Date of first issue: 201 | |
|----------------|---|------------------------------|---|----------------------|
| | ful Substances Req pplicable | uired Permission for | Manufacture | |
| | tances Prevented Fi pplicable | rom Impairment of He | alth | |
| on Ex | lar concerning Infor kisting Chemicals ha pplicable | | having Mutagenicity - A | Annex 2: Information |
| on No | lar concerning Infor otified Substances h pplicable | | having Mutagenicity - | Annex 1: Information |
| Subs | tances Subject to be | e Notified Names | | |
| | e 57-2 (Enforcement (| Order Table 9) | | |
| | nical name | | Concentration (%) | Remarks |
| | bleum naphtha Di-tert-butyl-4-cresol | | 54.5 >=1 - <10 | - |
| Petro | nical name bleum naphtha Di-tert-butyl-4-cresol | | | Remarks - - |
| Skin | | bstances for PPE Red | quirements (ISHL MO Ar | t. 594-2) |
| Carci tions | nogenic Substances | s (Article 577-2 of the | Occupational Health an | d Safety Regula- |
| | nance on Prevention | of Hazards Due to Sp | ecified Chemical Subst | ances |
| | nance on Prevention | of Lead Poisoning | | |
| | nance on Prevention | of Tetraalkyl Lead Po | bisoning | |
| | nance on Prevention | of Organic Solvent P | oisoning | |
| Subs | cement Order of the tances) | e Industrial Safety and | I Health Law - Attached | table 1 (Dangerous |
| Poisc | phous and Deleterio | us Substances Contro | bl Law | |
| Not a | | | | |



| Version | Revision Date: | SDS Number: | Date of last issue: 2024/04/06 |
|---------|----------------|---------------|---------------------------------|
| 7.0 | 2024/09/13 | 2656116-00017 | Date of first issue: 2018/03/29 |

| Chemical name | Administration number | Concentration (%) |
|---|-----------------------|-------------------|
| Poly(oxyethylene) alkylphenyl ether (lim- | 410 | 3.0 |
| ited to those the alkyl group is C=9) | | |
| 2,6-Di-tert-butyl-4-cresol | 207 | 1.0 |

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

| Bulk transportation : | Noxio | us liquid substance(Category Y) |
|-----------------------|-------|---------------------------------|
|-----------------------|-------|---------------------------------|

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable

Waste Disposal and Public Cleansing Law

Specially Controlled Industrial Waste

The components of this product are reported in the following inventories:

| AICS | : | not determined |
|-------|---|----------------|
| DSL | : | not determined |
| IECSC | : | not determined |

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

| Sources of key data used to : | : | Internal technical data, data from raw material SDSs, OECD |
|-------------------------------|---|--|
| compile the Safety Data | | eChem Portal search results and European Chemicals Agen- |
| Sheet | | cy, http://echa.europa.eu/ |

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

OEL-M



Deltamethrin (2.5%) Formulation

| Version 7.0 | Revision Date: 2024/09/13 | | DS Number: 56116-00017 | Date of last issue: 2024/04/06 Date of first issue: 2018/03/29 | | | |
|----------------------------------|-----------------------------------|---|---|---|--|--|--|
| | | | | | | | |
| | | | | | | | |
| Date format | | : | yyyy/mm/dd | | | | |
| Full text of other abbreviations | | | | | | | |
| ACGIH JP ISHL OEL 577-2(2) | | : | USA. ACGIH Threshold Limit Values (TLV) Concentration standard (Value set by the Minister of Health, Labour and Welfare stipulated under the Ministerial Ordinance Article 577-2(2)) | | | | |
| | IH / TWA HL OEL 577-2(2) / 8h- | : | 8-hour, time-weig 8-hour Occupatio | hted average nal Exposure Limit-Mean | | | |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



| Version | Revision Date: | SDS Number: | Date of last issue: 2024/04/06 |
|---------|----------------|---------------|---------------------------------|
| 7.0 | 2024/09/13 | 2656116-00017 | Date of first issue: 2018/03/29 |

JP / EN