

**Deltamethrin (2.5%) Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 30.09.2023  
4.2                07.11.2023              2656118-00014        Date of first issue: 29.03.2018

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name                                : Deltamethrin (2.5%) Formulation

**Manufacturer or supplier's details**

Company name of supplier                : MSD  
Address                                        : 126 E. Lincoln Avenue  
    : Rahway, New Jersey U.S.A. 07065  
Telephone                                    : 908-740-4000  
Emergency telephone                      : 1-908-423-6000  
E-mail address                              : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use                          : Veterinary product  
Restrictions on use                         : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids                          : Category 3  
Acute toxicity (Oral)                        : Category 5  
Skin corrosion/irritation                  : Category 2  
Serious eye damage/eye  
irritation                                      : Category 1  
Skin sensitization                          : Category 1  
Germ cell mutagenicity                      : Category 1B  
Carcinogenicity                              : Category 1B  
Reproductive toxicity                        : Category 2  
Specific target organ toxicity               : Category 3  
- single exposure  
Specific target organ toxicity               : Category 1 (Central nervous system, Immune system)  
- repeated exposure (Oral)  
Specific target organ toxicity               : Category 1 (Central nervous system)  
- repeated exposure  
(Inhalation)  
Aspiration hazard                            : Category 1

**GHS label elements**

**Deltamethrin (2.5%) Formulation**

Version 4.2      Revision Date: 07.11.2023      SDS Number: 2656118-00014      Date of last issue: 30.09.2023  
Date of first issue: 29.03.2018

---

Hazard pictograms

:



Signal Word

: Danger

Hazard Statements

: H226 Flammable liquid and vapor.  
H303 May be harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H336 May cause drowsiness or dizziness.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H361 Suspected of damaging fertility or the unborn child.  
H372 Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.  
H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

Precautionary Statements

:

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/

## Deltamethrin (2.5%) Formulation

Version 4.2      Revision Date: 07.11.2023      SDS Number: 2656118-00014      Date of last issue: 30.09.2023  
Date of first issue: 29.03.2018

attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).  
Vapors may form explosive mixture with air.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light aromatic	64742-95-6	>= 50 -< 70
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	Not Assigned	>= 3 -< 5
4-Nonylphenol, branched, ethoxylated	127087-87-0	>= 1 -< 5
Deltamethrin (ISO)	52918-63-5	>= 1 -< 5
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 1 -< 5

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control center immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms : May be harmful if swallowed.

## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

and effects, both acute and delayed

May be fatal if swallowed and enters airways.  
 Causes skin irritation.  
 May cause an allergic skin reaction.  
 Causes serious eye damage.  
 May cause drowsiness or dizziness.  
 May cause genetic defects.  
 May cause cancer.  
 Suspected of damaging fertility or the unborn child.  
 Causes damage to organs through prolonged or repeated exposure if swallowed.  
 Causes damage to organs through prolonged or repeated exposure if inhaled.  
 This product contains a pyrethroid.  
 Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
 Flash back possible over considerable distance.  
 Vapors may form explosive mixtures with air.  
 Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
 Nitrogen oxides (NO<sub>x</sub>)  
 Bromine compounds  
 Sulfur oxides  
 Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Use water spray to cool unopened containers.  
 Remove undamaged containers from fire area if it is safe to do so.  
 Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
 Use personal protective equipment.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
 Use personal protective equipment.  
 Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Deltamethrin (2.5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.

## Deltamethrin (2.5%) Formulation

Version 4.2      Revision Date: 07.11.2023      SDS Number: 2656118-00014      Date of last issue: 30.09.2023  
 Date of first issue: 29.03.2018

- Contaminated work clothing should not be allowed out of the workplace.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.  
 Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Flammable solids  
 Pyrophoric liquids  
 Pyrophoric solids  
 Self-heating substances and mixtures  
 Substances and mixtures which in contact with water emit flammable gases  
 Explosives  
 Gases  
 Very acutely toxic substances and mixtures

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
Deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	VLE-PPT (Inhalable fraction and vapour)	2 mg/m <sup>3</sup>	NOM-010-STPS-2014
		TWA (Inhalable fraction and vapor)	2 mg/m <sup>3</sup>	ACGIH

- Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

**Deltamethrin (2.5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equipment.

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
- Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
- 

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : liquid
- Color : yellow
- Odor : No data available
- Odor Threshold : No data available
- pH : 4 - 5
- Melting point/freezing point : < -5 °C
- Initial boiling point and boiling range : No data available
- Flash point : 40 °C
-

**Deltamethrin (2.5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	0.917 - 0.919 g/cm <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	partly miscible
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents



**Deltamethrin (2.5%) Formulation**

Version 4.2      Revision Date: 07.11.2023      SDS Number: 2656118-00014      Date of last issue: 30.09.2023  
Date of first issue: 29.03.2018

---

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

May be harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 2,594 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Solvent naphtha (petroleum), light aromatic:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat): 4,445 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

**4-Nonylphenol, branched, ethoxylated:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

**Deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l

**Deltamethrin (2.5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

**2,6-Di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**4-Nonylphenol, branched, ethoxylated:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Deltamethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

**2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Deltamethrin (2.5%) Formulation**

Version 4.2      Revision Date: 07.11.2023      SDS Number: 2656118-00014      Date of last issue: 30.09.2023  
Date of first issue: 29.03.2018

---

Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

**4-Nonylphenol, branched, ethoxylated:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Deltamethrin (ISO):**

Species : Rabbit  
Result : Moderate eye irritation

**2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Respiratory or skin sensitization****Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Test Type : Magnusson-Kligman-Test

## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Remarks	:	Based on data from similar materials

### 4-Nonylphenol, branched, ethoxylated:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

### Deltamethrin (ISO):

Test Type	:	Maximization Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Result	:	negative

Test Type	:	Human repeat insult patch test (HRIPT)
Routes of exposure	:	Dermal
Species	:	Humans
Result	:	positive

### 2,6-Di-tert-butyl-p-cresol:

Test Type	:	Human repeat insult patch test (HRIPT)
Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	negative

### Germ cell mutagenicity

May cause genetic defects.

### Components:

#### Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
	:	Result: negative

	:	Test Type: In vitro mammalian cell gene mutation test
	:	Result: positive

Genotoxicity in vivo	:	Test Type: Sister chromatid exchange analysis in spermatogonia
	:	Species: Mouse
	:	Application Route: Intraperitoneal injection
	:	Result: positive

Germ cell mutagenicity - Assessment	:	Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals
-------------------------------------	---	---

#### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
-----------------------	---	--

**Deltamethrin (2.5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

Method: Directive 67/548/EEC, Annex V, B.13/14.  
Result: negative  
Remarks: Based on data from similar materials

**4-Nonylphenol, branched, ethoxylated:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

**Deltamethrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Test system: Escherichia coli  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Concentration: LOAEL: 20 mg/kg  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

### 2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Carcinogenicity

May cause cancer.

### Components:

#### Solvent naphtha (petroleum), light aromatic:

Species : Mouse  
Application Route : Skin contact  
Exposure time : 2 Years  
Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

#### Deltamethrin (ISO):

Species : Mouse, male and female  
Application Route : oral (feed)  
Exposure time : 104 weeks  
NOAEL : 8 mg/kg body weight  
LOAEL : 4 mg/kg body weight  
Result : positive  
Target Organs : Lymph nodes

Species : Rat, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative

Species : Dog, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
NOAEL : 1 mg/kg body weight  
Result : negative

### 2,6-Di-tert-butyl-p-cresol:

Species : Rat  
Application Route : Ingestion  
Exposure time : 22 Months

**Deltamethrin (2.5%) Formulation**

Version 4.2      Revision Date: 07.11.2023      SDS Number: 2656118-00014      Date of last issue: 30.09.2023  
Date of first issue: 29.03.2018

---

Result : negative

**Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

**4-Nonylphenol, branched, ethoxylated:**

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

**Deltamethrin (ISO):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
Early Embryonic Development: NOAEL: 50 mg/kg body weight  
Symptoms: No effects on fertility., Embryo-fetal toxicity.  
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
Symptoms: No effects on fertility., Embryo-fetal toxicity.

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 1 mg/kg body weight  
Symptoms: Effects on fertility.  
Target Organs: Testes

Effects on fetal development : Test Type: Development  
Species: Mouse  
Application Route: oral (gavage)  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Skeletal malformations.  
Remarks: Maternal toxicity observed.

## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

Test Type: Development  
 Species: Rat, female  
 Developmental Toxicity: NOAEL: 10 mg/kg body weight  
 Symptoms: No effects on fetal development.

Test Type: Development  
 Species: Rabbit, female  
 Application Route: oral (gavage)  
 Developmental Toxicity: NOAEL: 16 mg/kg body weight  
 Symptoms: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### 2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

### STOT-single exposure

May cause drowsiness or dizziness.

#### Components:

#### Solvent naphtha (petroleum), light aromatic:

Assessment : May cause drowsiness or dizziness.

#### Deltamethrin (ISO):

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

#### Components:

#### Deltamethrin (ISO):

Routes of exposure : Ingestion  
 Target Organs : Central nervous system, Immune system  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Routes of exposure : inhalation (dust/mist/fume)  
 Target Organs : Central nervous system  
 Assessment : Causes damage to organs through prolonged or repeated



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

exposure.

### 2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

#### Solvent naphtha (petroleum), light aromatic:

Species : Rat  
 LOAEL : 500 mg/kg  
 Application Route : Ingestion  
 Exposure time : 28 Days

#### 4-Nonylphenol, branched, ethoxylated:

Species : Rat  
 LOAEL : 150 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Method : OPPTS 870.3100  
 Remarks : Based on data from similar materials

#### Deltamethrin (ISO):

Species : Rat, male and female  
 NOAEL : 1 mg/kg  
 LOAEL : 2.5 mg/kg  
 Application Route : Oral  
 Exposure time : 13 Weeks  
 Target Organs : Nervous system  
 Symptoms : hyperexcitability

Species : Rat  
 LOAEL : 3 mg/m<sup>3</sup>  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 2 wk / 5 d/wk / 6 h/d  
 Symptoms : Local irritation, respiratory tract irritation

Species : Dog  
 NOAEL : 0.1 mg/kg  
 LOAEL : 1 mg/kg  
 Application Route : Oral  
 Exposure time : 13 Weeks  
 Target Organs : Nervous system  
 Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhea, Salivation

Species : Rat  
 NOAEL : 14 mg/kg  
 LOAEL : 54 mg/kg  
 Application Route : Oral  
 Exposure time : 91 d

## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

Target Organs	:	Nervous system
Species	:	Mouse
LOAEL	:	6 mg/kg
Application Route	:	Oral
Exposure time	:	12 Weeks
Target Organs	:	Immune system
Symptoms	:	immune system effects

### 2,6-Di-tert-butyl-p-cresol:

Species	:	Rat
NOAEL	:	25 mg/kg
Application Route	:	Ingestion
Exposure time	:	22 Months

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Components:

#### Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

### Components:

#### Deltamethrin (ISO):

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	:	Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### Solvent naphtha (petroleum), light aromatic:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction
------------------	---	---

Toxicity to daphnia and other	:	EL50 (Daphnia magna (Water flea)): 4.5 mg/l
-------------------------------	---	---

## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

aquatic invertebrates		Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201  NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOELR (Daphnia magna (Water flea)): 2.6 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Toxicity to fish	:	LC50 : > 1 - < 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials  NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l Exposure time: 72 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 21 d Remarks: Based on data from similar materials

**4-Nonylphenol, branched, ethoxylated:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
------------------	---	---

## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l  
Exposure time: 100 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

**Deltamethrin (ISO):**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l  
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l  
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 0.0035 mg/l  
Exposure time: 48 h

LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l  
Exposure time: 36 d

NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l  
Exposure time: 260 d

**Deltamethrin (2.5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l  
Exposure time: 21 d

**2,6-Di-tert-butyl-p-cresol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l  
Exposure time: 30 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.316 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Solvent naphtha (petroleum), light aromatic:**

Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 94 %  
Exposure time: 25 d

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**4-Nonylphenol, branched, ethoxylated:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

**Deltamethrin (2.5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

**Deltamethrin (ISO):**

Stability in water : Hydrolysis: 0 %(30 d)

**2,6-Di-tert-butyl-p-cresol:**Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C**Bioaccumulative potential****Components:****Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**Partition coefficient: n-  
octanol/water : log Pow: 2.89**Deltamethrin (ISO):**Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800Partition coefficient: n-  
octanol/water : log Pow: 4.6**2,6-Di-tert-butyl-p-cresol:**Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 330 - 1,800Partition coefficient: n-  
octanol/water : log Pow: 5.1**Mobility in soil****Components:****Deltamethrin (ISO):**Distribution among environ-  
mental compartments : log Koc: 7.2**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or

## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

death.

If not otherwise specified: Dispose of as unused product.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3295  
 Proper shipping name : HYDROCARBONS, LIQUID, N.O.S.  
 Class : 3  
 Packing group : III  
 Labels : 3  
 Environmentally hazardous : no

##### IATA-DGR

UN/ID No. : UN 3295  
 Proper shipping name : Hydrocarbons, liquid, n.o.s.  
 Class : 3  
 Packing group : III  
 Labels : Flammable Liquids  
 Packing instruction (cargo aircraft) : 366  
 Packing instruction (passenger aircraft) : 355

##### IMDG-Code

UN number : UN 3295  
 Proper shipping name : HYDROCARBONS, LIQUID, N.O.S.  
 (Deltamethrin (ISO), 2,6-Di-tert-butyl-p-cresol)  
 Class : 3  
 Packing group : III  
 Labels : 3  
 EmS Code : F-E, S-D  
 Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### NOM-002-SCT

UN number : UN 3295  
 Proper shipping name : HYDROCARBONS, LIQUID, N.O.S.  
 Class : 3  
 Packing group : III  
 Labels : 3

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**Deltamethrin (2.5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION**

Revision Date : 07.11.2023  
Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits  
ACGIH / TWA : 8-hour, time-weighted average  
NOM-010-STPS-2014 / VLE- : Time weighted average limit value  
PPT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances



## Deltamethrin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
4.2	07.11.2023	2656118-00014	Date of first issue: 29.03.2018

---

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8