



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	7730566-00010	Date of first issue: 2021/01/13

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name	:	Deltamethrin (3%) Formulation
Supplier's company name, ac Company name of supplier		
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Flammable liquids	:	Category 3
Acute toxicity (Oral)	:	Category 4
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Reproductive toxicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3
Specific target organ toxicity - repeated exposure	:	Category 2 (Systemic toxicity)
Aspiration hazard	:	Category 1
Short-term (acute) aquatic hazard	:	Category 1



Version 6.0	Revision Date: 2024/09/28	SDS Number: 7730566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
Lon haz	g-term (chronic) aquatic ard	: Category 1	
•	S label elements zard pictograms		
Sig	nal word	: Danger	
Haz	zard statements	H302 Harmful H304 May be f H315 Causes H317 May cau H318 Causes H335 May cau H361fd Suspe ing the unborn H373 May cau prolonged or re	atal if swallowed and enters airways. skin irritation. se an allergic skin reaction. serious eye damage. se respiratory irritation. cted of damaging fertility. Suspected of damag-
Pre	cautionary statements	P202 Do not h and understoo P210 Keep aw and other ignit P233 Keep co P241 Use exp ment. P242 Use non P243 Take act P260 Do not b P264 Wash sk P270 Do not e P271 Use only P272 Contami the workplace. P273 Avoid re	vay from heat, hot surfaces, sparks, open flames ion sources. No smoking. ntainer tightly closed. losion-proof electrical/ ventilating/ lighting equip- -sparking tools. ion to prevent static discharges. reathe mist or vapours. in thoroughly after handling. at, drink or smoke when using this product. outdoors or in a well-ventilated area. nated work clothing should not be allowed out of lease to the environment. otective gloves/ protective clothing/ eye protec-
		CENTER/ doc P303 + P361 - ly all contamin P304 + P340 -	F SWALLOWED: Immediately call a POISON tor. - P353 IF ON SKIN (or hair): Take off immediate- ated clothing. Rinse skin with water. - P312 IF INHALED: Remove person to fresh air fortable for breathing. Call a POISON CENTER/



Version 6.0	Revision Date: 2024/09/28	SDS Number: 7730566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13			
		water for severa and easy to do. CENTER/ docto P308 + P313 IF attention. P331 Do NOT i P333 + P313 If vice/ attention.	P338 + P310 IF IN EYES: Rinse cautiously with al minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON or. Exposed or concerned: Get medical advice/ nduce vomiting. skin irritation or rash occurs: Get medical ad- ake off contaminated clothing and wash it before			
		Storage: P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.				
		Disposal: P501 Dispose o disposal plant.	of contents/ container to an approved waste			

Other hazards which do not result in classification

Important symptoms and outlines of the emergency assumed Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Vapours may form explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : M

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Xylene	1330-20-7	81.7	3-3, 3-60
Calcium dodecylbenzenesulpho- nate	26264-06-2	9	3-1906, 3- 1884, 3-1949
Nonylphenol, ethoxylated	9016-45-9	5	7-172
deltamethrin (ISO)	52918-63-5	>= 3 - < 10	
2,6-Di-tert-butyl-p-cresol	128-37-0	1.78	3-540, 9-1805

4. FIRST AID MEASURES

General advice

: In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical



advice. If inhaled : If inhaled, remove to fresh air. Get medical attention. In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately. If swallowed If swallowed : If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Most important symptoms and effects, both acute and delayed : Harmful if swallowed and enters airways. Causes skin initation. May cause an allergic skin reaction. Causes skin initation. Suspected of damaging tertility. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning us exist (see section 8). Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Stitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Junsuitable extinguishing fire- fighting : Do not use a solid water s	Version Revision Date: 6.0 2024/09/28		DS Number: 30566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13	
In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately. If swallowed If swallowed : If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Most important symptoms and effects, both acute and delayed : Harmful if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. Suspected of damaging fertility. Suspected of damaging the unborn child. May cause of damage to organs through prolonged or repeated exposure. This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). S. FIREFIGHTING MEASURES Suitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media : High volume water jet : Do not use a solid water stream as it may scatter and spread fire. Flash back possible over consider	If inhaled	:		to fresh air.	
In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately. If swallowed :: If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Most important symptoms and effects, both acute and delayed :: Never give anything by mouth to an unconscious person. Most important symptoms and effects, both acute and delayed :: Nay be fatal if swallowed and enters airways. Causes a sillergic skin reaction. Causes erious eye damage. May cause en allergic skin reaction. Causes of option of first-aiders :: This product contains a pyrethroid. Protection of first-aiders :: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Notes to physician :: Treat symptomatically and supportively. 5. FIREFIGHTING MEASURES :: Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media : : High volume water jet Specific hazards during fire-fighting : Do not use a solid water strea	In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention.		
If swallowed : If swallowed, DO NOT induce vomiting. If swallowed : If swallowed, DO NOT induce vomiting. Most important symptoms and effects, both acute and delayed : Harmful if swallowed. May be fatal if swallowed. : Harmful if swallowed. May be fatal if swallowed. : Harmful if swallowed. May be fatal if swallowed. : May be fatal if swallowed. May be fatal if swallowed. : May be fatal if swallowed. May be fatal if swallowed. : May be fatal if swallowed. May be fatal if swallowed. : Harmful if swallowed. May be fatal if swallowed. : May be fatal if swallowed. May be fatal if swallowed. : May be fatal if swallowed. May cause an allergic skin reaction. : Causes skin irritation. Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. This product contains a pyrethroid. : Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when t	In case of eye contact	:	In case of contact for at least 15 min If easy to do, rem	, immediately flush eyes with plenty of water outes. ove contact lens, if worn.	
Most important symptoms and effects, both acute and delayedHarmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.Protection of first-aiders: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Treat symptomatically and supportively.5. FIREFIGHTING MEASURES: Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemicalUnsuitable extinguishing media: Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemicalSpecific hazards during fire- fighting: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.	If swallowed	:	If swallowed, DO If vomiting occurs Call a physician o Rinse mouth thore	NOT induce vomiting. have person lean forward. r poison control centre immediately. bughly with water.	
Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Notes to physician : Treat symptomatically and supportively. 5. FIREFIGHTING MEASURES Suitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media : High volume water jet Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.	and effects, both acute and	:	Harmful if swallow May be fatal if sw Causes skin irritat May cause an alle Causes serious e May cause respira Suspected of dam unborn child. May cause damag exposure. This product conta Pyrethroid poison	ved. allowed and enters airways. tion. ergic skin reaction. ye damage. atory irritation. haging fertility. Suspected of damaging the ge to organs through prolonged or repeated ains a pyrethroid. ing should not be confused with carbamate	
5. FIREFIGHTING MEASURES Suitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media : High volume water jet Specific hazards during fire- fighting : Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.		:	First Aid responde and use the recor when the potentia	ers should pay attention to self-protection, nmended personal protective equipment I for exposure exists (see section 8).	
 Suitable extinguishing media Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media High volume water jet Specific hazards during fire- fighting Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health. 		:	Treat symptomati	cally and supportively.	
media Specific hazards during fire- fighting : Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.		a :	Alcohol-resistant Carbon dioxide (C		
fighting file. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.		:	High volume wate	r jet	
Hazardous combustion prod- : Carbon oxides		:	fire. Flash back possib Vapours may forn	ble over considerable distance. In explosive mixtures with air.	
	Hazardous combustion prod	I- :	Carbon oxides		



Version 6.0	Revision Date: 2024/09/28	-	0S Number: 30566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
ucts			Nitrogen oxides (Bromine compour Metal oxides Sulphur compour	nds
Spec ods	Specific extinguishing meth- ods		Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area.	
	cial protective equipment refighters	:		e, wear self-contained breathing apparatus. tective equipment.
6. ACCID	ENTAL RELEASE MEAS	SUF	RES	
tive e	onal precautions, protec- equipment and emer- cy procedures	:	Follow safe hand	es of ignition. tective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).
Envi	Environmental precautions		Prevent spreading barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages
	Methods and materials for containment and cleaning up		Soak up with iner Suppress (knock spray jet. For large spills, p ment to keep mat be pumped, store Clean up remainin bent. Local or national posal of this mate employed in the o mine which regula Sections 13 and	s should be used. t absorbent material. down) gases/vapours/mists with a water rovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate container. ng materials from spill with suitable absor- regulations may apply to releases and dis- rial, as well as those materials and items leanup of releases. You will need to deter- ations are applicable. 15 of this SDS provide information regarding tional requirements.

7. HANDLING AND STORAGE

Handling



Version 6.0	Revision Date: 2024/09/28	SDS Number: 7730566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13		
Teo	chnical measures		ng measures under EXPOSURE ERSONAL PROTECTION section.		
Loc	al/Total ventilation	: If sufficient ven ventilation.	If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip-		
Adv	vice on safe handling	: Do not get on s Do not breathe Do not swallow Do not get in ey Wash skin thor Handle in acco practice, based sessment Non-sparking to Keep container Already sensitis to asthma, aller should consult tory irritants or Keep away fror other ignition so Take precautio Do not eat, drir	mist or vapours. yes. oughly after handling. rdance with good industrial hygiene and safety on the results of the workplace exposure as- pols should be used. tightly closed. sed individuals, and those susceptible rgies, chronic or recurrent respiratory disease, their physician regarding working with respira-		
	bidance of contact giene measures	 Oxidizing agen If exposure to o flushing system place. When using do Contaminated workplace. Wash contamin The effective o engineering co appropriate des 	chemical is likely during typical use, provide eye as and safety showers close to the working not eat, drink or smoke. work clothing should not be allowed out of the nated clothing before re-use. peration of a facility should include review of ntrols, proper personal protective equipment, gowning and decontamination procedures, ne monitoring, medical surveillance and the		
Sto	rage				
	nditions for safe storage	Store locked up Keep tightly clc Keep in a cool, Store in accord			
Ma	terials to avoid		th the following product types:		
Pac	ckaging material	: Unsuitable mat	erial: None known.		



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	7730566-00010	Date of first issue: 2021/01/13

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis	
Xylene	1330-20-7	ACL	50 ppm	JP OEL ISHL	
		OEL-M	50 ppm 217 mg/m3	JP OEL JSOH	
		Further information: Group 3: Substances suspected to cause reproductive toxicity in humans			
		TWA	20 ppm	ACGIH	
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m3 (OEB 3)	Internal	
	Further inform	ation: DSEN, Sk	in		
		Wipe limit	100 µg/100 cm ²	Internal	
2,6-Di-tert-butyl-p-cresol	128-37-0	8h-OEL-M	10 mg/m3	JP ISHL OEL 577-2(2)	
		TWA (Inhal- able fraction and vapor)	2 mg/m3	ACGIH	

Biological occupational exposure limits

Components	CAS-No.	Target sub- stance	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Xylene	1330-20-7	total (o-, m-, p-)methylhip- puric acid	Urine	End of shift at end of work- week	800 mg/l	JSOH
		Methylhip- puric acids	Urine	End of shift (As soon as possible after exposure ceases)	0.3 g/g cre- atinine	ACGIH BEI

Engineering measures

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-



/ersion 6.0	Revision Date: 2024/09/28	SDS Ni 773056	umber: 6-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
			ment device imize open h	
		Use mer		proof electrical, ventilating and lighting equip-
Perso	onal protective equip	ment		
Respi	iratory protection	sure	e assessmer	I exhaust ventilation is not available or expo- t demonstrates exposures outside the rec- lelines, use respiratory protection.
	ter type protection	: Con	nbined partic	culates and organic vapour type
Ma	aterial	: Che	emical-resista	ant gloves
Re	emarks	mat	ole, which ma	e gloving. Take note that the product is flam- ay impact the selection of hand protection. otective gloves
Eye p	protection	: Wea If th mist Wea pote	ar safety glas e work envir ts or aerosol ar a faceshie	sses with side shields or goggles. onment or activity involves dusty conditions, s, wear the appropriate goggles. Ind or other full face protection if there is a fact contact to the face with dusts, mists, or
Skin a	and body protection	Add task pos Use	litional body being perfo able suits) to	laboratory coat. garments should be used based upon the rmed (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces. degowning techniques to remove potentially othing.

Physical state	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Lower explosion limit and uppe	er ez	xplosion limit / flammat

Lower explosion limit and upper explosion limit / flammability limit Upper explosion limit / Up- : No data available



Version 6.0	Revision Date: 2024/09/28		S Number: 30566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
Ę	per flammability limit			
	_ower explosion limit / _ower flammability limit	:	No data available	
Flas	sh point	:	45 - 51 °C	
Dec	composition temperature	:	No data available	9
pН		:	4 - 5	
Eva	poration rate	:	No data available)
Auto	o-ignition temperature	:	No data available	9
	cosity /iscosity, kinematic	:	No data available	9
	ubility(ies) Water solubility	:	soluble	
	tition coefficient: n- anol/water	:	Not applicable	
Vap	our pressure	:	No data available	9
	sity and / or relative densi Relative density	ty :	No data available	9
[Density	:	No data available	9
Rela	ative vapour density	:	No data available	9
Exp	losive properties	:	Not explosive	
Oxio	dizing properties	:	The substance o	r mixture is not classified as oxidizing.
Mol	ecular weight	:	No data available)
	ticle characteristics Particle size	:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Flammable liquid and vapour.
tions		Vapours may form explosive mixture with air.
		Can react with strong oxidizing agents.





ersion 0	Revision Date: 2024/09/28		S Number: 30566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13	
Incom	tions to avoid patible materials	:	Heat, flames ar Oxidizing agent	S	
produ	dous decomposition cts	•	NO NAZAROOUS (decomposition products are known.	
. TOXIC	OLOGICAL INFORMAT	101	I		
Inform expos	nation on likely routes of ure	:	Inhalation Skin contact Ingestion Eye contact		
	toxicity ful if swallowed.				
<u>Produ</u>			.		
Acute	oral toxicity	:	Acute toxicity es Method: Calcula	timate: 1,291 mg/kg tion method	
Acute	inhalation toxicity	:	 Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method 		
<u>Comp</u>	oonents:				
Xylen	e:				
Acute	oral toxicity	:	LD50 (Rat): 3,52 Method: Directiv	23 mg/kg e 67/548/EEC, Annex V, B.1.	
Acute	inhalation toxicity	:	LC50 (Rat): 27.8 Exposure time: 4 Test atmosphere	4 h	
Acute	dermal toxicity	:	LD50 (Rabbit): >	• 4,200 mg/kg	
Calci	um dodecylbenzenesul	pho	onate:		
Method: OECD			LD50 (Rat): > 50 Method: OECD	00 - 2,000 mg/kg Test Guideline 401 d on data from similar materials	
Acute	dermal toxicity	 LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials 			
	Iphenol, ethoxylated:				
	oral toxicity				



ersion .0	Revision Date: 2024/09/28		9S Number: 30566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
delta	methrin (ISO):			
	oral toxicity	:	LD50 (Rat): 66.7	mg/kg
			LD50 (Rat): 9 - 13	39 mg/kg
			LD50 (Mouse): 19	9 - 34 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 0.8 m Exposure time: 2 Test atmosphere:	ĥ
Acute	dermal toxicity	:	LD50 (Rabbit): 2,0	000 mg/kg
			LD50 (Rat): > 800) mg/kg
	toxicity (other routes of nistration)	:	LD50 (Rat): 2.5 m Application Route	
			LD50 (Mouse): 10 Application Route	
11 2,6-D	i-tert-butyl-p-cresol:			
Acute	oral toxicity	:	LD50 (Rat): > 6,0 Method: OECD Te	00 mg/kg est Guideline 401
Acute	dermal toxicity	:	LD50 (Rat): > 2,0 Method: OECD To Assessment: The toxicity	
II Skin (corrosion/irritation			
Cause	es skin irritation.			
Comp	oonents:			
Xylen			Datati	
Speci Resul		:	Rabbit Skin irritation	
Calci	um dodecylbenzenesu	lph	onate:	
Speci	•	:	Rabbit	
Metho Resul		:	OECD Test Guide Skin irritation	eline 404
Rema		:		om similar materials
Nony	Iphenol, ethoxylated:			
Speci	es	:	Rabbit	
Metho Resul		:	OECD Test Guide No skin irritation	eline 404
		•		



Revision Date: 2024/09/28		OS Number: 30566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
nethrin (ISO):			
es	:	Rabbit	
t	:	No skin irritation	I
	:	Rabbit	
	÷		
rks	:		rom similar materials
us eye damage/eye	irritati	on	
	je.		
es	:		
es t vd rks	:	Rabbit Irreversible effect OECD Test Guid Based on data f	
phonol othoryulator			
	·•	Rabbit	
	:		cts on the eve
d	:	OECD Test Gui	
nethrin (ISO):			
es	:	Rabbit	
t	:	Moderate eye in	ritation
es	:	Rabbit	
	:		
rks			rom similar materials
ratory or skin sensi	tisatio	on	
sensitisation			
ause an allergic skin	reaction	on.	
ratory sensitisation			
	2024/09/28 nethrin (ISO): es t tert-butyl-p-cresol: es td trks us eye damage/eye es serious eye damage conents: e: es t um dodecylbenzene es t d rks phenol, ethoxylated es t d nethrin (ISO): es t tert-butyl-p-cresol: es t d rks ratory or skin sensi sensitisation	2024/09/28 77 methrin (ISO):	2024/09/28 7730566-00010 methrin (ISO):



ersion 0	Revision Date: 2024/09/28	SDS Number: 7730566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
Com	ponents:		
Xyler			
Test		· Local lymph	node assay (LLNA)
	sure routes	: Skin contact	
Speci		: Mouse	
Resu	lt	: negative	
Calci	um dodecylbenzene	esulphonate:	
Test		: Maximisation	
	sure routes	: Skin contact	
Speci Metho		: Guinea pig	Guideline 406
Resu		: negative	
Rema			ta from similar materials
Nony	Iphenol, ethoxylated	d:	
Test	• • •	: Maximisatior	n Test
	sure routes	: Skin contact	
Speci	ies	: Guinea pig	
Resu		: negative	
Rema	arks	: Based on da	ta from similar materials
delta	methrin (ISO):		
Test		: Maximisation	n Test
	sure routes	: Dermal	
Speci	ies	: Guinea pig	
Resu	IL	: negative	
Test	Туре		at insult patch test (HRIPT)
	sure routes	: Dermal	
Speci		: Humans	
Resu	IL	: positive	
	i-tert-butyl-p-cresol: -		
Test	Type sure routes		at insult patch test (HRIPT)
Expo	sure routes	: Skin contact	
Speci Resu		: Humans : negative	
I Resul		. negative	
	cell mutagenicity		
Not c	lassified based on av	ailable information.	
Com	ponents:		
Xyler	ne:		
	tovioity in vitro		Pactorial reverse mutation appay (AMES)

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES) Result: negative



rsion)	Revision Date: 2024/09/28	SDS Number: 7730566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
		Result: negativ	vitro mammalian cell gene mutation test
		Test Type: In v malian cells Result: negativ	vitro sister chromatid exchange assay in man ve
Geno	toxicity in vivo	Species: Mous	ute: Skin contact
Calci	um dodecylbenzene	esulphonate:	
Geno	toxicity in vitro	Method: OECI Result: negativ	cterial reverse mutation assay (AMES) D Test Guideline 471 re ed on data from similar materials
		Result: negativ Remarks: Base	ed on data from similar materials
		Method: OECI Result: negativ	romosome aberration test in vitro) Test Guideline 473 /e ed on data from similar materials
Geno	toxicity in vivo	cytogenetic as Species: Mous Application Ro Result: negativ	e ute: Ingestion
Nony	Iphenol, ethoxylate	d:	
Geno	toxicity in vitro	Result: negativ	cterial reverse mutation assay (AMES) /e ed on data from similar materials
delta	methrin (ISO):		
Geno	toxicity in vitro	: Test Type: Bao Result: negativ	cterial reverse mutation assay (AMES) ve
		Test Type: DN Test system: E Result: negativ	scherichia coli



Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg Result: positive Genotoxicity in vivo Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative Test Type: sister chromatid exchange assay Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cenotoxicity in vitro Test Type: In vitro mammalian cell gene mutation test Result: negative Test Type: Chromosome aberration test in vitro Result: negative Test Type: Nuttagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion	ersion 0	Revision Date: 2024/09/28	SDS Number:Date of last issue: 2024/04/067730566-00010Date of first issue: 2021/01/13
Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test Result: negative Test Type: Chromosome aberration test in vitro Result: negative Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion	Genot	oxicity in vivo	 Test system: Chinese hamster ovary cells Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg Result: positive Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative Test Type: sister chromatid exchange assay Species: Mouse Cell type: Bone marrow Application Route: Oral
Test Type: In vitro mammalian cell gene mutation test Result: negative Test Type: Chromosome aberration test in vitro Result: negative Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion			: Test Type: Bacterial reverse mutation assay (AMES)
Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion			Result: negative Test Type: In vitro mammalian cell gene mutation test
cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion			
	Genote	oxicity in vivo	cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion
	<u>Comp</u>	onents:	

Xylene:

Species Application Route	: Rat
Application Route	: Ingestion
Exposure time Result	: 103 weeks
Result	: negative



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	7730566-00010	Date of first issue: 2021/01/13

deltamethrin (ISO):

Species Application Route Exposure time NOAEL LOAEL Result Target Organs		Mouse, male and female oral (feed) 104 weeks 8 mg/kg body weight 4 mg/kg body weight positive Lymph nodes
Species Application Route Exposure time Result	:	Rat, male and female oral (feed) 2 Years negative
Species Application Route Exposure time NOAEL Result		Dog, male and female oral (feed) 2 Years 1 mg/kg body weight negative

2,6-Di-tert-butyl-p-cresol:

Species Application Route	: Rat
Application Route	: Ingestion
Exposure time Result	: 22 Months
Result	: negative

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

Xylene:

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapour) Result: negative
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative

Calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Combined repeated dose reproduction/developmental toxicity Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative	5
--	---



ersion 0	Revision Date: 2024/09/28	SDS Number: 7730566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
		Remarks: Base	d on data from similar materials
Effects on foetal develop- ment		reproduction/de Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 422
delta	methrin (ISO):		
Effect	s on fertility	Species: Rat Application Rou Early Embryoni weight Symptoms: No	ee-generation reproduction toxicity study ute: oral (feed) c Development: NOAEL: 50 mg/kg body effects on fertility, Embryo-foetal toxicity ficant toxicity observed in testing
		Species: Rat Application Rou Early Embryoni weight	e-generation reproduction toxicity study ute: Oral c Development: LOAEL: 84 - 149 mg/kg body effects on fertility, Embryo-foetal toxicity
		Test Type: Fert Species: Rat, m Application Rou Fertility: LOAEL Symptoms: Effe Target Organs:	nale ute: Oral .: 1 mg/kg body weight ects on fertility
Effect ment	s on foetal develop-	Developmental Result: Skeleta	
		Developmental	
Repro	oductive toxicity - As-	: Some evidence	of adverse effects on sexual function and



ersion 0	Revision Date: 2024/09/28	SDS Number: 7730566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
sessr	ment	fertility, and/or	on development, based on animal experiments
2.6-D)i-tert-butyl-p-cresol:		
	ts on fertility	: Test Type: Tw Species: Rat Application Ro Result: negativ	
Effec ment	ts on foetal develop-	: Test Type: Em Species: Rat Application Ro Result: negativ	
	F - single exposure cause respiratory irritat	ion.	
-	ponents:		
Xyler			
-	ssment	: May cause res	spiratory irritation.
		·	
	methrin (ISO):		
Asse	ssment	: May cause res	spiratory irritation.
STO			
	T - repeated exposure		
	F - repeated exposure cause damage to organ		through prolonged or repeated exposure.
May	cause damage to orgai		through prolonged or repeated exposure.
May o <u>Com</u>	cause damage to organ ponents:		through prolonged or repeated exposure.
May o <u>Com</u> Xyler	cause damage to organ ponents: ne:	ns (Systemic toxicity)	
May o <u>Com</u> Xyler Expo Targe	cause damage to organ ponents: ne: sure routes et Organs		oour)
May o <u>Com</u> Xyler Expo Targe	cause damage to organ ponents: ne:	ns (Systemic toxicity) : inhalation (vap : Auditory syste : Shown to proc	oour)
May o <u>Com</u> Xyler Expo Targe Asse	cause damage to organ ponents: ne: sure routes et Organs ssment	 inhalation (vap inhalation (vap Auditory syste Shown to proc centrations of 	oour) m luce significant health effects in animals at cor
May o <u>Com</u> Xyler Expo Targe Asses Calci	cause damage to organ ponents: ne: sure routes et Organs	ns (Systemic toxicity) inhalation (vap) Auditory syste Shown to proc centrations of sulphonate: No significant 	oour) m luce significant health effects in animals at con
May o <u>Com</u> Xyler Expo Targe Asses Calci Asses	cause damage to organ ponents: ne: sure routes et Organs ssment	ns (Systemic toxicity) inhalation (vap) Auditory syste Shown to proc centrations of sulphonate: No significant 	oour) m luce significant health effects in animals at con >0.2 to 1 mg/l/6h/d. health effects observed in animals at concentr
May of Com Expo Targe Asses Calci Asses delta	cause damage to organ ponents: ne: sure routes et Organs ssment ium dodecylbenzenes ssment methrin (ISO): sure routes	ns (Systemic toxicity) : inhalation (vap : Auditory syste : Shown to proc centrations of sulphonate: : No significant tions of 100 m : Ingestion	bour) m luce significant health effects in animals at con >0.2 to 1 mg/l/6h/d. health effects observed in animals at concentr g/kg bw or less.
May of Com Expo Targe Asses Calci Asses delta Expo Targe	cause damage to organ ponents: ne: sure routes et Organs ssment ium dodecylbenzenes ssment methrin (ISO): sure routes et Organs	 inhalation (vap inhalation (vap Auditory syste Shown to procentrations of sulphonate: No significant tions of 100 m Ingestion Central nervoor 	bour) m luce significant health effects in animals at cor >0.2 to 1 mg/l/6h/d. health effects observed in animals at concentr g/kg bw or less.
May of Com Expo Targe Asses Calci Asses delta Expo Targe	cause damage to organ ponents: ne: sure routes et Organs ssment ium dodecylbenzenes ssment methrin (ISO): sure routes	 inhalation (vap inhalation (vap Auditory syste Shown to procentrations of sulphonate: No significant tions of 100 m Ingestion Central nervoor 	bour) m luce significant health effects in animals at cor >0.2 to 1 mg/l/6h/d. health effects observed in animals at concentr g/kg bw or less.
May of Com Xyler Expo Targe Asses Calci Asses delta Expo Targe Asses	cause damage to organ ponents: ne: sure routes et Organs ssment ium dodecylbenzenes ssment methrin (ISO): sure routes et Organs ssment	 inhalation (vap inhalation (vap Auditory syste Shown to procentrations of sulphonate: No significant tions of 100 m Ingestion Central nervoir Causes damage exposure. 	bour) m luce significant health effects in animals at cor >0.2 to 1 mg/l/6h/d. health effects observed in animals at concentr g/kg bw or less. us system, Immune system ge to organs through prolonged or repeated
May of <u>Com</u> Xyler Expo Targe Asses Calci Asses delta Expo Targe Asses	cause damage to organ ponents: ne: sure routes et Organs ssment ium dodecylbenzenes ssment methrin (ISO): sure routes et Organs ssment sure routes	 inhalation (vap inhalation (vap Auditory syste Shown to proceed to proceed	bour) m luce significant health effects in animals at cor >0.2 to 1 mg/l/6h/d. health effects observed in animals at concentr g/kg bw or less. us system, Immune system ge to organs through prolonged or repeated st/mist/fume)
May of <u>Com</u> Xyler Expo Targe Asses Calci Asses delta Expo Targe Asses delta	cause damage to organ ponents: ne: sure routes et Organs ssment ium dodecylbenzenes ssment methrin (ISO): sure routes et Organs ssment	 inhalation (vap Auditory syste Auditory syste Shown to proc centrations of Sulphonate: No significant tions of 100 m Central nervou Causes damage exposure. inhalation (dustice) 	bour) m luce significant health effects in animals at cor >0.2 to 1 mg/l/6h/d. health effects observed in animals at concentr g/kg bw or less. us system, Immune system ge to organs through prolonged or repeated st/mist/fume)



rsion)	Revision Date: 2024/09/28	SDS Number: 7730566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
2.6-D	i-tert-butyl-p-cresol:		
	ssment		ealth effects observed in animals at concent /kg bw or less.
Repe	ated dose toxicity		
<u>Comp</u>	oonents:		
Xylen	ne:		
Speci		: Rat	
LÕAE		: > 0.2 - 1 mg/l	
	cation Route sure time	: inhalation (vapo : 13 Weeks	bur)
Rema			from similar materials
Speci	es	: Rat	
LOAE		: 150 mg/kg	
	cation Route sure time	: Ingestion : 90 Days	
Calci	um dodecylbenzene	sulphonate:	
Speci	-	: Rat	
LOAE		: > 200 mg/kg	
	cation Route	: Ingestion	
	sure time	: 6 - 7 Weeks	
Metho Rema		: OECD Test Gu : Based on data	from similar materials
Speci		: Rabbit	
NOAE		: > 100 mg/kg	
	cation Route sure time	: Skin contact	
⊢xpo: Metho		: 28 Days : OECD Test Gu	ideline 410
Rema			from similar materials
delta	methrin (ISO):		
Speci		: Rat, male and f	emale
NOAE		: 1 mg/kg	
LOAE	L Cation Route	: 2.5 mg/kg : Oral	
	sure time	: 13 Weeks	
	et Organs	: Nervous system	n
Symp		: hyperexcitability	
		: Rat	
Speci		: 3 mg/m3 : inhalation (dust/mist/fume)	
LÒAE		 inhalation (dust 	
LÒAE Applio	∟ cation Route sure time	: inhalation (dust : 2 wk / 5 d/wk / (



Version 6.0	Revision Date: 2024/09/28	SDS Number: 7730566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
Expo	EL EL cation Route sure time et Organs	: Dog : 0.1 mg/kg : 1 mg/kg : Oral : 13 Weeks : Nervous syster : Dilatation of the tion	n e pupil, Vomiting, Tremors, Diarrhoea, Saliva-
Expos	EL	: Rat : 14 mg/kg : 54 mg/kg : Oral : 91 d : Nervous syster	n
Expo	EL cation Route sure time et Organs	: Mouse : 6 mg/kg : Oral : 12 Weeks : Immune systen : immune systen	
Speci NOAE Applic		: Rat : 25 mg/kg : Ingestion : 22 Months	
May b Comp Xyler	substance or mixture is	s known to cause huma	an aspiration toxicity hazards or has to be re-
	ed as if it causes a hur rience with human e	nan aspiration toxicity xposure	hazard.
	ponents:		
delta Inhala	methrin (ISO): ation	Headache, Nau	piratory tract irritation, Dizziness, Sweating, usea, Vomiting, anorexia, Fatigue, tingling, rred vision, muscle twitching
Skin o	contact	sea, Vomiting,	n irritation, Erythema, pruritis, Headache, Nau- Dizziness, tingling, Sweating, muscle twitching, Fatigue, anorexia, Allergic reactions



ICAL INFORMATION city hents:	: 1	Symptoms: muso	cle pain, Small pupils
city	I		
-			
to fish	:	LC50 (Oncorhyne Exposure time: 9	chus mykiss (rainbow trout)): 13.5 mg/l 6 h
to daphnia and other nvertebrates	:	Exposure time: 2 Method: OECD T	
to algae/aquatic	:	: EC50 (Skeletonema costatum (marine diatom)): 10 m Exposure time: 72 h	
to fish (Chronic tox-	:	 NOEC (Danio rerio (zebra fish)): > 0.1 - < 1 mg/l Exposure time: 35 d Method: OECD Test Guideline 210 Remarks: Based on data from similar materials 	
to daphnia and other nvertebrates (Chron- /)	:	Exposure time: 2 Method: OECD T	nagna (Water flea)): > 1 - 10 mg/l 1 d Test Guideline 211 on data from similar materials
to microorganisms	:		
dodecylbenzenesul	ph	onate:	
to fish	:	Exposure time: 9	idus (Golden orfe)): > 1 - 10 mg/l 6 h on data from similar materials
to daphnia and other nvertebrates	 EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials 		8 h
to algae/aquatic	:	100 mg/l Exposure time: 7	irchneriella subcapitata (green algae)): > 10 2 h on data from similar materials
	nvertebrates to algae/aquatic to fish (Chronic tox- to daphnia and other nvertebrates (Chron- r) to microorganisms dodecylbenzenesul to fish to daphnia and other nvertebrates	avertebrates to algae/aquatic to fish (Chronic tox- to daphnia and other nvertebrates (Chron- nvertebrates (Chron- nvertebrates (Chron- to microorganisms to fish to fish to fish to apphnia and other to fish to fish	to daphnia and other nvertebrates : EC50 (Daphnia r Exposure time: 2 Method: OECD T Remarks: Based to algae/aquatic : EC50 (Skeletone Exposure time: 7 to fish (Chronic tox- to daphnia and other nvertebrates (Chron- r) : EL10 (Daphnia n Exposure time: 2 Method: OECD T Remarks: Based to daphnia and other nvertebrates (Chron- r) : EL10 (Daphnia n Exposure time: 2 Method: OECD T Remarks: Based to microorganisms : NOEC: > 100 mg Exposure time: 3 Method: OECD T Remarks: Based to fish : LC50 (Leuciscus Exposure time: 9 Remarks: Based to daphnia and other nvertebrates : EC50 (Daphnia r Exposure time: 9 Remarks: Based to daphnia and other nvertebrates : EC50 (Daphnia r Exposure time: 4 Remarks: Based to daphnia and other nvertebrates : EC50 (Daphnia r Exposure time: 4 Remarks: Based





sion	Revision Date: 2024/09/28		S Number: 30566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
			1 mg/l Exposure time: 7	rchneriella subcapitata (green algae)): > (2 h on data from similar materials
Toxici icity)	ty to fish (Chronic tox-	:	mg/l Exposure time: 2	es promelas (fathead minnow)): > 0.1 - 1 8 d on data from similar materials
	ty to daphnia and other ic invertebrates (Chron- city)	:	Exposure time: 2	magna (Water flea)): > 1 mg/l 1 d on data from similar materials
Toxici	ty to microorganisms	:	Exposure time: 3 Method: OECD T	sludge): > 100 mg/l h est Guideline 209 on data from similar materials
	Iphenol, ethoxylated: ty to fish	:	Exposure time: 9	s promelas (fathead minnow)): > 0.1 - 1 n 6 h on data from similar materials
	ty to daphnia and other ic invertebrates	:	Exposure time: 4	nia dubia (water flea)): > 0.1 - 1 mg/l 8 h on data from similar materials
Toxici plants	ty to algae/aquatic	:	mg/l Exposure time: 7 Method: OECD T Remarks: Based	est Guideline 201 on data from similar materials um capricornutum (green algae)): > 1 mg/
				est Guideline 201 on data from similar materials
M-Fac icity)	ctor (Acute aquatic tox-	:	1	
	ty to fish (Chronic tox-	:	Exposure time: 1	atipes (Japanese medaka)): > 0.1 - 1 mg/l 00 d on data from similar materials
	ty to daphnia and other ic invertebrates (Chron- city)	:	mg/l Exposure time: 2	is bahia (opossum shrimp)): > 0.001 - 0.0 8 d on data from similar materials
M-Fac toxicit	ctor (Chronic aquatic	:	10	



ersion 0	Revision Date: 2024/09/28	-	2S Number: 30566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
	nethrin (ISO): y to fish	:	LC50 (Cyprinodo mg/l Exposure time: 9	on variegatus (sheepshead minnow)): 0.0004 16 h
	y to daphnia and other	:	Exposure time: 9 EC50 (Mysidops	is bahia (opossum shrimp)): 0.0037 μg/l
aquatio	c invertebrates		Exposure time: 4 EC50 (Daphnia r Exposure time: 4	nagna (Water flea)): 0.0035 mg/l
			LC50 (Gammaru Exposure time: 9	s fasciatus (freshwater shrimp)): 0.0003 μg/ 6 h
Toxicit <u>;</u> plants	y to algae/aquatic	:	mg/l Exposure time: 7 Method: OECD 7	rchneriella subcapitata (green algae)): > 9.1 2 h Fest Guideline 201 icity at the limit of solubility
M-Fact icity)	tor (Acute aquatic tox-	:	1,000,000	
	y to fish (Chronic tox-	:	NOEC (Pimepha mg/l Exposure time: 3	les promelas (fathead minnow)): 0.000022 6 d
			NOEC (Pimepha mg/l Exposure time: 2	les promelas (fathead minnow)): 0.000017 160 d
	y to daphnia and other c invertebrates (Chron-	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 0.0041 µg/l 1 d
	tor (Chronic aquatic	:	1,000,000	
2,6-Di-	tert-butyl-p-cresol:			
Toxicit	y to fish	:	Exposure time: 9	o (zebra fish)): > 0.57 mg/l /6 h e 67/548/EEC, Annex V, C.1.
	y to daphnia and other c invertebrates	:	Exposure time: 4	nagna (Water flea)): 0.48 mg/l 8 h Fest Guideline 202
Toxicity plants	y to algae/aquatic	:	mg/l Exposure time: 7	irchneriella subcapitata (green algae)): > 0.2 2 h Fest Guideline 201





ersion 0	Revision Date: 2024/09/28	-	OS Number: 30566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
			mg/l Exposure time: 7	kirchneriella subcapitata (green algae)): 0. 72 h Test Guideline 201
	tor (Acute aquatic tox-	:	1	
icity) Toxicit icity)	ty to fish (Chronic tox-	:	Exposure time: 3	latipes (Japanese medaka)): 0.053 mg/l 30 d Test Guideline 210
aquati	ty to daphnia and other c invertebrates (Chron-	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 0.316 mg/l 21 d
	tor (Chronic aquatic	:	1	
toxicity Toxicit	y) ty to microorganisms	:	Exposure time: 3	
Persis	stence and degradabili	ity		
<u>Comp</u>	onents:			
Xylen				
	gradability	:		> 70 %
II Calciu	ım dodecylbenzenesu	lph	onate:	
Biode	gradability	:	Result: Readily Remarks: Based	biodegradable. I on data from similar materials
Nonyl	phenol, ethoxylated:			
Biode	gradability	:		ily biodegradable. I on data from similar materials
	nethrin (ISO):			
Stabili	ty in water	:	Hydrolysis: 0 %(30 d)
2,6-Di	-tert-butyl-p-cresol:			
Biode	gradability	:	Biodegradation: Exposure time: 2	



sion	Revision Date: 2024/09/28		0S Number: 30566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
Bioad	ccumulative potential			
<u>Com</u>	oonents:			
Xyler	ne:			
	ion coefficient: n- ol/water	:	log Pow: 3.16 Remarks: Calcula	ation
Calci	um dodecylbenzenes	ulph	onate:	
Bioac	cumulation	:		factor (BCF): < 500 on data from similar materials
	ion coefficient: n- ol/water	:	log Pow: 4.77 Remarks: Calcula	ation
Partit	Iphenol, ethoxylated: ion coefficient: n- ol/water		log Pow: 4.48	
	methrin (ISO):			
	cumulation	:		s macrochirus (Bluegill sunfish) factor (BCF): 1,800
	ion coefficient: n- ol/water	:	log Pow: 4.6	
2,6-D	i-tert-butyl-p-cresol:			
Bioac	cumulation	:	Species: Cyprinu Bioconcentration	s carpio (Carp) factor (BCF): 330 - 1,800
	ion coefficient: n- ol/water	:	log Pow: 5.1	
Mobi	lity in soil			
<u>Com</u>	oonents:			
Distri	methrin (ISO): bution among environ- al compartments	:	log Koc: 7.2	
	rdous to the ozone lag	yer		
	r adverse effects ata available			

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations.
		Do not dispose of waste into sewer.



Vers 6.0	ion	Revision Date: 2024/09/28		0S Number: 30566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13
Contaminated packaging		:	dling site for recy Empty containers Do not pressurize pose such contain of ignition. They r	should be taken to an approved waste han- cling or disposal. retain residue and can be dangerous. e, cut, weld, braze, solder, drill, grind, or ex- ners to heat, flame, sparks, or other sources nay explode and cause injury and/or death. pecified: Dispose of as unused product.	
		PORT INFORMATION	1		beched. Dispose of as unused product.
14. 1	RANJ	PORTINFORMATION			
	Interna	ational Regulations			
	UNRTI UN nui Proper		:	UN 1993 FLAMMABLE LIC (Xylene)	QUID, N.O.S.
	Labels	g group nmentally hazardous	: :	3 III 3 no	
	IATA-I UN/ID Proper		:	UN 1993 Flammable liquid (Xylene)	, n.o.s.
	Labels Packin aircraft	g instruction (cargo)		3 III Flammable Liquid 366	ls
	Packin ger aire	g instruction (passen-	:	355	
	IMDG- UN nui	Code	:	UN 1993 FLAMMABLE LIC (Xvlene, deltamet	QUID, N.O.S. hrin (ISO), 2,6-Di-tert-butyl-p-cresol)
	Labels EmS C			3 III 3 F-E, <u>S-E</u> yes	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



	2024/09/28	SDS Number: 7730566-00010	Date of first issue	e: 2024/04/06 e: 2021/01/13
FRG	Code	: 128		
Relat	ed Regulations			
	Service Law			
Grou	p 4, Type 2 petroleum	ns, Water soluble liqu	id, (2000 litre), Hazardo	ous rank III
Chen	nical Substance Cor	trol Law		
	ty Assessment Chem	ical Substance		
-	mical name			Number
Xyle alph:	ne a-(Nonylphenyl)-ome	na-hydroxypoly(oxyp	thylene)	<u> </u>
	Di-tert-butyl-4-methylp			64
	strial Safety and Hea			
Harm	ful Substances Prol	hibited from Manufa	acture	
Not a	pplicable			
	iful Substances Req pplicable	uired Permission fo	or Manufacture	
Subs	tances Prevented Fi	rom Impairment of I	Health	
	tances Prevented Fi	rom Impairment of I	lealth	
Not a Circu on Ex	pplicable	mation on Chemica		ty - Annex 2: Informatic
Not a Circu on Ex Not a Circu on Not	pplicable Ilar concerning Infor kisting Chemicals ha pplicable Ilar concerning Infor otified Substances h	mation on Chemica aving Mutagenicity mation on Chemica	als having Mutagenici Als having Mutagenici	ty - Annex 2: Informatic ty - Annex 1: Informatic
Not a Circu on Ex Not a Circu on Not Not a	pplicable Ilar concerning Infor kisting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable	mation on Chemica aving Mutagenicity mation on Chemica naving Mutagenicity	als having Mutagenici Als having Mutagenici	
Not a Circu on Ex Not a Circu on Not Not a Subs	pplicable Ilar concerning Infor xisting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable	mation on Chemica aving Mutagenicity mation on Chemica naving Mutagenicity e Notified Names	als having Mutagenici Als having Mutagenici	
Not a Circu on Ex Not a Circu on Not Not a Subs Article	pplicable Ilar concerning Infor kisting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable tances Subject to be e 57-2 (Enforcement 6	mation on Chemica aving Mutagenicity mation on Chemica naving Mutagenicity e Notified Names	als having Mutagenici	
Not a Circu on Ex Not a Circu on Not Not a Subs Article Cher Xyle	pplicable Ilar concerning Infor kisting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable tances Subject to be e 57-2 (Enforcement (mical name ne	mation on Chemica aving Mutagenicity mation on Chemica naving Mutagenicity e Notified Names	als having Mutagenici Als having Mutagenici	ty - Annex 1: Information
Not a Circu on Ex Not a Circu on Not Not a Subs Article Xyle Non	pplicable Ilar concerning Infor kisting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable tances Subject to be e 57-2 (Enforcement of mical name ne ylphenol, ethoxylated	mation on Chemica aving Mutagenicity mation on Chemica naving Mutagenicity e Notified Names	als having Mutagenicit als having Mutagenicit Concentration (%) 81.7 >=1 - <10	ty - Annex 1: Information
Not a Circu on Ex Not a Circu on Not Subs Article Not Xyle Nony 2,6-[pplicable Ilar concerning Infor xisting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable tances Subject to be a 57-2 (Enforcement of mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol	mation on Chemica aving Mutagenicity mation on Chemica having Mutagenicity e Notified Names Order Table 9)	als having Mutagenicit als having Mutagenicit Concentration (%) 81.7	ty - Annex 1: Informati
Not a Circu on Ex Not a Circu on No Not a Subs Article Cher Xyle Non 2,6-[Subs	pplicable Ilar concerning Infor xisting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable tances Subject to be e 57-2 (Enforcement of mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol tances Subject to be	mation on Chemica aving Mutagenicity mation on Chemica having Mutagenicity e Notified Names Order Table 9)	als having Mutagenicit als having Mutagenicit Concentration (%) 81.7 >=1 - <10	ty - Annex 1: Informati
Not a Circu on Ex Not a Circu on No Not a Subs Article Non 2,6-I Subs Article	pplicable Ilar concerning Infor- xisting Chemicals ha pplicable Ilar concerning Infor- otified Substances h pplicable tances Subject to be e 57-2 (Enforcement (mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol tances Subject to be e 57 (Enforcement Or	mation on Chemica aving Mutagenicity mation on Chemica having Mutagenicity e Notified Names Order Table 9)	als having Mutagenicit als having Mutagenicit Concentration (%) 81.7 >=1 - <10	ty - Annex 1: Informati
Not a Circu on Ex Not a Circu on Not Not a Subs Article Non 2,6-I Subs Article Cher	pplicable Ilar concerning Infor isting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable tances Subject to be e 57-2 (Enforcement Of mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol tances Subject to be e 57 (Enforcement Or mical name	mation on Chemica aving Mutagenicity mation on Chemica having Mutagenicity e Notified Names Order Table 9)	als having Mutagenicit als having Mutagenicit Concentration (%) 81.7 >=1 - <10	ty - Annex 1: Informati
Not a Circu on Ex Not a Circu on Not Not a Subs Article Nony 2,6-I Subs Article Cher xyler	pplicable Ilar concerning Infor xisting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable tances Subject to be e 57-2 (Enforcement Of mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol tances Subject to be e 57 (Enforcement Or mical name ne	mation on Chemica aving Mutagenicity mation on Chemica having Mutagenicity e Notified Names Order Table 9)	als having Mutagenicit als having Mutagenicit Concentration (%) 81.7 >=1 - <10	ty - Annex 1: Informati Remarks From April 1st, 20 Remarks Remarks
Not a Circu on Ex Not a Circu on No Not a Subs Article Non 2,6-I Subs Article Non 2,6-I Chei xyler Non	pplicable Ilar concerning Infor isting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable tances Subject to be e 57-2 (Enforcement Of mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol tances Subject to be e 57 (Enforcement Or mical name	mation on Chemica aving Mutagenicity mation on Chemica having Mutagenicity e Notified Names Order Table 9)	als having Mutagenicit als having Mutagenicit Concentration (%) 81.7 >=1 - <10	ty - Annex 1: Informati Remarks From April 1st, 20 Remarks Remarks
Not a Circu on Ex Not a Circu on Not Subs Article Non 2,6-I Subs Article Cher xyler Nony 2,6-I	pplicable Ilar concerning Infor isting Chemicals has pplicable Ilar concerning Infor otified Substances h pplicable tances Subject to be e 57-2 (Enforcement Office mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol tances Subject to be e 57 (Enforcement Office mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol	mation on Chemica aving Mutagenicity mation on Chemica aving Mutagenicity e Notified Names Order Table 9)	Als having Mutagenicit Als having Mutagenicit Concentration (%) 81.7 >=1 - <10 >=1 - <10	ty - Annex 1: Informati Remarks From April 1st, 20 Remarks From April 1st, 20
Not a Circu on Ex Not a Circu on No Not a Subs Article Non 2,6-[Subs Article Cher Xyle Nony 2,6-[Subs Article Cher Xyle Subs Article Cher Xyle Subs Article Cher Xyle	pplicable Ilar concerning Infor- xisting Chemicals have pplicable Ilar concerning Infor- otified Substances have pplicable tances Subject to be a 57-2 (Enforcement of mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol tances Subject to be a 57 (Enforcement or mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol and Eye Damage Sub	mation on Chemica aving Mutagenicity mation on Chemica aving Mutagenicity e Notified Names Order Table 9)	als having Mutagenicit als having Mutagenicit Concentration (%) 81.7 >=1 - <10	ty - Annex 1: Informati Remarks From April 1st, 20 Remarks From April 1st, 20
Not a Circu on Ex Not a Circu on No Not a Subs Article Non 2,6-[Subs Article Cher Xyle Non 2,6-[Subs Article Cher Xyle Subs Article Subs Article Subs Article Cher Xyle	pplicable Ilar concerning Infor xisting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable tances Subject to be e 57-2 (Enforcement of mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol tances Subject to be e 57 (Enforcement Or mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol and Eye Damage Su mical name	mation on Chemica aving Mutagenicity mation on Chemica aving Mutagenicity e Notified Names Order Table 9)	Als having Mutagenicit Als having Mutagenicit Concentration (%) 81.7 >=1 - <10 >=1 - <10	ty - Annex 1: Informati Remarks From April 1st, 20 Remarks From April 1st, 20
Not a Circu on Ex Not a Circu on No Not a Subs Article Non 2,6-[Subs Article Cher Xyle Nony 2,6-[Subs Article Cher Xyle Subs Article Cher Xyle Subs Article Cher Xyle	pplicable Ilar concerning Infor xisting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable tances Subject to be e 57-2 (Enforcement of mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol tances Subject to be e 57 (Enforcement Or mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol and Eye Damage Su mical name	mation on Chemica aving Mutagenicity mation on Chemica aving Mutagenicity e Notified Names Order Table 9)	Als having Mutagenicit Als having Mutagenicit Concentration (%) 81.7 >=1 - <10 >=1 - <10	ty - Annex 1: Information
Not a Circu on Ex Not a Circu on No Not a Subs Article Non 2,6-[Subs Article Cher Xyle Non 2,6-[Subs Article Cher Xyle Subs Article Subs Article Subs Article Cher Xyle	pplicable Ilar concerning Infor xisting Chemicals ha pplicable Ilar concerning Infor otified Substances h pplicable tances Subject to be e 57-2 (Enforcement of mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol tances Subject to be e 57 (Enforcement Or mical name ne ylphenol, ethoxylated Di-tert-butyl-4-cresol and Eye Damage Su mical name	mation on Chemica aving Mutagenicity mation on Chemica aving Mutagenicity e Notified Names Order Table 9)	Als having Mutagenicit Als having Mutagenicit Concentration (%) 81.7 >=1 - <10 >=1 - <10 >=1 - <10	ty - Annex 1: Information





Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	7730566-00010	Date of first issue: 2021/01/13

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Organic Solvents Class 2

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Inflammable Substance

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Class I Designated Chemical Substances

Chemical name	Administration number	Concentration (%)
Xylene	80	82
n-Alkylbenzenesulfonic acid and its salts (limited to those the alkyl group is C=10- 14 and mixture thereof)	30	9.0
Poly(oxyethylene) alkylphenyl ether (lim- ited to those the alkyl group is C=9)	410	5.0
2,6-Di-tert-butyl-4-cresol	207	1.8

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation	:	Noxious liquid substance(Category Y)
Pack transportation	:	Classified as marine pollutant



Version 6.0	Revision Date: 2024/09/28	SDS Number: 7730566-00010	Date of last issue: 2024/04/06 Date of first issue: 2021/01/13		
Narcotics and Psychotropics Control Act					
Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable					
Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable					

Waste Disposal and Public Cleansing Law

Specially Controlled Industrial Waste

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to : compile the Safety Data	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd			
Full text of other abbreviations					
ACGIH ACGIH BEI JP ISHL OEL 577-2(2)	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) Concentration standard (Value set by the Minister of Health, Labour and Welfare stipulated under the Ministerial Ordinance Article 577-2(2))			
JP OEL ISHL JP OEL JSOH	:	Japan. Administrative Control Levels Japan. The Japan Society for Occupational Health. Recom- mendation of Occupational Exposure Limits			
JSOH	:	Occupational exposure limits based on biological monitoring (JSOH).			
ACGIH / TWA JP ISHL OEL 577-2(2) / 8h- OEL-M	:	8-hour, time-weighted average 8-hour Occupational Exposure Limit-Mean			
JP OEL ISHL / ACL JP OEL JSOH / OEL-M	:	Administrative Control level Occupational Exposure Limit-Mean			

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

SAFETY DATA SHEET



Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	7730566-00010	Date of first issue: 2021/01/13

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory: TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN