

Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Deltamethrin (3%) Formulation

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Acute toxicity (Dermal) : Category 5

Skin corrosion/irritation : Category 2

Serious eye damage/eye

irritation

Category 1

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity

- single exposure

Category 3

Specific target organ toxicity

- repeated exposure (Oral)

Category 1 (Central nervous system, Immune system)

Specific target organ toxicity

- repeated exposure

- repeated exposure

(Inhalation)

Category 1 (Central nervous system)

Specific target organ toxicity

: Category 2 (Auditory system)

.

Aspiration hazard : Category 1

GHS label elements



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

Hazard pictograms









Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H313 + H333 May be harmful in contact with skin or if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H372 Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swal-

lowed.

H372 Causes damage to organs (Central nervous system)

through prolonged or repeated exposure if inhaled.

H373 May cause damage to organs (Auditory system) through

prolonged or repeated exposure.

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P312 Call a POISON CENTER or doctor/ physician if you feel

unwell.



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|----------------------------------|------------|-----------------------|
| Xylene | 1330-20-7 | >= 70 -< 90 |
| Calcium dodecylbenzenesulphonate | 26264-06-2 | >= 5 -< 10 |
| Nonylphenol, ethoxylated | 9016-45-9 | >= 5 -< 10 |
| Deltamethrin (ISO) | 52918-63-5 | >= 1 -< 5 |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | >= 1 -< 5 |

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control center immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms : Harmful if swallowed.



Deltamethrin (3%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 28.09.2024 7730567-00009 Date of first issue: 13.01.2021

and effects, both acute and

delayed

May be fatal if swallowed and enters airways. May be harmful in contact with skin or if inhaled.

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.

Suspected of damaging fertility. Suspected of damaging the

unborn child.

Causes damage to organs through prolonged or repeated

exposure if swallowed.

Causes damage to organs through prolonged or repeated

exposure if inhaled.

May cause damage to organs through prolonged or repeated

exposure.

This product contains a pyrethroid.

Pyrethroid poisoning should not be confused with carbamate

or organophosphate poisoning.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Bromine compounds

Metal oxides Sulfur compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

iet.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Non-sparking tools should be used. Keep container tightly closed.

Already sensitized individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease,

should consult their physician regarding working with



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

respiratory irritants or sensitizers.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases

Explosives Gases

Very acutely toxic substances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis | |
|--------------------|---------------------------------|-------------------------------------|------------------------------------------------|-----------------------|--|
| Xylene | 1330-20-7 | VLE-PPT | 100 ppm | NOM-010- STPS-2014 | |
| | | VLE-CT | 150 ppm | NOM-010- STPS-2014 | |
| | | TWA | 20 ppm | ACGIH | |
| Deltamethrin (ISO) | 52918-63-5 | TWA | 15 μg/m3 (OEB 3) | Internal | |
| | Further information: DSEN, Skin | | | | |
| | - | Wipe limit | 100 μg/100 cm ² | Internal | |



Deltamethrin (3%) Formulation

Date of last issue: 03.11.2023 Version Revision Date: SDS Number: 2.3 28.09.2024 7730567-00009 Date of first issue: 13.01.2021

| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | VLE-PPT (Inhalable fraction and vapour) | 2 mg/m³ | NOM-010- STPS-2014 |
|----------------------------|----------|--------------------------------------------------|---------|-----------------------|
| | | TWA (Inhalable fraction and vapor) | 2 mg/m³ | ACGIH |

Biological occupational exposure limits

| Components | CAS-No. | Control parameters | Biological specimen | Sam- pling | Permissible concentra- | Basis |
|------------|-----------|--------------------------|---------------------|----------------------------------------------------------------------------|-------------------------------|--------------|
| Xylene | 1330-20-7 | Methylhippu ric acid | Urine | time End of shift | tion 1.5 g/g creatinine | MX BEI |
| | | Methylhippu ric acids | Urine | End of shift (As soon as possible after exposure ceases) | 0.3 g/g creatinine | ACGIH BEI |

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Combined particulates and organic vapor type

Filter type

Hand protection

Material Chemical-resistant gloves

Remarks Consider double gloving. Take note that the product is

flammable, which may impact the selection of hand

protection.

Wear safety glasses with side shields or goggles. Eye protection

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : yellow

Odor : No data available

Odor Threshold : No data available

pH : 4-5

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : 45 - 51 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature :

: No data available



Deltamethrin (3%) Formulation

Date of last issue: 03.11.2023 Version Revision Date: SDS Number: 2.3 28.09.2024 7730567-00009 Date of first issue: 13.01.2021

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Stable under normal conditions. Chemical stability

Possibility of hazardous reac-

Flammable liquid and vapor.

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

May be harmful in contact with skin or if inhaled.

Product:

Acute oral toxicity Acute toxicity estimate: 993.39 mg/kg

Method: Calculation method

Acute toxicity estimate: 25 mg/l Acute inhalation toxicity

Exposure time: 4 h Test atmosphere: vapor Method: Calculation method

Acute dermal toxicity Acute toxicity estimate: 3,060 mg/kg

Method: Calculation method



Deltamethrin (3%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 28.09.2024 7730567-00009 Date of first issue: 13.01.2021

Components:

Xylene:

Acute oral toxicity : LD50 (Rat): 3,523 mg/kg

Method: Directive 67/548/EEC, Annex V, B.1.

Acute inhalation toxicity : LC50 (Rat): 27.571 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 4,200 mg/kg

Calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat): > 500 - 2,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

Deltamethrin (ISO):

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg

LD50 (Rat): 9 - 139 mg/kg

LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg

LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Rat): 2.5 mg/kg

Application Route: Intravenous

LD50 (Mouse): 10 mg/kg

Application Route: Intraperitoneal

2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

Xylene:

Species : Rabbit Result : Skin irritation

Calcium dodecylbenzenesulphonate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Remarks : Based on data from similar materials

Nonylphenol, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Deltamethrin (ISO):

Species : Rabbit

Result : No skin irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Xylene:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Calcium dodecylbenzenesulphonate:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Nonylphenol, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

Method : OECD Test Guideline 405

Deltamethrin (ISO):

Species : Rabbit

Result : Moderate eye irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Xylene:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse Result : negative

Calcium dodecylbenzenesulphonate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Nonylphenol, ethoxylated:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Deltamethrin (ISO):

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig Result : negative

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Dermal



Deltamethrin (3%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 28.09.2024 7730567-00009 Date of first issue: 13.01.2021

Species : Humans Result : positive

2,6-Di-tert-butyl-p-cresol:

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Skin contact
Species : Humans
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Xylene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Skin contact

Result: negative

Calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Deltamethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair Test system: Escherichia coli

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Concentration: LOAEL: 20 mg/kg

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral Result: negative

Test Type: dominant lethal test

Species: Mouse Application Route: Oral Result: negative

Test Type: sister chromatid exchange assay

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Result: negative

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Xylene:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Deltamethrin (ISO):

Species : Mouse, male and female

Application Route : oral (feed) Exposure time : 104 weeks

NOAEL : 8 mg/kg body weight LOAEL : 4 mg/kg body weight

Result : positive Target Organs : Lymph nodes

Species : Rat, male and female

Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Species : Dog, male and female

Application Route : oral (feed)
Exposure time : 2 Years

NOAEL : 1 mg/kg body weight

Result : negative

2,6-Di-tert-butyl-p-cresol:

Species : Rat
Application Route : Ingestion
Exposure time : 22 Months
Result : negative

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

Xylene:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapor)

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

Application Route: inhalation (vapor)

Result: negative

Calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: oral (feed)

Early Embryonic Development: NOAEL: 50 mg/kg body

weight

Symptoms: No effects on fertility., Embryo-fetal toxicity.

Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: LOAEL: 84 - 149 mg/kg body

weight

Symptoms: No effects on fertility., Embryo-fetal toxicity.

Test Type: Fertility Species: Rat, male Application Route: Oral

Fertility: LOAEL: 1 mg/kg body weight

Symptoms: Effects on fertility.

Target Organs: Testes

Effects on fetal development : Test Type: Development

Species: Mouse

Application Route: oral (gavage)

Developmental Toxicity: LOAEL: 1 mg/kg body weight

Result: Skeletal malformations. Remarks: Maternal toxicity observed.

Test Type: Development Species: Rat, female

Developmental Toxicity: NOAEL: 10 mg/kg body weight



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

Symptoms: No effects on fetal development.

Test Type: Development Species: Rabbit, female

Application Route: oral (gavage)

Developmental Toxicity: NOAEL: 16 mg/kg body weight

Symptoms: No effects on fetal development.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, and/or on development, based on animal experiments.

2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

May cause respiratory irritation.

Components:

Xylene:

Assessment : May cause respiratory irritation.

Deltamethrin (ISO):

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

May cause damage to organs (Auditory system) through prolonged or repeated exposure.

Components:

Xylene:

Routes of exposure : inhalation (vapor)
Target Organs : Auditory system

Assessment : Shown to produce significant health effects in animals at con-

centrations of >0.2 to 1 mg/l/6h/d.

Calcium dodecylbenzenesulphonate:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

Deltamethrin (ISO):

Routes of exposure : Ingestion

Target Organs : Central nervous system, Immune system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Routes of exposure : inhalation (dust/mist/fume)
Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

Xylene:

Species : Rat

LOAEL : > 0.2 - 1 mg/l
Application Route : inhalation (vapor)

Exposure time : 13 Weeks

Remarks : Based on data from similar materials

Species : Rat
LOAEL : 150 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Calcium dodecylbenzenesulphonate:

Species : Rat

LOAEL : > 200 mg/kg
Application Route : Ingestion
Exposure time : 6 - 7 Weeks

Method : OECD Test Guideline 422

Remarks : Based on data from similar materials

Species : Rabbit

NOAEL : > 100 mg/kg

Application Route : Skin contact

Exposure time : 28 Days

Method : OECD Test Guideline 410

Remarks : Based on data from similar materials

Deltamethrin (ISO):

Species : Rat, male and female

NOAEL : 1 mg/kg
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 13 Weeks



Deltamethrin (3%) Formulation

Date of last issue: 03.11.2023 Version Revision Date: SDS Number: 2.3 28.09.2024 7730567-00009 Date of first issue: 13.01.2021

Target Organs Nervous system **Symptoms** hyperexcitability

Species Rat LOAEL 3 mg/m3

Application Route inhalation (dust/mist/fume) 2 wk / 5 d/wk / 6 h/d Exposure time

Symptoms Local irritation, respiratory tract irritation

Species Dog **NOAEL** 0.1 mg/kg LOAEL 1 mg/kg Application Route Oral Exposure time 13 Weeks Target Organs Nervous system

Symptoms Dilatation of the pupil, Vomiting, Tremors, Diarrhea, Salivation

Species Rat NOAEL 14 mg/kg LOAEL 54 mg/kg Application Route Oral

91 d Exposure time

Target Organs Nervous system

Species Mouse LOAEL 6 mg/kg Application Route Oral Exposure time 12 Weeks **Target Organs** Immune system immune system effects **Symptoms**

2,6-Di-tert-butyl-p-cresol:

Species Rat **NOAEL** 25 mg/kg Application Route Ingestion 22 Months Exposure time

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

Deltamethrin (ISO):

Inhalation Symptoms: respiratory tract irritation, Dizziness, Sweating,

Headache, Nausea, Vomiting, anorexia, Fatigue, tingling,

Palpitation, Blurred vision, muscle twitching



Deltamethrin (3%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 28.09.2024 7730567-00009 Date of first issue: 13.01.2021

Skin contact : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nau-

sea, Vomiting, Dizziness, tingling, Sweating, muscle twitching,

Blurred vision, Fatigue, anorexia, Allergic reactions

Ingestion : Symptoms: muscle pain, Small pupils

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Xylene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Skeletonema costatum (marine diatom)): 10 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): > 0.1 - < 1 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EL10 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC: > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 -

100 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 -

1 mg/l



Deltamethrin (3%) Formulation

Date of last issue: 03.11.2023 Version Revision Date: SDS Number: 2.3 28.09.2024 7730567-00009 Date of first issue: 13.01.2021

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): > 0.1 - 1

Exposure time: 28 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Toxicity to microorganisms EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l

Exposure time: 100 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01

Exposure time: 28 d

Remarks: Based on data from similar materials

Deltamethrin (ISO):

Toxicity to fish LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048

mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l

Exposure time: 96 h



Deltamethrin (3%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 2.3 28.09.2024 7730567-00009 Date of first issue: 13.01.2021

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 μg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 0.0035 mg/l

Exposure time: 48 h

LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.000022

mg/l

Exposure time: 36 d

NOEC (Pimephales promelas (fathead minnow)): 0.000017

Exposure time: 260 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0041 µg/l

Exposure time: 21 d

2,6-Di-tert-butyl-p-cresol:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 0.57 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.48 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l

Exposure time: 30 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.316 mg/l Exposure time: 21 d

Toxicity to microorganisms EC50: > 10,000 mg/l



Deltamethrin (3%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 28.09.2024 7730567-00009 Date of first issue: 13.01.2021

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

Xylene:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 70 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

Calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials

Nonylphenol, ethoxylated:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Deltamethrin (ISO):

Stability in water : Hydrolysis: 0 %(30 d)

2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 4.5 % Exposure time: 28 d

Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

Xylene:

Partition coefficient: n- : log Pow: 3.16

octanol/water Remarks: Calculation

Calcium dodecylbenzenesulphonate:

Bioaccumulation : Bioconcentration factor (BCF): < 500

Remarks: Based on data from similar materials

Partition coefficient: n- : log Pow: 4.77

octanol/water Remarks: Calculation

Nonylphenol, ethoxylated:

Partition coefficient: n-

octanol/water

log Pow: 4.48



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

Deltamethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1,800

Partition coefficient: n-

octanol/water

log Pow: 4.6

2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-

octanol/water

log Pow: 5.1

Mobility in soil

Components:

Deltamethrin (ISO):

Distribution among environ-

mental compartments

Other adverse effects

No data available

: log Koc: 7.2

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other

sources of ignition. They may explode and cause injury and/or

death.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Xylene)

Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1993

Proper shipping name : Flammable liquid, n.o.s.



Deltamethrin (3%) Formulation

Version Revision Date: SDS Number: Date of last issue: 03.11.2023 28.09.2024 7730567-00009 Date of first issue: 13.01.2021

(Xylene)

Class : 3 Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo : 366

aircraft)

Packing instruction (passen: 355

ger aircraft)

IMDG-Code

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Xylene, Deltamethrin (ISO), 2,6-Di-tert-butyl-p-cresol)

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Xylene)

Class : 3
Packing group : III
Labels : 3

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

NOM-165-SEMARNAT-2013, Norm establishing a list of substances subject to report for the

Registry of Emissions and Pollutant Transfer

Components CAS-No. MPU (kg/year) Transfer/Release

(kg/year)

Not applicable

Xylene 1330-20-7 5000 kg/year 1000 kg/year

MPU: Applicable reporting threshold when the substance, pure or in mixture in a composition of more than 1% by weight, is used for industrial activities at facilities that are subject to report or are produced by them

Federal Law for the control of chemical precursors,

essential chemical products and machinery for

producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:



Deltamethrin (3%) Formulation

Date of last issue: 03.11.2023 Version Revision Date: SDS Number: 2.3 28.09.2024 7730567-00009 Date of first issue: 13.01.2021

AICS not determined

DSL not determined

IECSC not determined

SECTION 16. OTHER INFORMATION

Revision Date 28.09.2024 Date format dd.mm.yyyy

Full text of other abbreviations

ACGIH USA. ACGIH Threshold Limit Values (TLV) **ACGIH BEI** ACGIH - Biological Exposure Indices (BEI)

MX BEI Official Mexican Norm NOM-047-SSA1-2011, Environmental

Health - Biological exposure indices for workers occupational-

ly exposed to chemical agents

NOM-010-STPS-2014 Mexico, Norm NOM-010-STPS-2014 on Chemicals Polluting

the Work Environment - Identification, Assessment and Con-

trol - Appendix 1 Occupational Exposure Limits

ACGIH / TWA 8-hour, time-weighted average NOM-010-STPS-2014 / VLE- : Time weighted average limit value

NOM-010-STPS-2014 / VLE- : Short term exposure limit value

CT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-



Deltamethrin (3%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2023

 2.3
 28.09.2024
 7730567-00009
 Date of first issue: 13.01.2021

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8