

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

### SECTION 1. IDENTIFICATION

Product name : Deltamethrin (5%) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma  
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye  
irritation : Category 1

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity -  
single exposure : Category 3

Specific target organ toxicity -  
repeated exposure (Oral) : Category 2 (Central nervous system, Immune system)

Specific target organ toxicity -  
repeated exposure  
(Inhalation) : Category 2 (Central nervous system)

Aspiration hazard : Category 1

Short-term (acute) aquatic : Category 1

## Deltamethrin (5%) Formulation

Version 6.2      Revision Date: 03.11.2023      SDS Number: 2334789-00018      Date of last issue: 30.09.2023  
 Date of first issue: 12.12.2017

hazard

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.  
 H302 Harmful if swallowed.  
 H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H335 May cause respiratory irritation.  
 H336 May cause drowsiness or dizziness.  
 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
 H373 May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.  
 H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.  
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P260 Do not breathe the mist or vapors.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

## Deltamethrin (5%) Formulation

Version 6.2      Revision Date: 03.11.2023      SDS Number: 2334789-00018      Date of last issue: 30.09.2023  
 Date of first issue: 12.12.2017

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Vapors may form explosive mixture with air.

Repeated exposure may cause skin dryness or cracking.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Hydrocarbons, C9, aromatics	Not Assigned	>= 30 -< 50
2-Methoxy-1-methylethyl acetate	108-65-6	>= 20 -< 30
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	Not Assigned	>= 5 -< 10
2-Methyl-1-propanol	78-83-1	>= 5 -< 10
Deltamethrin (ISO)	52918-63-5	>= 5 -< 10

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

- |   |   |   |
|---|---|---|
| In case of eye contact                                      | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>If easy to do, remove contact lens, if worn.<br>Get medical attention immediately.  |
| If swallowed  | : | If swallowed, DO NOT induce vomiting.<br>If vomiting occurs have person lean forward.<br>Call a physician or poison control center immediately.<br>Rinse mouth thoroughly with water.<br>Never give anything by mouth to an unconscious person.   |
| Most important symptoms and effects, both acute and delayed | : | Harmful if swallowed.<br>May be fatal if swallowed and enters airways.<br>Causes skin irritation.<br>May cause an allergic skin reaction.<br>Causes serious eye damage.<br>May cause respiratory irritation.<br>May cause drowsiness or dizziness.<br>Suspected of damaging fertility. Suspected of damaging the unborn child.<br>May cause damage to organs through prolonged or repeated exposure if swallowed.<br>May cause damage to organs through prolonged or repeated exposure if inhaled.<br>Prolonged or repeated contact may dry skin and cause irritation.<br>This product contains a pyrethroid.<br>Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).   |
| Notes to physician  | : | Treat symptomatically and supportively.   |
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- |                                       |   |   |
|---------------------------------------|---|---|
| Suitable extinguishing media          | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media        | : | High volume water jet   |
| Specific hazards during fire fighting | : | Do not use a solid water stream as it may scatter and spread fire.<br>Flash back possible over considerable distance.<br>Vapors may form explosive mixtures with air.<br>Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products         | : | Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Bromine compounds<br>Sulfur oxides<br>Metal oxides   |
| Specific extinguishing methods        | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.   |

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

## Deltamethrin (5%) Formulation

Version 6.2      Revision Date: 03.11.2023      SDS Number: 2334789-00018      Date of last issue: 30.09.2023  
 Date of first issue: 12.12.2017

- Non-sparking tools should be used.  
 Keep container tightly closed.  
 Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 Take precautionary measures against static discharges.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.  
 Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Flammable solids  
 Pyrophoric liquids  
 Pyrophoric solids  
 Self-heating substances and mixtures  
 Substances and mixtures which in contact with water emit flammable gases  
 Explosives  
 Gases  
 Very acutely toxic substances and mixtures

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-Methyl-1-propanol	78-83-1	CMP	50 ppm	AR OEL
		TWA	50 ppm	ACGIH
Deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

containment devices).  
Minimize open handling.  
Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
- Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : yellow
- Odor : No data available
- Odor Threshold : No data available
- pH : 3 - 5

**Deltamethrin (5%) Formulation**

Version 6.2      Revision Date: 03.11.2023      SDS Number: 2334789-00018      Date of last issue: 30.09.2023  
Date of first issue: 12.12.2017

---

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 45 - 51 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0,963 - 0,967 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : completely miscible

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.



**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: 1.108 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method

**Components:****Hydrocarbons, C9, aromatics:**

Acute oral toxicity	:	LD50 (Rat, female): 3.492 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 6,193 mg/l Exposure time: 4 h Test atmosphere: vapor Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 3.160 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**2-Methoxy-1-methylethyl acetate:**

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC0 (Rat): 9,48 mg/l Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg

**Deltamethrin (5%) Formulation**

Version 6.2      Revision Date: 03.11.2023      SDS Number: 2334789-00018      Date of last issue: 30.09.2023  
Date of first issue: 12.12.2017

---

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat): 4.445 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

**2-Methyl-1-propanol:**

Acute oral toxicity : LD50 (Rat, female): 3.350 mg/kg  
Method: OECD Test Guideline 401  
Acute inhalation toxicity : LC50 (Rat): > 18,18 mg/l  
Exposure time: 6 h  
Test atmosphere: vapor  
Acute dermal toxicity : LD50 (Rabbit, female): 2.460 mg/kg  
Method: OECD Test Guideline 402

**Deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66,7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg  
Acute inhalation toxicity : LC50 (Rat): 0,8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): 2.000 mg/kg  
LD50 (Rat): > 800 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Rat): 2,5 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Hydrocarbons, C9, aromatics:**

Assessment : Repeated exposure may cause skin dryness or cracking.

**2-Methoxy-1-methylethyl acetate:**

Species : Rabbit  
Result : No skin irritation

**Deltamethrin (5%) Formulation**

Version 6.2      Revision Date: 03.11.2023      SDS Number: 2334789-00018      Date of last issue: 30.09.2023  
Date of first issue: 12.12.2017

---

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**2-Methyl-1-propanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**Deltamethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Hydrocarbons, C9, aromatics:**

Species : Rabbit  
Result : No eye irritation

**2-Methoxy-1-methylethyl acetate:**

Species : Rabbit  
Result : No eye irritation

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

**2-Methyl-1-propanol:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

**Deltamethrin (ISO):**

Species : Rabbit  
Result : Moderate eye irritation

**Respiratory or skin sensitization****Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

Not classified based on available information.

**Deltamethrin (5%) Formulation**

Version 6.2      Revision Date: 03.11.2023      SDS Number: 2334789-00018      Date of last issue: 30.09.2023  
Date of first issue: 12.12.2017

---

**Components:****Hydrocarbons, C9, aromatics:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**2-Methoxy-1-methylethyl acetate:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Test Type : Magnusson-Kligman-Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Remarks : Based on data from similar materials

**2-Methyl-1-propanol:**

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

**Deltamethrin (ISO):**

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : negative

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Dermal  
Species : Humans  
Result : positive

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Hydrocarbons, C9, aromatics:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

cytogenetic test, chromosomal analysis)  
 Species: Rat  
 Application Route: inhalation (vapor)  
 Result: negative

### 2-Methoxy-1-methylethyl acetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Result: negative  
 Remarks: Based on data from similar materials

### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Method: Directive 67/548/EEC, Annex V, B.13/14.  
 Result: negative  
 Remarks: Based on data from similar materials

### 2-Methyl-1-propanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Result: negative

Test Type: in vitro micronucleus test  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Ingestion  
 Method: OECD Test Guideline 474  
 Result: negative

### Deltamethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: DNA Repair  
 Test system: Escherichia coli  
 Result: negative

Test Type: Chromosomal aberration  
 Test system: Chinese hamster ovary cells  
 Result: negative

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

Test Type: In vitro mammalian cell gene mutation test  
 Test system: Chinese hamster lung cells  
 Concentration: LOAEL: 20 mg/kg  
 Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Mouse  
 Application Route: Oral  
 Result: negative

Test Type: dominant lethal test  
 Species: Mouse  
 Application Route: Oral  
 Result: negative

Test Type: sister chromatid exchange assay  
 Species: Mouse  
 Cell type: Bone marrow  
 Application Route: Oral  
 Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### **2-Methoxy-1-methylethyl acetate:**

Species : Rat  
 Application Route : inhalation (vapor)  
 Exposure time : 2 Years  
 Result : negative  
 Remarks : Based on data from similar materials

#### **Deltamethrin (ISO):**

Species : Mouse, male and female  
 Application Route : oral (feed)  
 Exposure time : 104 weeks  
 NOAEL : 8 mg/kg body weight  
 LOAEL : 4 mg/kg body weight  
 Result : positive  
 Target Organs : Lymph nodes

Species : Rat, male and female  
 Application Route : oral (feed)  
 Exposure time : 2 Years  
 Result : negative

Species : Dog, male and female  
 Application Route : oral (feed)  
 Exposure time : 2 Years  
 NOAEL : 1 mg/kg body weight  
 Result : negative

**Deltamethrin (5%) Formulation**

Version 6.2      Revision Date: 03.11.2023      SDS Number: 2334789-00018      Date of last issue: 30.09.2023  
Date of first issue: 12.12.2017

---

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****Hydrocarbons, C9, aromatics:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: inhalation (vapor)  
Result: negative

**2-Methoxy-1-methylethyl acetate:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapor)  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

**2-Methyl-1-propanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapor)  
Method: OPPTS 870.3800  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: inhalation (vapor)  
Method: OECD Test Guideline 414  
Result: negative

**Deltamethrin (ISO):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
Early Embryonic Development: NOAEL: 50 mg/kg body weight  
Symptoms: No effects on fertility., Embryo-fetal toxicity.  
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study  
Species: Rat

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

Application Route: Oral  
 Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
 Symptoms: No effects on fertility., Embryo-fetal toxicity.

Test Type: Fertility  
 Species: Rat, male  
 Application Route: Oral  
 Fertility: LOAEL: 1 mg/kg body weight  
 Symptoms: Effects on fertility.  
 Target Organs: Testes

Effects on fetal development : Test Type: Development  
 Species: Mouse  
 Application Route: oral (gavage)  
 Developmental Toxicity: LOAEL: 1 mg/kg body weight  
 Result: Skeletal malformations.  
 Remarks: Maternal toxicity observed.

Test Type: Development  
 Species: Rat, female  
 Developmental Toxicity: NOAEL: 10 mg/kg body weight  
 Symptoms: No effects on fetal development.

Test Type: Development  
 Species: Rabbit, female  
 Application Route: oral (gavage)  
 Developmental Toxicity: NOAEL: 16 mg/kg body weight  
 Symptoms: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### STOT-single exposure

May cause respiratory irritation.  
 May cause drowsiness or dizziness.

### Components:

#### Hydrocarbons, C9, aromatics:

Assessment : May cause drowsiness or dizziness.

Assessment : May cause respiratory irritation.

#### 2-Methoxy-1-methylethyl acetate:

Assessment : May cause drowsiness or dizziness.

#### 2-Methyl-1-propanol:

Assessment : May cause respiratory irritation.  
 May cause drowsiness or dizziness.



**Deltamethrin (5%) Formulation**

Version 6.2      Revision Date: 03.11.2023      SDS Number: 2334789-00018      Date of last issue: 30.09.2023  
Date of first issue: 12.12.2017

---

**Deltamethrin (ISO):**

Assessment : May cause respiratory irritation.

**STOT-repeated exposure**

May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

**Components:****Deltamethrin (ISO):**

Routes of exposure : Ingestion  
Target Organs : Central nervous system, Immune system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

Routes of exposure : inhalation (dust/mist/fume)  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Hydrocarbons, C9, aromatics:**

Species : Rat, female  
NOAEL : 900 mg/m<sup>3</sup>  
Application Route : inhalation (vapor)  
Exposure time : 12 Months  
Remarks : Based on data from similar materials

**2-Methoxy-1-methylethyl acetate:**

Species : Rat  
NOAEL : > 1.000 mg/kg  
Application Route : Ingestion  
Exposure time : 41 - 45 Days  
Method : OECD Test Guideline 422

Species : Mouse  
NOAEL : 1,62 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 2 y  
Remarks : Based on data from similar materials

Species : Rabbit  
NOAEL : > 1.838 mg/kg  
Application Route : Skin contact  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

**2-Methyl-1-propanol:**

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

Species : Rat  
 NOAEL : > 1.450 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Method : OECD Test Guideline 408

Species : Rat  
 NOAEL : >= 7,5 mg/l  
 Application Route : inhalation (vapor)  
 Exposure time : 17 Weeks

### Deltamethrin (ISO):

Species : Rat, male and female  
 NOAEL : 1 mg/kg  
 LOAEL : 2,5 mg/kg  
 Application Route : Oral  
 Exposure time : 13 Weeks  
 Target Organs : Nervous system  
 Symptoms : hyperexcitability

Species : Rat  
 LOAEL : 3 mg/m<sup>3</sup>  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 2 wk / 5 d/wk / 6 h/d  
 Symptoms : Local irritation, respiratory tract irritation

Species : Dog  
 NOAEL : 0,1 mg/kg  
 LOAEL : 1 mg/kg  
 Application Route : Oral  
 Exposure time : 13 Weeks  
 Target Organs : Nervous system  
 Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhea, Salivation

Species : Rat  
 NOAEL : 14 mg/kg  
 LOAEL : 54 mg/kg  
 Application Route : Oral  
 Exposure time : 91 d  
 Target Organs : Nervous system

Species : Mouse  
 LOAEL : 6 mg/kg  
 Application Route : Oral  
 Exposure time : 12 Weeks  
 Target Organs : Immune system  
 Symptoms : immune system effects

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### **Product:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

### Components:

#### Hydrocarbons, C9, aromatics:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### 2-Methyl-1-propanol:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

### Experience with human exposure

#### Components:

#### Deltamethrin (ISO):

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	:	Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Hydrocarbons, C9, aromatics:

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): 9,2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 3,2 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
		NOELR (Pseudokirchneriella subcapitata (green algae)): 0,22 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

Toxicity to microorganisms : EC50: > 99 mg/l  
Exposure time: 10 min

### 2-Methoxy-1-methylethyl acetate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 - 180 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): > 1.000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): >= 100 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC10: > 1.000 mg/l  
Exposure time: 0,5 h

### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Toxicity to fish : LC50 : > 1 - < 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 0,1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 0,1 - 1 mg/l  
Exposure time: 72 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic) : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d

**Deltamethrin (5%) Formulation**

Version 6.2      Revision Date: 03.11.2023      SDS Number: 2334789-00018      Date of last issue: 30.09.2023  
Date of first issue: 12.12.2017

---

ic toxicity)      Remarks: Based on data from similar materials

**2-Methyl-1-propanol:**

Toxicity to fish      : LC50 (Pimephales promelas (fathead minnow)): 1.430 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other      : EC50 (Daphnia pulex (Water flea)): 1.100 mg/l  
aquatic invertebrates      Exposure time: 48 h

Toxicity to algae/aquatic      : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.799  
plants      mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 117  
mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other      : NOEC (Daphnia magna (Water flea)): 20 mg/l  
aquatic invertebrates (Chron-      Exposure time: 21 d  
ic toxicity)

Toxicity to microorganisms      : EC50: > 1.000 mg/l  
Exposure time: 16 h

**Deltamethrin (ISO):**

Toxicity to fish      : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0,00048  
mg/l  
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,00039 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other      : EC50 (Mysidopsis bahia (opossum shrimp)): 0,0037 µg/l  
aquatic invertebrates      Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 0,0035 mg/l  
Exposure time: 48 h

LC50 (Gammarus fasciatus (freshwater shrimp)): 0,0003 µg/l  
Exposure time: 96 h

Toxicity to algae/aquatic      : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,1  
plants      mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

M-Factor (Acute aquatic tox-      : 1.000.000  
icity)

Toxicity to fish (Chronic tox-      : NOEC (Pimephales promelas (fathead minnow)): 0,000022  
icity)      mg/l  
Exposure time: 36 d

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

NOEC (Pimephales promelas (fathead minnow)): 0,000017 mg/l  
Exposure time: 260 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,0041 µg/l  
Exposure time: 21 d  
M-Factor (Chronic aquatic toxicity) : 1.000.000

**Persistence and degradability****Components:****Hydrocarbons, C9, aromatics:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 78 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**2-Methoxy-1-methylethyl acetate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**2-Methyl-1-propanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 74 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

**Deltamethrin (ISO):**

Stability in water : Hydrolysis: 0 %(30 d)

**Bioaccumulative potential****Components:****Hydrocarbons, C9, aromatics:**

Partition coefficient: n-octanol/water : log Pow: 3,7 - 4,5

**2-Methoxy-1-methylethyl acetate:**

Partition coefficient: n-octanol/water : log Pow: 1,2

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Partition coefficient: n-octanol/water : log Pow: 2,89

**2-Methyl-1-propanol:**Partition coefficient: n-octanol/water : log Pow: 1  
Method: OECD Test Guideline 117**Deltamethrin (ISO):**Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1.800

Partition coefficient: n-octanol/water : log Pow: 4,6

**Mobility in soil****Components:****Deltamethrin (ISO):**

Distribution among environmental compartments : log Koc: 7,2

**Other adverse effects**No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics, 2-Methoxy-1-methylethyl acetate)
Class	:	3
Packing group	:	III
Labels	:	3
Environmentally hazardous	:	no

**IATA-DGR**

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

UN/ID No.	:	UN 1993
Proper shipping name	:	Flammable liquid, n.o.s. (Hydrocarbons, C9, aromatics, 2-Methoxy-1-methylethyl acetate)
Class	:	3
Packing group	:	III
Labels	:	Flammable Liquids
Packing instruction (cargo aircraft)	:	366
Packing instruction (passenger aircraft)	:	355

**IMDG-Code**

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics, 2-Methoxy-1-methylethyl acetate, Deltamethrin (ISO))
Class	:	3
Packing group	:	III
Labels	:	3
EmS Code	:	F-E, <u>S-E</u>
Marine pollutant	:	yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry.	:	Not applicable
---	---	----------------

Control of precursors and essential chemicals for the preparation of drugs.	:	2-Methyl-1-propanol Hydrocarbons, C9, aromatics
---	---	--

**The ingredients of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

**SECTION 16. OTHER INFORMATION**

Revision Date	:	03.11.2023
Date format	:	dd.mm.yyyy



**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
AR OEL / CMP : TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET



## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.2	03.11.2023	2334789-00018	Date of first issue: 12.12.2017

---

AR / Z8