

**Deltamethrin (with Xylene) Formulation**

Version 4.0      Revision Date: 2023/11/07      SDS Number: 2972474-00014      Date of last issue: 2023/09/30  
Date of first issue: 2018/07/02

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Deltamethrin (with Xylene) Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3  
Acute toxicity (Oral) : Category 4  
Skin corrosion/irritation : Category 2  
Serious eye damage/eye irritation : Category 2A  
Skin sensitisation : Category 1  
Germ cell mutagenicity : Category 1B  
Carcinogenicity : Category 1B  
Reproductive toxicity : Category 2  
Specific target organ toxicity - single exposure : Category 3  
Specific target organ toxicity - repeated exposure : Category 2  
Aspiration hazard : Category 1

## Deltamethrin (with Xylene) Formulation

Version 4.0      Revision Date: 2023/11/07      SDS Number: 2972474-00014      Date of last issue: 2023/09/30  
 Date of first issue: 2018/07/02

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
 H302 Harmful if swallowed.  
 H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 H340 May cause genetic defects.  
 H350 May cause cancer.  
 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
 P233 Keep container tightly closed.  
 P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
 P242 Use only non-sparking tools.  
 P243 Take precautionary measures against static discharge.  
 P260 Do not breathe mist or vapours.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P331 Do NOT induce vomiting.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P391 Collect spillage.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.  
 P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).  
 Vapours may form explosive mixture with air.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Ethylbenzene	100-41-4	>= 30 -< 60
Xylene	1330-20-7	>= 30 -< 60
4-Nonylphenol, branched, ethoxylated	127087-87-0	>= 10 -< 25
deltamethrin (ISO)	52918-63-5	>= 3 -< 10
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 2.5 -< 10
Solvent naphtha (petroleum), light aromatic	64742-95-6	>= 0.25 -< 2.5
Methanol	67-56-1	< 1

**4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical ad-

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

- vice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause respiratory irritation.  
May cause genetic defects.  
May cause cancer.  
Suspected of damaging fertility. Suspected of damaging the unborn child.  
May cause damage to organs through prolonged or repeated exposure.  
This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Bromine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.

Special protective equipment for firefighters : Evacuate area.  
In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Flammable gases  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Poisonous gases  
Explosives

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethylbenzene	100-41-4	NAB	20 ppm	ID OEL
	Further information: Confirmed animal carcinogen.			
		TWA	20 ppm	ACGIH

# SAFETY DATA SHEET



## Deltamethrin (with Xylene) Formulation

Version 4.0      Revision Date: 2023/11/07      SDS Number: 2972474-00014      Date of last issue: 2023/09/30  
 Date of first issue: 2018/07/02

Xylene	1330-20-7	NAB	100 ppm 434 mg/m <sup>3</sup>	ID OEL
Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals				
		PSD	150 ppm 651 mg/m <sup>3</sup>	ID OEL
Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals				
		TWA	20 ppm	ACGIH
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m <sup>3</sup>	ACGIH
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
Methanol	67-56-1	NAB	200 ppm	ID OEL
Further information: Skin				
		PSD	250 ppm	ID OEL
Further information: Skin				
		TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Ethylbenzene	100-41-4	Sum of mandelic acid and phenyl glyoxylic acid	Urine	End of shift (As soon as possible after exposure ceases)	0.15 g/g creatinine	ACGIH BEI
Xylene	1330-20-7	Methylhippuric acids	Urine	End of shift (As soon as possible after exposure ceases)	1.5 g/g creatinine	ACGIH BEI
Methanol	67-56-1	Methanol	Urine	End of shift (As soon as possible after	15 mg/l	ACGIH BEI

**Deltamethrin (with Xylene) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

	exposure ceases)
<b>Engineering measures</b>	<p>: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.</p> <p>Use explosion-proof electrical, ventilating and lighting equipment.</p>
<b>Personal protective equipment</b>	
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapour type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.



**Deltamethrin (with Xylene) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	liquid
Colour	:	clear yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	38 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 1,314 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

#### Components:

##### Ethylbenzene:

Acute oral toxicity	:	LD50 (Rat): 3,500 mg/kg
---------------------	---	-------------------------

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

Acute inhalation toxicity	:	LC50 (Rat): 17.8 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

**Xylene:**

Acute oral toxicity	:	LD50 (Rat): 3,523 mg/kg Method: Directive 67/548/EEC, Annex V, B.1.
Acute inhalation toxicity	:	LC50 (Rat): 27.571 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): > 4,200 mg/kg

**4-Nonylphenol, branched, ethoxylated:**

Acute oral toxicity	:	LD50 (Mouse): 4,290 mg/kg
---------------------	---	---------------------------

**deltamethrin (ISO):**

Acute oral toxicity	:	LD50 (Rat): 66.7 mg/kg  LD50 (Rat): 9 - 139 mg/kg  LD50 (Mouse): 19 - 34 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.8 mg/l Exposure time: 2 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): 2,000 mg/kg  LD50 (Rat): > 800 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 2.5 mg/kg Application Route: Intravenous  LD50 (Mouse): 10 mg/kg Application Route: Intraperitoneal

**2,6-Di-tert-butyl-p-cresol:**

Acute oral toxicity	:	LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

**Deltamethrin (with Xylene) Formulation**

Version 4.0      Revision Date: 2023/11/07      SDS Number: 2972474-00014      Date of last issue: 2023/09/30  
Date of first issue: 2018/07/02

---

**Solvent naphtha (petroleum), light aromatic:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Methanol:**

Acute oral toxicity : Acute toxicity estimate (Humans): 300 mg/kg  
Method: Expert judgement  
Acute inhalation toxicity : Acute toxicity estimate: 3 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Expert judgement  
Remarks: Based on national or regional regulation.  
Acute dermal toxicity : Acute toxicity estimate (Humans): 300 mg/kg  
Method: Expert judgement

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Xylene:**

Species : Rabbit  
Result : Skin irritation

**deltamethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

**2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Solvent naphtha (petroleum), light aromatic:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**Methanol:**

Species : Rabbit

**Deltamethrin (with Xylene) Formulation**

Version 4.0      Revision Date: 2023/11/07      SDS Number: 2972474-00014      Date of last issue: 2023/09/30  
Date of first issue: 2018/07/02

---

||Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Xylene:**

||Species : Rabbit  
||Result : Irritation to eyes, reversing within 21 days

**deltamethrin (ISO):**

||Species : Rabbit  
||Result : Moderate eye irritation

**2,6-Di-tert-butyl-p-cresol:**

||Species : Rabbit  
||Result : No eye irritation  
||Method : OECD Test Guideline 405  
||Remarks : Based on data from similar materials

**Solvent naphtha (petroleum), light aromatic:**

||Species : Rabbit  
||Result : No eye irritation  
||Method : OECD Test Guideline 405

**Methanol:**

||Species : Rabbit  
||Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Xylene:**

||Test Type : Local lymph node assay (LLNA)  
||Exposure routes : Skin contact  
||Species : Mouse  
||Result : negative

**deltamethrin (ISO):**

||Test Type : Maximisation Test

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

Exposure routes	: Dermal
Species	: Guinea pig
Result	: negative

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Dermal
Species	: Humans
Result	: positive

**2,6-Di-tert-butyl-p-cresol:**

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: negative

**Solvent naphtha (petroleum), light aromatic:**

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

**Methanol:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

**Germ cell mutagenicity**

May cause genetic defects.

**Components:****Ethylbenzene:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	: Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Mouse Application Route: Inhalation Method: OECD Test Guideline 486 Result: negative

**Deltamethrin (with Xylene) Formulation**

Version 4.0      Revision Date: 2023/11/07      SDS Number: 2972474-00014      Date of last issue: 2023/09/30  
Date of first issue: 2018/07/02

---

**Xylene:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Skin contact  
Result: negative

**deltamethrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Test system: Escherichia coli  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Concentration: LOAEL: 20 mg/kg  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

||

### 2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative

### Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: positive
Genotoxicity in vivo	:	Test Type: Sister chromatid exchange analysis in spermatogonia Species: Mouse Application Route: Intraperitoneal injection Result: positive
Germ cell mutagenicity - Assessment	:	Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals

### Methanol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

### Carcinogenicity

May cause cancer.



## Deltamethrin (with Xylene) Formulation

Version 4.0      Revision Date: 2023/11/07      SDS Number: 2972474-00014      Date of last issue: 2023/09/30  
 Date of first issue: 2018/07/02

**Components:****Ethylbenzene:**

Species : Rat  
 Application Route : inhalation (vapour)  
 Exposure time : 104 weeks  
 Result : positive  
 Remarks : The mechanism or mode of action may not be relevant in humans.

**Xylene:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 103 weeks  
 Result : negative

**deltamethrin (ISO):**

Species : Mouse, male and female  
 Application Route : oral (feed)  
 Exposure time : 104 weeks  
 NOAEL : 8 mg/kg body weight  
 LOAEL : 4 mg/kg body weight  
 Result : positive  
 Target Organs : Lymph nodes

Species : Rat, male and female  
 Application Route : oral (feed)  
 Exposure time : 2 Years  
 Result : negative

Species : Dog, male and female  
 Application Route : oral (feed)  
 Exposure time : 2 Years  
 NOAEL : 1 mg/kg body weight  
 Result : negative

**2,6-Di-tert-butyl-p-cresol:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 22 Months  
 Result : negative

**Solvent naphtha (petroleum), light aromatic:**

Species : Mouse  
 Application Route : Skin contact  
 Exposure time : 2 Years  
 Result : positive

Carcinogenicity - Assess- : Sufficient evidence of carcinogenicity in animal experiments

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

### ||ment

#### Methanol:

Species	: Mouse
Application Route	: inhalation (vapour)
Exposure time	: 18 Months
Result	: negative

#### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

#### Components:

##### Ethylbenzene:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapour) Method: OECD Test Guideline 416 Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Inhalation Method: OECD Test Guideline 414 Result: negative

##### Xylene:

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapour) Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative

##### deltamethrin (ISO):

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: oral (feed) Early Embryonic Development: NOAEL: 50 mg/kg body weight Symptoms: No effects on fertility, Embryo-foetal toxicity Remarks: Significant toxicity observed in testing
	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

		Symptoms: No effects on fertility, Embryo-foetal toxicity
		Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: LOAEL: 1 mg/kg body weight Symptoms: Effects on fertility Target Organs: Testes
Effects on foetal development	:	Test Type: Development Species: Mouse Application Route: oral (gavage) Developmental Toxicity: LOAEL: 1 mg/kg body weight Result: Skeletal malformations Remarks: Maternal toxicity observed.
		Test Type: Development Species: Rat, female Developmental Toxicity: NOAEL: 10 mg/kg body weight Symptoms: No effects on foetal development
		Test Type: Development Species: Rabbit, female Application Route: oral (gavage) Developmental Toxicity: NOAEL: 16 mg/kg body weight Symptoms: No effects on foetal development
Reproductive toxicity - Assessment	:	Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

**2,6-Di-tert-butyl-p-cresol:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative

**Solvent naphtha (petroleum), light aromatic:**

Effects on fertility	:	Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: inhalation (vapour) Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour)

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

||| Result: negative

**Methanol:**

||| Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

||| Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: positive  
Remarks: The effects were seen only at maternally toxic doses.

**STOT - single exposure**

May cause respiratory irritation.

**Components:****Xylene:**

||| Assessment : May cause respiratory irritation.

**deltamethrin (ISO):**

||| Assessment : May cause respiratory irritation.

**Solvent naphtha (petroleum), light aromatic:**

||| Assessment : May cause drowsiness or dizziness.

**Methanol:**

||| Target Organs : Eye, Central nervous system  
||| Assessment : Causes damage to organs.

**STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Components:****Ethylbenzene:**

||| Exposure routes : inhalation (vapour)  
||| Target Organs : Auditory system  
||| Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d.

**Xylene:**

||| Exposure routes : inhalation (vapour)  
||| Target Organs : Auditory system  
||| Assessment : Shown to produce significant health effects in animals at con-

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

|| concentrations of >0.2 to 1 mg/l/6h/d.

**deltamethrin (ISO):**

|| Exposure routes : Ingestion  
 || Target Organs : Central nervous system, Immune system  
 || Assessment : Causes damage to organs through prolonged or repeated exposure.

|| Exposure routes : inhalation (dust/mist/fume)  
 || Target Organs : Central nervous system  
 || Assessment : Causes damage to organs through prolonged or repeated exposure.

**2,6-Di-tert-butyl-p-cresol:**

|| Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

**Repeated dose toxicity****Components:****Ethylbenzene:**

|| Species : Rat  
 || LOAEL : 0.868 mg/l  
 || Application Route : inhalation (vapour)  
 || Exposure time : 13 Weeks

|| Species : Rat  
 || NOAEL : 75 mg/kg  
 || LOAEL : 250 mg/kg  
 || Application Route : Ingestion  
 || Method : OECD Test Guideline 408

**Xylene:**

|| Species : Rat  
 || LOAEL : > 0.2 - 1 mg/l  
 || Application Route : inhalation (vapour)  
 || Exposure time : 13 Weeks  
 || Remarks : Based on data from similar materials

|| Species : Rat  
 || LOAEL : 150 mg/kg  
 || Application Route : Ingestion  
 || Exposure time : 90 Days

**deltamethrin (ISO):**

|| Species : Rat, male and female  
 || NOAEL : 1 mg/kg  
 || LOAEL : 2.5 mg/kg

## Deltamethrin (with Xylene) Formulation

Version 4.0      Revision Date: 2023/11/07      SDS Number: 2972474-00014      Date of last issue: 2023/09/30  
 Date of first issue: 2018/07/02

---

Application Route : Oral  
 Exposure time : 13 Weeks  
 Target Organs : Nervous system  
 Symptoms : hyperexcitability

Species : Rat  
 LOAEL : 3 mg/m<sup>3</sup>  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 2 wk / 5 d/wk / 6 h/d  
 Symptoms : Local irritation, respiratory tract irritation

Species : Dog  
 NOAEL : 0.1 mg/kg  
 LOAEL : 1 mg/kg  
 Application Route : Oral  
 Exposure time : 13 Weeks  
 Target Organs : Nervous system  
 Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation

Species : Rat  
 NOAEL : 14 mg/kg  
 LOAEL : 54 mg/kg  
 Application Route : Oral  
 Exposure time : 91 d  
 Target Organs : Nervous system

Species : Mouse  
 LOAEL : 6 mg/kg  
 Application Route : Oral  
 Exposure time : 12 Weeks  
 Target Organs : Immune system  
 Symptoms : immune system effects

**2,6-Di-tert-butyl-p-cresol:**

Species : Rat  
 NOAEL : 25 mg/kg  
 Application Route : Ingestion  
 Exposure time : 22 Months

**Solvent naphtha (petroleum), light aromatic:**

Species : Rat  
 LOAEL : 500 mg/kg  
 Application Route : Ingestion  
 Exposure time : 28 Days

**Methanol:**

Species : Rat  
 NOAEL : 1.06 mg/l  
 Application Route : inhalation (vapour)

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

|| Exposure time : 90 Days

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Components:

#### Ethylbenzene:

|| The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### Xylene:

|| The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### Solvent naphtha (petroleum), light aromatic:

|| The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

### Components:

#### deltamethrin (ISO):

Inhalation	: Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	: Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	: Symptoms: muscle pain, Small pupils

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### Ethylbenzene:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 4.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1.8 - 2.4 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 3.6 mg/l Exposure time: 96 h

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

	NOEC (Pseudokirchneriella subcapitata (green algae)): 3.4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia dubia (water flea)): 0.96 mg/l Exposure time: 7 d
Toxicity to microorganisms	: EC50 (Nitrosomonas sp.): 96 mg/l Exposure time: 24 h

**Xylene:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 13.5 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 24 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EC50 (Skeletonema costatum (marine diatom)): 10 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Danio rerio (zebra fish)): > 0.1 - < 1 mg/l Exposure time: 35 d Method: OECD Test Guideline 210 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EL10 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
Toxicity to microorganisms	: NOEC: > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

**4-Nonylphenol, branched, ethoxylated:**

Toxicity to fish	: LC50 : 44 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50: 68 mg/l Exposure time: 48 h

**deltamethrin (ISO):**

Toxicity to fish	: LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l Exposure time: 96 h
	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l



## Deltamethrin (with Xylene) Formulation

Version 4.0      Revision Date: 2023/11/07      SDS Number: 2972474-00014      Date of last issue: 2023/09/30  
 Date of first issue: 2018/07/02

		Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l Exposure time: 48 h
		EC50 (Daphnia magna (Water flea)): 0.0035 mg/l Exposure time: 48 h
		LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic toxicity)	:	1,000,000
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l Exposure time: 36 d
		NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l Exposure time: 260 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.0041 µg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1,000,000

**2,6-Di-tert-butyl-p-cresol:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 0.57 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.48 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox-	:	1

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

Toxicity to fish (Chronic toxicity)	:	NOEC ( <i>Oryzias latipes</i> (Japanese medaka)): 0.053 mg/l Exposure time: 30 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC ( <i>Daphnia magna</i> (Water flea)): 0.316 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50: > 10,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

**Solvent naphtha (petroleum), light aromatic:**

Toxicity to fish	:	LC50 ( <i>Pimephales promelas</i> (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates	:	EL50 ( <i>Daphnia magna</i> (Water flea)): 4.5 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 ( <i>Pseudokirchneriella subcapitata</i> (microalgae)): 3.1 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
	:	NOELR ( <i>Pseudokirchneriella subcapitata</i> (microalgae)): 0.5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOELR ( <i>Daphnia magna</i> (Water flea)): 2.6 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211

**Methanol:**

Toxicity to fish	:	LC50 ( <i>Lepomis macrochirus</i> (Bluegill sunfish)): 15,400 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 ( <i>Daphnia magna</i> (Water flea)): > 10,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 22,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 201

**Deltamethrin (with Xylene) Formulation**

Version 4.0      Revision Date: 2023/11/07      SDS Number: 2972474-00014      Date of last issue: 2023/09/30  
Date of first issue: 2018/07/02

---

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Orange-red killifish)): 15,800 mg/l  
Exposure time: 200 h

Toxicity to microorganisms : IC50: > 1,000 mg/l  
Exposure time: 3 h

**Persistence and degradability****Components:****Ethylbenzene:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 70 - 80 %  
Exposure time: 28 d

**Xylene:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 70 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

**4-Nonylphenol, branched, ethoxylated:**

Biodegradability : Result: Not readily biodegradable.

**deltamethrin (ISO):**

Stability in water : Hydrolysis: 0 %(30 d)

**2,6-Di-tert-butyl-p-cresol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**Solvent naphtha (petroleum), light aromatic:**

Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 94 %  
Exposure time: 25 d

**Methanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 95 %  
Exposure time: 20 d

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

**Bioaccumulative potential****Components:****Ethylbenzene:**

Partition coefficient: n-octanol/water	:	log Pow: 3.6
--	---	--------------

**Xylene:**

Partition coefficient: n-octanol/water	:	log Pow: 3.16
		Remarks: Calculation

**deltamethrin (ISO):**

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish)
		Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water	:	log Pow: 4.6
--	---	--------------

**2,6-Di-tert-butyl-p-cresol:**

Bioaccumulation	:	Species: Cyprinus carpio (Carp)
		Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water	:	log Pow: 5.1
--	---	--------------

**Methanol:**

Bioaccumulation	:	Species: Leuciscus idus (Golden orfe)
		Bioconcentration factor (BCF): < 10

Partition coefficient: n-octanol/water	:	log Pow: -0.77
--	---	----------------

**Mobility in soil****Components:****deltamethrin (ISO):**

Distribution among environmental compartments	:	log Koc: 7.2
---	---	--------------

**Other adverse effects**

No data available

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex-

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	:	UN 1992
Proper shipping name	:	FLAMMABLE LIQUID, TOXIC, N.O.S. (Ethylbenzene, Xylene)
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	III
Labels	:	3 (6.1)
Environmentally hazardous	:	no

##### IATA-DGR

UN/ID No.	:	UN 1992
Proper shipping name	:	Flammable liquid, toxic, n.o.s. (Ethylbenzene, Xylene)
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	III
Labels	:	Flammable Liquids, Toxic
Packing instruction (cargo aircraft)	:	366
Packing instruction (passenger aircraft)	:	355

##### IMDG-Code

UN number	:	UN 1992
Proper shipping name	:	FLAMMABLE LIQUID, TOXIC, N.O.S. (Ethylbenzene, Xylene, deltamethrin (ISO))
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	III
Labels	:	3 (6.1)
EmS Code	:	F-E, S-D
Marine pollutant	:	yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**Deltamethrin (with Xylene) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

**15. REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use : Methanol

Prohibited substances : Not applicable

Restricted substances : Not applicable

**Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**16. OTHER INFORMATION**

Revision Date : 2023/11/07

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
 ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
 ACGIH / STEL : Short-term exposure limit  
 ID OEL / NAB : Long term exposure limit  
 ID OEL / PSD : Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET



## Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
4.0	2023/11/07	2972474-00014	Date of first issue: 2018/07/02

---

ID / EN