

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
Date of first issue: 02.07.2018

Section 1: Identification

Product name : Deltamethrin (with Xylene) Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

Section 2: Hazard identification**GHS Classification**

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 1

Carcinogenicity : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3





Specific target organ toxicity - repeated exposure : Category 2

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
 Date of first issue: 02.07.2018

Aspiration hazard : Category 1
 Hazardous to the aquatic environment - acute hazard : Category 1
 Hazardous to the aquatic environment - chronic hazard : Category 1

GHS label elements

Hazard pictograms :    

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
 H302 Harmful if swallowed.
 H304 May be fatal if swallowed and enters airways.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H340 May cause genetic defects.
 H350 May cause cancer.
 H361 Suspected of damaging fertility or the unborn child.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 Keep container tightly closed.
 P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
 P242 Use non-sparking tools.
 P243 Take action to prevent static discharges.
 P260 Do not breathe mist or vapours.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
 Date of first issue: 02.07.2018

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P331 Do NOT induce vomiting.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).
 Vapours may form explosive mixture with air.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ethylbenzene	100-41-4	>= 30 -< 50
Xylene	1330-20-7	>= 30 -< 50
4-Nonylphenol, branched, ethoxylated	127087-87-0	>= 10 -< 20
deltamethrin (ISO)	52918-63-5	>= 2.5 -< 10
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 2.5 -< 10
Solvent naphtha (petroleum), light aromatic	64742-95-6	>= 0.25 -< 1
Methanol	67-56-1	>= 0.1 -< 1

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

- advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control centre immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May be fatal if swallowed and enters airways.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause respiratory irritation.
May cause genetic defects.
May cause cancer.
Suspected of damaging fertility or the unborn child.
May cause damage to organs through prolonged or repeated exposure.
This product contains a pyrethroid.
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x) Bromine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	3W

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

- Advice on safe handling : Use explosion-proof electrical, ventilating and lighting equipment.
Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:
Self-reactive substances and mixtures
Organic peroxides
Oxidizing agents
Flammable gases
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Poisonous gases
Explosives

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
 Date of first issue: 02.07.2018

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethylbenzene	100-41-4	WES-TWA	20 ppm 88 mg/m ³	NZ OEL
		Further information: Ototoxin, Skin absorption		
		WES-STEL	40 ppm 176 mg/m ³	NZ OEL
		Further information: Ototoxin, Skin absorption		
		TWA	20 ppm	ACGIH
Xylene	1330-20-7	WES-TWA	50 ppm 217 mg/m ³	NZ OEL
		Further information: Ototoxin		
		TWA	20 ppm	ACGIH
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m ³ (OEB 3)	Internal
		Further information: DSEN, Skin		
		Wipe limit	100 µg/100 cm ²	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	WES-TWA	10 mg/m ³	NZ OEL
		Further information: Skin sensitiser		
		TWA (Inhalable fraction and vapor)	2 mg/m ³	ACGIH
Solvent naphtha (petroleum), light aromatic	64742-95-6	WES-TWA	300 ppm 890 mg/m ³	NZ OEL
		WES-STEL	500 ppm 1,480 mg/m ³	NZ OEL
		TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
Methanol	67-56-1	WES-STEL	250 ppm 328 mg/m ³	NZ OEL
		Further information: Exposure can also be estimated by biological monitoring, Skin absorption		
		WES-TWA	200 ppm 262 mg/m ³	NZ OEL
		Further information: Exposure can also be estimated by biological monitoring, Skin absorption		
		TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Ethylbenzene	100-41-4	Sum of mandelic	Urine	End of exposure	0.25 g/g creatinine	NZ BEI

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
 Date of first issue: 02.07.2018

		acid and phenylglyoxylic acids		or end of shift		
		Sum of mandelic acid and phenyl glyoxylic acid	Urine	End of shift (As soon as possible after exposure ceases)	0.15 g/g creatinine	ACGIH BEI
Xylene	1330-20-7	Methylhippuric acid	Urine	End of shift	1.5 g/l	NZ BEI
		Methylhippuric acids	Urine	End of shift (As soon as possible after exposure ceases)	1.5 g/g creatinine	ACGIH BEI
Methanol	67-56-1	Methyl alcohol	Urine	End of shift	15 mg/l	NZ BEI
		Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

Engineering measures

- : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.
- Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type
- Hand protection
- Material : Chemical-resistant gloves

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

Remarks	:	Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	clear yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	38 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 667.87 mg/kg Method: Calculation method
---------------------	---	---

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**Ethylbenzene:**

Acute oral toxicity : LD50 (Rat): 3,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 17.8 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Xylene:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg
Method: Expert judgement
Remarks: Based on national or regional regulation.

Acute inhalation toxicity : LC50 (Rat): 27.571 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg
Method: Expert judgement
Remarks: Based on national or regional regulation.

4-Nonylphenol, branched, ethoxylated:

Acute oral toxicity : LD50 (Mouse): 4,290 mg/kg

deltamethrin (ISO):

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg
LD50 (Rat): 9 - 139 mg/kg
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg
LD50 (Rat): > 800 mg/kg

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
Date of first issue: 02.07.2018

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg
Application Route: Intravenous

LD50 (Mouse): 10 mg/kg
Application Route: Intraperitoneal

2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Solvent naphtha (petroleum), light aromatic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Methanol:

Acute oral toxicity : Acute toxicity estimate (Humans): 300 mg/kg
Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 3 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Expert judgement
Remarks: Based on national or regional regulation.

Acute dermal toxicity : Acute toxicity estimate (Humans): 300 mg/kg
Method: Expert judgement

Skin corrosion/irritation

Causes skin irritation.

Components:**Xylene:**

Species : Rabbit
Result : Skin irritation

deltamethrin (ISO):

Species : Rabbit

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
Date of first issue: 02.07.2018

||Result : No skin irritation

2,6-Di-tert-butyl-p-cresol:

||Species : Rabbit
||Method : OECD Test Guideline 404
||Result : No skin irritation
||Remarks : Based on data from similar materials

Solvent naphtha (petroleum), light aromatic:

||Species : Rabbit
||Method : OECD Test Guideline 404
||Result : Skin irritation

Methanol:

||Species : Rabbit
||Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Ethylbenzene:**

||Result : Irritation to eyes, reversing within 21 days
||Remarks : Based on national or regional regulation.

Xylene:

||Species : Rabbit
||Result : Irritation to eyes, reversing within 21 days

deltamethrin (ISO):

||Species : Rabbit
||Result : Moderate eye irritation

2,6-Di-tert-butyl-p-cresol:

||Species : Rabbit
||Result : No eye irritation
||Method : OECD Test Guideline 405
||Remarks : Based on data from similar materials

Solvent naphtha (petroleum), light aromatic:

||Species : Rabbit
||Result : No eye irritation
||Method : OECD Test Guideline 405

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
Date of first issue: 02.07.2018

Methanol:

Result : Irritation to eyes, reversing within 21 days
Remarks : Based on national or regional regulation.

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Xylene:**

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Result : negative

deltamethrin (ISO):

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : negative

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Dermal
Species : Humans
Result : positive

2,6-Di-tert-butyl-p-cresol:

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Skin contact
Species : Humans
Result : negative

Solvent naphtha (petroleum), light aromatic:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Methanol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
 Date of first issue: 02.07.2018

Chronic toxicity

Germ cell mutagenicity

May cause genetic defects.

Components:

Ethylbenzene:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	:	Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Mouse Application Route: Inhalation Method: OECD Test Guideline 486 Result: negative

Xylene:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosome aberration test in vitro Result: negative Test Type: In vitro mammalian cell gene mutation test Result: negative Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: negative
Genotoxicity in vivo	:	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Skin contact Result: negative

deltamethrin (ISO):

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: DNA Repair Test system: Escherichia coli Result: negative
-----------------------	---	--

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

Genotoxicity in vivo	:	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg Result: positive
	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
	:	Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative
	:	Test Type: sister chromatid exchange assay Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
	:	Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative

Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: positive
Genotoxicity in vivo	:	Test Type: Sister chromatid exchange analysis in spermatogonia

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
 Date of first issue: 02.07.2018

Species: Mouse
 Application Route: Intraperitoneal injection
 Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals

Methanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative

Carcinogenicity

May cause cancer.

Components:**Ethylbenzene:**

Species : Rat
 Application Route : inhalation (vapour)
 Exposure time : 104 weeks
 Result : positive
 Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies
 Remarks: Based on national or regional regulation.

Xylene:

Species : Rat
 Application Route : Ingestion
 Exposure time : 103 weeks
 Result : negative

deltamethrin (ISO):

Species : Mouse, male and female
 Application Route : oral (feed)
 Exposure time : 104 weeks
 NOAEL : 8 mg/kg body weight
 LOAEL : 4 mg/kg body weight
 Result : positive

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

|| Target Organs : Lymph nodes

|| Species : Rat, male and female
 || Application Route : oral (feed)
 || Exposure time : 2 Years
 || Result : negative

|| Species : Dog, male and female
 || Application Route : oral (feed)
 || Exposure time : 2 Years
 || NOAEL : 1 mg/kg body weight
 || Result : negative

2,6-Di-tert-butyl-p-cresol:

|| Species : Rat
 || Application Route : Ingestion
 || Exposure time : 22 Months
 || Result : negative

Solvent naphtha (petroleum), light aromatic:

|| Species : Mouse
 || Application Route : Skin contact
 || Exposure time : 2 Years
 || Result : positive

|| Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

Methanol:

|| Species : Mouse
 || Application Route : inhalation (vapour)
 || Exposure time : 18 Months
 || Result : negative

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

Ethylbenzene:

|| Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: inhalation (vapour)
 Method: OECD Test Guideline 416
 Result: negative

|| Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Inhalation
 Method: OECD Test Guideline 414
 Result: negative

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
 Date of first issue: 02.07.2018

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
 Remarks: Based on national or regional regulation.

Xylene:

Effects on fertility : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: inhalation (vapour)
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: inhalation (vapour)
 Result: negative

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
 Remarks: Based on national or regional regulation.

deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study
 Species: Rat
 Application Route: oral (feed)
 Early Embryonic Development: NOAEL: 50 mg/kg body weight
 Symptoms: No effects on fertility, Embryo-foetal toxicity
 Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight
 Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility
 Species: Rat, male
 Application Route: Oral
 Fertility: LOAEL: 1 mg/kg body weight
 Symptoms: Effects on fertility
 Target Organs: Testes

Effects on foetal development : Test Type: Development
 Species: Mouse
 Application Route: oral (gavage)
 Developmental Toxicity: LOAEL: 1 mg/kg body weight
 Result: Skeletal malformations
 Remarks: Maternal toxicity observed.

Test Type: Development

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
 Date of first issue: 02.07.2018

Species: Rat, female
 Developmental Toxicity: NOAEL: 10 mg/kg body weight
 Symptoms: No effects on foetal development

Test Type: Development
 Species: Rabbit, female
 Application Route: oral (gavage)
 Developmental Toxicity: NOAEL: 16 mg/kg body weight
 Symptoms: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Solvent naphtha (petroleum), light aromatic:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
 Species: Rat
 Application Route: inhalation (vapour)
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: inhalation (vapour)
 Result: negative

Methanol:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Ingestion
 Result: positive
 Remarks: The effects were seen only at maternally toxic doses.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

Assessment : fertility, and/or on development, based on animal experiments.
Remarks: Based on national or regional regulation.

STOT - single exposure

May cause respiratory irritation.

Components:

Xylene:

Assessment : May cause respiratory irritation.

deltamethrin (ISO):

Assessment : May cause respiratory irritation.

Solvent naphtha (petroleum), light aromatic:

Assessment : May cause drowsiness or dizziness.

Methanol:

Target Organs : Eye, Central nervous system
Assessment : Causes damage to organs.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Ethylbenzene:

Exposure routes : inhalation (vapour)
Target Organs : Auditory system
Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d.

Xylene:

Exposure routes : inhalation (vapour)
Target Organs : Auditory system
Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d.

deltamethrin (ISO):

Exposure routes : Ingestion
Target Organs : Central nervous system, Immune system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Methanol:

Assessment : Causes damage to organs through prolonged or repeated exposure.
 Remarks : Based on national or regional regulation.

Repeated dose toxicity

Components:

Ethylbenzene:

Species : Rat
 LOAEL : 0.868 mg/l
 Application Route : inhalation (vapour)
 Exposure time : 13 Weeks

Species : Rat
 NOAEL : 75 mg/kg
 LOAEL : 250 mg/kg
 Application Route : Ingestion
 Method : OECD Test Guideline 408

Xylene:

Species : Rat
 LOAEL : > 0.2 - 1 mg/l
 Application Route : inhalation (vapour)
 Exposure time : 13 Weeks
 Remarks : Based on data from similar materials

Species : Rat
 LOAEL : 150 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

deltamethrin (ISO):

Species : Rat, male and female
 NOAEL : 1 mg/kg
 LOAEL : 2.5 mg/kg
 Application Route : Oral
 Exposure time : 13 Weeks
 Target Organs : Nervous system
 Symptoms : hyperexcitability

Species : Rat
 LOAEL : 3 mg/m3

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
 Date of first issue: 02.07.2018

Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 wk / 5 d/wk / 6 h/d
 Symptoms : Local irritation, respiratory tract irritation

Species : Dog
 NOAEL : 0.1 mg/kg
 LOAEL : 1 mg/kg
 Application Route : Oral
 Exposure time : 13 Weeks
 Target Organs : Nervous system
 Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation

Species : Rat
 NOAEL : 14 mg/kg
 LOAEL : 54 mg/kg
 Application Route : Oral
 Exposure time : 91 d
 Target Organs : Nervous system

Species : Mouse
 LOAEL : 6 mg/kg
 Application Route : Oral
 Exposure time : 12 Weeks
 Target Organs : Immune system
 Symptoms : immune system effects

2,6-Di-tert-butyl-p-cresol:

Species : Rat
 NOAEL : 25 mg/kg
 Application Route : Ingestion
 Exposure time : 22 Months

Solvent naphtha (petroleum), light aromatic:

Species : Rat
 LOAEL : 500 mg/kg
 Application Route : Ingestion
 Exposure time : 28 Days

Methanol:

Species : Rat
 NOAEL : 1.06 mg/l
 Application Route : inhalation (vapour)
 Exposure time : 90 Days

Aspiration toxicity

May be fatal if swallowed and enters airways.

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
 Date of first issue: 02.07.2018

Components:

Ethylbenzene:

|| The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Xylene:

|| The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Solvent naphtha (petroleum), light aromatic:

|| The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

deltamethrin (ISO):

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	:	Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

Section 12: Ecological information

Ecotoxicity

Components:

Ethylbenzene:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 4.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.8 - 2.4 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 3.6 mg/l Exposure time: 96 h NOEC (Pseudokirchneriella subcapitata (green algae)): 3.4 mg/l Exposure time: 96 h
Toxicity to daphnia and other	:	NOEC (Ceriodaphnia dubia (water flea)): 0.96 mg/l

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

aquatic invertebrates (Chronic toxicity)	:	Exposure time: 7 d
Toxicity to microorganisms	:	EC50 (Nitrosomonas sp.): 96 mg/l Exposure time: 24 h

Xylene:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 13.5 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 24 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Skeletonema costatum (marine diatom)): 10 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Danio rerio (zebra fish)): > 0.1 - < 1 mg/l Exposure time: 35 d Method: OECD Test Guideline 210 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EL10 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	NOEC: > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

4-Nonylphenol, branched, ethoxylated:

Toxicity to fish	:	LC50 : 44 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50: 68 mg/l Exposure time: 48 h

deltamethrin (ISO):

Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l Exposure time: 96 h
	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l Exposure time: 48 h

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
 Date of first issue: 02.07.2018

	EC50 (<i>Daphnia magna</i> (Water flea)): 0.0035 mg/l Exposure time: 48 h
	LC50 (<i>Gammarus fasciatus</i> (freshwater shrimp)): 0.0003 µg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: EC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): > 9.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic toxicity)	: 1,000,000
Toxicity to fish (Chronic toxicity)	: NOEC (<i>Pimephales promelas</i> (fathead minnow)): 0.000022 mg/l Exposure time: 36 d
	NOEC (<i>Pimephales promelas</i> (fathead minnow)): 0.000017 mg/l Exposure time: 260 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (<i>Daphnia magna</i> (Water flea)): 0.0041 µg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 1,000,000
2,6-Di-tert-butyl-p-cresol:	
Toxicity to fish	: LC50 (<i>Danio rerio</i> (zebra fish)): > 0.57 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia magna</i> (Water flea)): 0.48 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): > 0.24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (<i>Pseudokirchneriella subcapitata</i> (green algae)): 0.24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC (<i>Oryzias latipes</i> (Japanese medaka)): 0.053 mg/l Exposure time: 30 d Method: OECD Test Guideline 210

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.316 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50: > 10,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Solvent naphtha (petroleum), light aromatic:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 4.5 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
		NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOELR (Daphnia magna (Water flea)): 2.6 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211

Methanol:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 15,400 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 22,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Orange-red killifish)): 15,800 mg/l Exposure time: 200 h
Toxicity to microorganisms	:	IC50: > 1,000 mg/l

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
Date of first issue: 02.07.2018

Exposure time: 3 h

Persistence and degradability**Components:****Ethylbenzene:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 70 - 80 %
Exposure time: 28 d

Xylene:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 70 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

4-Nonylphenol, branched, ethoxylated:

Biodegradability : Result: Not readily biodegradable.

deltamethrin (ISO):

Stability in water : Hydrolysis: 0 %(30 d)

2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4.5 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Solvent naphtha (petroleum), light aromatic:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 94 %
Exposure time: 25 d

Methanol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 95 %
Exposure time: 20 d

Bioaccumulative potential**Components:****Ethylbenzene:**

Partition coefficient: n-
octanol/water : log Pow: 3.6

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

Xylene:

Partition coefficient: n-octanol/water : log Pow: 3.16
Remarks: Calculation

deltamethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

Methanol:

Bioaccumulation : Species: Leuciscus idus (Golden orfe)
Bioconcentration factor (BCF): < 10

Partition coefficient: n-octanol/water : log Pow: -0.77

Mobility in soil

Components:

deltamethrin (ISO):

Distribution among environmental compartments : log Koc: 7.2

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

Deltamethrin (with Xylene) Formulation

Version 6.0 Revision Date: 07.11.2023 SDS Number: 2972469-00014 Date of last issue: 30.09.2023
Date of first issue: 02.07.2018

UNRTDG

UN number : UN 1992
Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.
(Ethylbenzene, Xylene)
Class : 3
Subsidiary risk : 6.1
Packing group : III
Labels : 3 (6.1)
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1992
Proper shipping name : Flammable liquid, toxic, n.o.s.
(Ethylbenzene, Xylene)
Class : 3
Subsidiary risk : 6.1
Packing group : III
Labels : Flammable Liquids, Toxic
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 1992
Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.
(Ethylbenzene, Xylene, deltamethrin (ISO))
Class : 3
Subsidiary risk : 6.1
Packing group : III
Labels : 3 (6.1)
EmS Code : F-E, S-D
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number : UN 1992
Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.
(Ethylbenzene, Xylene)
Class : 3
Subsidiary risk : 6.1
Packing group : III
Labels : 3 (6.1)
Hazchem Code : 3W
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Revision Date : 07.11.2023

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NZ BEI	:	New Zealand. Biological Exposure Indices
NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEEL	:	Workplace Exposure Standard - Short-Term Exposure Limit

Deltamethrin (with Xylene) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.0	07.11.2023	2972469-00014	Date of first issue: 02.07.2018

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN